



Exam Code: 000-021

Exam Name: IBM Tivoli Workload Scheduler V8.5

Implementation

Vendor: IBM

Version: DEMO

Part: A

1: In an environment that includes both a Master Domain Manager (MDM) and Backup Master Domain Manger (BMDM), which two options are appropriate for the location of the database? (Choose two.)

- A.local database installed on the MDM only
- B.live local database installed on the BMDM only
- C.single database on a clustered machine remote from the MDM and BMDM
- D.live database installed on a single Fault Tolerant Agent within IBM Tivoli Workload Scheduler network
- E.live database on MDM and High Availability Disaster Recovery/Data Guard standby database on BMDM

Correct Answers: C E

2: Which DB2 versions are supported by IBM Tivoli Workload Scheduler?

- A.8.1 and 8.2
- B.8.2 and 9.5
- C.9.1 and 9.5
- D.8.1, 8.2, 9.1, and 9.5

Correct Answers: C

3: Which application should be installed to perform scheduling object database management, plan management, workload monitoring, event management operations, and the running of reports?

- A.Glance
- B.gcomposer
- C.Job Scheduling Console
- D.Tivoli Dynamic Workload Console

Correct Answers: D

4: What are three purposes of the twsappsinst command? (Choose three.)

- A.install the Option Editor
- B.Install Command-Line Client
- C.install the Java Runtime Environment for PeopleSoft
- D.install IBM Tivoli Workload Scheduler for Applications
- E.install an IBM Tivoli Workload Scheduler for Applications patch
- F.add an access method to an already existing installation of IBM Tivoli Workload Scheduler for Applications

Correct Answers: C D F

5: An international company has IBM Tivoli Workload Scheduler workstations in three timezones, where the master and one workstation are on UTC+2, some workstations on UTC -2, and a few others on UTC +5. Which workstation's timezone will the choice of the start of production day reference?

- A.the master

- B.the most stable workstation
- C.a workstation whose timezone is UTC -2
- D.a workstation whose timezone is UTC +5

Correct Answers: A

6: What are three applications that can have IBM Tivoli Workload Scheduler jobs scheduled using IBM Tivoli Workload Scheduler for Applications? (Choose three.)

- A.z/OS
- B.BAAN
- C.Opera
- D.PeopleSoft
- E.VisualBasic
- F.Oracle for E-Business

Correct Answers: A D F

7: What are two valid installation methods when installing an IBM Tivoli Workload Scheduler Master Domain Manager on a UNIX/Linux platform? (Choose two.)

- A.using the twsinst script
- B.using the customize script
- C.using the installation wizard
- D.silent installation using response file templates
- E.using Software Distribution software package blocks

Correct Answers: C D

8: What are uploaded to the SAP instance for r3batch to work properly?

- A.images
- B.projects
- C.transports
- D.passwords

Correct Answers: C

9: Which three installation methods are used to install the Tivoli Dynamic Workload Console? (Choose three.)

- A.launchpad
- B.silent install
- C.install wizard
- D.twdc_install.bin
- E.launch_console
- F.customize -new console

Correct Answers: A B C

10: Which two commands are used to migrate IBM Tivoli Workload Scheduler to version 8.5 on a UNIX system? (Choose two.)

- A.launch.sh

- B.wdinstspb
- C.SETUP.bin
- D.twsinst -migrate
- E.SETUP.bin -silent

Correct Answers: C E

11: What are two circumstances for which it may be advisable to use the silent uninstallation method instead of an interactive method? (Choose two.)

- A.The Administrator is unable to successfully export DISPLAY to a remote server.
- B.IBM Tivoli Workload Scheduler is installed on a server for which there is no console access.
- C.DNS is not working properly and the server cannot be accessed remotely to run the uninstallation script.
- D.TCP on the server on which IBM Tivoli Workload Scheduler is installed is configured for half-duplex rather than full-duplex.
- E.The remote IBM Tivoli Workload Scheduler server is multi-homed, thus the return connection to IBM Tivoli Workload Scheduler cannot be established thereby requiring the use of the silent uninstaller.

Correct Answers: A B

12: What is the default directory where DB2 database instance data is located?

- A.SQLnnnn
- B.NODE0000
- C.DB2_<instance>
- D.TABLESPACE_REL_PATH

Correct Answers: B

13: IBM Tivoli Workload Scheduler workstation local options are configured in the file, localopts. In which directory is this active local options configuration file located?

- A./etc/TWS
- B.<TWShome>
- C.<TWShome>/config
- D.<TWShome>/mozart

Correct Answers: B

14: The IBM Tivoli Workload Scheduler administrator wants to change the shell being used by a particular streamlogon user to execute job scripts. Which file is modified to change the SHELL_TYPE value?

- A..profile
- B.jobmanrc
- C..jobmanrc
- D.batchman

Correct Answers: B

15: What is the migrutility get_users command used for?

- A.extract the Windows user data with the plain text passwords
- B.extract the Windows user data with the user's encrypted passwords
- C.export the object data from the Mozart database when migrating from 8.2 version of IBM Tivoli Workload Scheduler
- D.export the Tivoli Management Framework user data from the Security file when migrating from 8.2 version of IBM Tivoli Workload Scheduler

Correct Answers: B

16: What are two valid methods for creating/editing the extended agent's options file? (Choose two.)

- A.text editor
- B.Option Editor
- C.Job Scheduling Console
- D.target application native editor
- E.Tivoli Dynamic Workload Console

Correct Answers: A B

17: Given that multiple jobs for different batch users must use the same environment setting, and that the setting changes daily, what is the best way to achieve this requirement?

- A.Run the jobs within a wrapper script and modify the scripts daily or as needed.
- B.Create a .jobmanrc file for each of the batch users, and then modify them as needed.
- C.Run these processes manually from the command line and use a trigger file as a dependency for the jobs.
- D.Create an IBM Tivoli Workload Scheduler Variable and add it to the beginning of the command field in the jobs definition.

Correct Answers: D

18: Where is the WebSphere tools directory located?

- A.etc\<TWA_home>
- B.<TWA_home>\eWAS
- C.<TWA_home>\wastools
- D.<TWA_home>\TWS\audit\database

Correct Answers: C

19: What are the correct steps on a UNIX system to change the port WebSphere Application Server uses to connect to the database?

- A.showHostProperties.sh > <filename>, vi <filename>, changeHostProperties.sh <filename>
- B.showTraceProperties.sh > <filename>, vi <filename>, changeTraceProperties.sh <filename>
- C.showSecurityProperties.sh > <filename>, vi <filename>, changeSecurityProperties.sh <filename>
- D.showDataSourceProperties.sh > <filename>, vi <filename>, changeDataSourceProperties.sh <filename>

Correct Answers: D

20: How is information about embedded WebSphere configuration for Windows retrieved?

A.open the Tivoli Dynamic Workload Console

B.open the WebSphere administration console

C.run <installation path>\wastools\backupConfig.bat

D.run <installation path>\wastools\showHostProperties.bat

Correct Answers: D