



**Vendor:** IBM


**Exam Code:** 000-270

**Exam Name:** IBM Business Process Manager Advanced  
V7.5, Integration Development

**Version:** DEMO

### QUESTION NO: 1

An integration developer is testing the process shown in the following exhibits.



Task Flows Build Activities Properties Problems Server Logs Servers

#### Receive - Receive


Description	Partner:*	Component1Interface	Browse...
Details	Interface:*	Component1Interface	
Server	Operation:*	operation1	
Authorization	<input checked="" type="checkbox"/> Use data type variables mapping		
Exit Condition			
Correlation			
Environment			
Event Monitor			
Global Event Settings			

	Name	Type	Store into Variable
Inputs	input1	string	input1

#### Snippet - SnippetA

Visual Java

```
/*@bpe.readOnlyVariables names="aString"*/  
output1 = "MODIFIED";  
aString = "MODIFIED";  
if ( input1.length() != 0 ) {  
    throw new IllegalArgumentException();  
}
```




If the integration developer starts an instance of the ProcessA process with an input of "HELLO", which of the following strings will the LogSnippet snippet write to System.out?

- A. output1=ORIGINAL :: aString=ORIGINAL
- B. output1=ORIGINAL :: aString=MODIFIED
- C. output1=MODIFIED :: aString=ORIGINAL
- D. output1=MODIFIED :: aString=MODIFIED

**Answer: C**

**QUESTION NO: 2**

An integration developer has developed the following business process, as shown in the exhibit:



The invoke activities Invoke1 and Invoke2 are synchronous invocations and execute in a few



seconds. A compensation handler needs to be defined for Snippet2 following a business action from the customer. The customer considers performance to be a key requirement. How would the integration developer implement these requirements? The business process needs to be a:

- A. long-running process because of the required fault handler.
- B. long-running process because of the required compensation handler.
- C. microflow because no human tasks are required.
- D. microflow for best performance as every invoke activity uses synchronous invocation and executes quickly.

**Answer: B**

**QUESTION NO: 3**

An integration developer needs to check which Common Event Infrastructure (CEI) events have been generated for a business process and review the information contained inside each event.


Where will the integration developer find this information?

- A. In the Common Base Event browser application.
- B. In the monitoring widgets in Business Space.
- C. In the administrative console -> Service Integration -> Common Event Infrastructure -> Event Service
- D. In the Business Process Choreographer Explorer -> Views tab -> Process Instances -> Events generated

**Answer: A**

**QUESTION NO: 4**

An integration developer has configured a business state machine, as shown below:




What behavior will the integration developer observe when executing the flow?

- A. If Condition3 is false, then Exit1 will execute after Timeout2 expires.
- B. If Condition1 and Condition2 are both true, then a runtime exception will be thrown.
- C. If Condition1 is false, then Timeout1 will not be evaluated.
- D. If Condition1 and Condition2 are both false, then operation2 will be called by the business state machine.

**Answer: A**

### QUESTION NO: 5

An integration developer has configured a BPEL business process for a customer, as shown below:



Execution of iterations:  Sequential  Parallel

Index-Variable Name:

**Iteration**

Define the bounds of the range to iterate over by specifying an iteration type.

Type:  Expression

**Start Expression:**

Expression Language:

Expression Type:  Visual  Java

```
return min;
```

**End Expression:**

Expression Language:

Expression Type:  Visual  Java

```
return max;
```

**Early Exit Criterion**

Define when to exit the iteration.

Type:   Count successful iterations only

Assume that max is greater than min. What should the integration developer take into account when implementing this for each loop?

- A. There must be an array associated with the for each loop.
- B. It is possible to exit the loop before Index is equal to max.
- C. The values of min and max cannot be changed once the for each activity begins.
- D. If the scope inside of the for each activity is set to isolated, then the activities will run sequentially.

**Answer: D**