



**Exam Code:** 000-876

**Exam Name:** IBM Tiboli Access Manager for e-business  
V6 Implementation.

**Vendor:** IBM

**Version:** DEMO

## Part: A

1: Administrators are trying to access junction resources and they are denied access between midnight and 8AM. Which step will allow only these administrators access during these hours?

- A. Replace the POP on the junction resources and remove the time of day range.
- B. Update the WebSEAL configuration file to allow administrator access to back-end Web servers.
- C. Place the administrators in a group, and give that group B permission on an ACL attached to the junction resources.
- D. Place the administrators in a group, and place that group into a second POP attached to the junction resources that allows them access during these hours.

**Correct Answers: C**

2: Customer XYZ has multiple Microsoft IIS servers in its DMZ. For business and technical reasons, they are unable to install a reverse proxy within the DMZ. Which IBM Tivoli Access Manager for e-business (TAMeb) component would address this requirement?

- A. TAMeb WebSEAL
- B. TAMeb policy proxy server
- C. TAMeb plug-in for Web servers
- D. TAMeb session management server

**Correct Answers: C**

3: What is one key item to enable sharing a session between different replica sets in the same session realm?

- A. The session configuration parameters must be identical.
- B. The security servers must all be in the same DNS domain.
- C. The sessions must be established simultaneously from the first login.
- D. The session key of the first session must be identical to the replica server.

**Correct Answers: B**

4: Which utility is used to restore critical IBM Tivoli Access Manager for e-business data?

- A. pdmgr
- B. pdadmin
- C. pdbackup
- D. pdrestore

**Correct Answers: C**

5: What junction option is used to specify the FSSO configuration file?

- A. -F config-file-path
- B. -J config-file-path
- C. -S config-file-path
- D. -T config-file-path

**Correct Answers: C**

6: What functionality does external authentication interface (EAI) provide that can not be done

with external authentication C API?

- A.ability to authenticate the user with a custom token
- B.ability to generate custom user credentials for a given user
- C.ability to interact with the end user to request additional information
- D.ability to do a write make calls to a centrally managed authorization service

**Correct Answers: C**

7: Which IBM Tivoli Access Manager for e-business package must be installed on a machine that is running the Administration API?

- A.ADK
- B.policy server
- C.runtime services
- D.Web Portal Manager

**Correct Answers: C**

8: Which command is used to refresh the IBM Tivoli Access Manager for e-business object namespace identified using dynamic URL capability?

- A.server task <server-name> dynurl update
- B.server task <server-name> dynurl refresh
- C.server task <server-name> update namespace
- D.There is no command. Modification of the configuration file is all that is needed.

**Correct Answers: A**

9: For an ACL attached to a WebSEAL junction, which entry allows group eng to execute a CGI program on the junctioned server?

- A.user eng Tx
- B.user eng Tc
- C.group eng Tr
- D.group eng Tl

**Correct Answers: C**

10: What is the correct command to re-enable user account, usera, which has been locked out due to a 3 strikes violation?

- A.user modify usera lock-out no
- B.user modify usera account-valid yes
- C.user modify usera account lock-out no
- D.user modify usera account-valid unlock

**Correct Answers: B**

11: Which attribute is defined in a POP?

- A.iv-user
- B.iv-cred
- C.user and group names
- D.IP address/authentication method

**Correct Answers: D**

12: What has to be set to change IBM Tivoli Access Manager for e-business (TAMeb) audit level?

- A.audit serviceability option in the TAMeb routing file
- B.logaudit=yes in the auditing-configuration stanza of iv.conf file
- C.POP audit level attribute using the pdadmin pop modify command
- D.Web Portal Manager audit tab value to specify one of the three audit levels - permit, deny, error

**Correct Answers: C**

13: Which WebSEAL configuration option will ensure that an initial request is routed to the correct junctioned Web server, even if the junction is missing from the URL?

- A.URL redirect
- B.URL rewriting
- C.-j junction option
- D.a junction mapping table association

**Correct Answers: D**

14: Given the default IBM Tivoli Access Manager for e-business password policy, which password is valid?

- A.tiVoli1
- B.t1v0l199
- C.tiVoli-999
- D.t1vol1--99

**Correct Answers: D**

15: What directory contains CARS installation error logs?

- A./var/cars/log
- B./opt/cars/event/logs
- C./var/PolicyDirector/log
- D./opt/IBM/Tivoli/CommonAudit/server/logs

**Correct Answers: D**

16: When accessing the default WebSEAL root over SSL after an install, what is displayed after a successful authentication?

- A.IBM HTTP Server welcome page
- B.Web Portal Manager junction creation panel
- C.IBM Tivoli Access Manager for e-business logo
- D.error message stating that the user is Forbidden

**Correct Answers: C**

17: Which command will restore all WebSEAL files from BACKUP\_FILE?

- A.pdbackup -action restore -file BACKUP\_FILE
- B.pdrestore -action verify -file BACKUP\_FILE
- C.pdweb WEBSEAL\_INSTANCE -restore BACKUP\_FILE

D.pdadmin server task WEBSEAL\_INSTANCE restore ile BACKUP\_FILE

**Correct Answers: A**

18: Which command is used to map user sean to resource mozart for SSO?

A.rsrccreate add sean rsrcname mozart

B.rsrccreate create mozart\_group add sean rsrcname mozart

C.rsrccred add mozart rsrc type mozart\_group set -rsrcuser sean

D.rsrccred create mozart rsrcuser mozart\_user rsrcpwd mozart\_password rsrc type web user sean

**Correct Answers: D**

19: What is the correct syntax for creating a transparent path junction on the default WebSEAL instance to proxy the remote directory of /docs/html on the web.ibm.com host?

A.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -x /docs

B.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -T /docs

C.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -x /docs/html

D.server task default-webseald-webseal01.ibm.com create -t tcp -h web.ibm.com -T /docs/html

**Correct Answers: C**

20: How are IBM Tivoli Access Manager for e-business users and groups logically separated within a single policy server?

A.by creating multiple object spaces

B.by installing multiple user registries

C.by creating multiple secure domains

D.by installing multiple policy proxy servers

**Correct Answers: C**