



**Exam Code:** 000-R03

**Exam Name:** IBM SurePOS 700 Technical Professional

**Vendor:** IBM

**Version:** DEMO

## **Part: A**

1: To minimize the effects of data loss during a power failure, what standard feature is included on all SurePOS 700 Series models?

- A.A special type of VRAM, called Windows RAM or WRAM
- B.An onboard standby power systems (SPSs)
- C.An internal UPS
- D.128 KB of NVRAM

**Correct Answers: D**

2: What is the first step a technical specialist should take before they begin removal or replacement procedures?

- A.Remove all attached devices and I/O connections from the system unit.
- B.Disconnect the power cord from the external power source.
- C.Switch off the power at the system unit and unplug the power cord.
- D.Make sure they are properly grounded.

**Correct Answers: C**

3: When migrating a DOS application to the SurePOS 720, 740, or 780, which of the following statements is correct?

- A.The DOS LAN driver is the same as on the 4694, and it may be used on the SurePOS 720, 740, or 780.
- B.The four RS-232 ports on the SurePOS 740 and 780 are all legacy standard, and no special considerations must be taken for DOS RS-232 applications.
- C.DOS applications that use COM ports 3 and 4 on the SurePOS 740 or 780 must be capable of supporting a PCI-compliant plug-and-play device that uses the shared interrupt architecture.
- D.PC DOS versions 6.3 and later are formally supported on the SurePOS 720, 740, and 780 platforms.

**Correct Answers: C**

4: Using the UPS available on the SurePOS 700 Series models 721, 741, and 781, backup power for typical POS configurations should last how long during operation (performing transactions)?

- A.Between five and ten minutes
- B.Between ten and twenty minutes
- C.Between twenty and thirty minutes
- D.Between thirty and forty minutes

**Correct Answers: A**

5: Which of the following should be used to remove tape adhesive from the SurePOS 700 Series covers?

- A.Petroleum-based cleaner
- B.Distilled water
- C.Ammonia-based cleaner
- D.Isopropyl alcohol

**Correct Answers: D**

6: Which Microsoft operating systems are supported by the SurePOS 700 Series models 721, 741, and 781?

- A.Windows 2000, Windows NT, and Windows XP Professional
- B.Windows 98, Windows 2000, and Windows XP Professional
- C.Windows 2000, Windows XP Professional, and Windows XP embedded
- D.Windows 2000, Windows NT, and Windows XP embedded

**Correct Answers: C**

7: What standard SurePort configurations are available for the SurePOS 700 Series?

- A.RJ-45, RS-232, and USB
- B.RS-232, Ethernet, and RS-485
- C.RS-485, RJ-45, and USB
- D.RS-485, RS-232, and USB

**Correct Answers: D**

8: Which SurePOS 700 Series model supports a maximum of one hard disk drive?

- A.SurePOS 720, model 721
- B.SurePOS 740, model 741
- C.SurePOS 740, model C41
- D.SurePOS 780, model 781

**Correct Answers: A**

9: Which of the following statements is valid regarding the SurePOS 720, 740, and 780 system component drivers?

- A.The system component drivers are the same as on the SurePOS 4694, and they may be used interchangeably with the SurePOS 4694 platform.
- B.The system component drivers are unique to the SurePOS 720, 740, and 780, and they may be obtained from the Retail Store Solutions Support Web site.
- C.The system component drivers are the same as those on the previous generation SurePOS 700, and they may be used interchangeably with that platform.
- D.All required system component drivers are included with the operating system, and it is not necessary to update them.

**Correct Answers: B**

10: Which of the following correctly describes the maximum memory configuration on the SurePOS 720 Model 721?

- A.The SurePOS Model 721 supports two 266 MHz DDR DIMMS and has a maximum memory size of 2 GB.
- B.The SurePOS Model 721 supports two 266 MHz DDR DIMMS and has a maximum memory size of 512 MB.
- C.The SurePOS Model 721 supports two 133 MHz SDRAM memory modules and has a maximum memory size of 1 GB.

D.The SurePOS Model 721 supports two 133 MHz SDRAM memory modules and has a maximum memory size of 512 MB.

**Correct Answers: D**