



Exam Code: LOT-824

Exam Name: Building Portlets with IBM WebSphere

Portlet Factory 6

Vendor: IBM

Version: DEMO

Part: A

1: After working with a builder for several days, it is decided that John must consume some data from a Lotus Domino database. How can he most easily enhance his project to include data from Domino?

- A. Use the Notes ODBC driver to consume Domino data
- B. Add the Lotus Collaboration Integration Extension to his project
- C. Export the Domino data to Excel, then add an Excel Integration Extension to the project
- D. Integrate Domino with a relational database using Domino Enterprise Connection Services (DECS), then consume the data using a native JDBC driver

Correct Answers: B

2: Will has used Eclipse for several RCP and plug-in projects and is beginning his first WebSphere Portlet Factory WebApp. In order to provide a clean environment for the complexities of his WebApp, what action should he take with Eclipse before creating the new WebApp Project?

- A. Open a new perspective
- B. Define and use a new workspace
- C. Start Eclipse with the "-clean" option
- D. Clear the warnings from the Problems view, and add a Servers view for running the project

Correct Answers: B

3: Jerry returns from a vacation to his shared development machine, and when launching Eclipse discovers a Profiling Monitor where his project's navigation used to be. What does he need to do to return to his WebSphere Portlet Factory project, assuming that he selected the correct workspace?

- A. Run a search for the base entry of his WebApp Tree
- B. Change the perspective to the WebSphere Portlet Factory perspective
- C. Use the File - Open File menu to return to one of his models
- D. Use the Run menu choice to change to his old run configuration

Correct Answers: B

4: Angie has created several builder calls in a model and wishes to see the model's raw form for educational purposes. Where can she do this?

- A. In the generated code pane
- B. In the Model XML model view
- C. In the WebApp Tree model view
- D. By navigating to the initial Comment in the Navigator pane

Correct Answers: B

5: Which builder can Ellen use to add a form to her WebApp for the collection of data?

- A. Form Builder
- B. Data Page Builder
- C. HTML Page Builder
- D. Data Class Builder

Correct Answers: B

6: To get a better understanding of a data service provider, Gene would like his provider model to automatically create some documentation. In which builder call can he generate documentation, and how?

- A. SQL Call builder, by selecting "Include Documentation"
- B. Comment builder, by adding appropriate comments to the model
- C. Service Definition builder, by selecting "Generate Main" and "Include Documentation"
- D. SQL DataSource, by defining data that has embedded comments as one of the columns to return

Correct Answers: C

7: Jerald is working with detail input pages (forms) and wishes to give them similar colors and fonts as the summary pages developed by another programmer. The styles can easily be modified by doing which of the following?

- A. Use the "!important" tag in the summary page CSS definition
- B. Modify the style manually in the HTML generated by the page automation builder call
- C. Include a CSS file as part of the project, referencing it in the detail page's builder call
- D. Use a modifier builder call to change the tag associated with the element that needs a new style

Correct Answers: C

8: Francois is familiar with the generation of WSDL in a data provider model using the Service Definition builder. However, for his current project, he has created several service consumer models and is performing complex operations on the result sets. It is these operations, not necessarily the raw data, which he would like to expose as web services. How can he define a new WSDL without involving the provider model?

- A. Use the WSDL Generator builder at the end of any model
- B. Append Action!ViewWSDL to the URL of any model as it runs
- C. Use the Web Service Enable builder to expose one or more methods
- D. Use a Web Service builder as a modifier after using a View & Form builder

Correct Answers: C

9: Leanna intends to share certain values (variables) across different models in a particular user session for later use in event processing. Which of the following types of inter-portlet communication describes what she needs to do?

- A. Generate Property Brokers
- B. Add Click-to-Action builders
- C. Add Portlet Factory events with shared inputs
- D. Add Shared Variables for coupling with an event mechanism

Correct Answers: D

10: Using the Data Page builder, Lance can map data to named HTML tags on a page. The data can be rendered in form fields, as read-only fields, or in some combination of both. How does he generate form fields for data input and modification?

- A. By referencing an HTML file in the Input Control Settings

- B.By reading a schema file with form definition elements and field validation
- C.By generating sample HTML and modifying it in-line with the built-in editor
- D.By first choosing the Page Type as data entry, then choosing a Page or Imported Page builder call that has already been defined

Correct Answers: D