



**Exam Code:** 000-771

**Exam Name:** IBM Tivoli Provisioning Mgrw/Orchestration

V3.1 Implement

**Vendor:** IBM

**Version:** DEMO

## Part: A

1: Which executable is used for a Unix/Linux server to generate the appropriate SSH key for the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator Server?

- A.keygen
- B.keyadd.sh
- C.ssh-keygen
- D.ssh-keyadd

**Correct Answers: C**

2: The IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator server has been up and running for a long time and suddenly workflow deployments fail. The administrator suspects a down level version of MQ is installed. Which command verifies this?

- A.mqdsp
- B.mqver
- C.mqlevel
- D.amqvget

**Correct Answers: B**

3: When creating a customer in the user interface which field is a required entry?

- A.The application name
- B.The name of the customer
- C.The name of the associated Logical Device Operation
- D.Assignment of the dedicated server for the customer

**Correct Answers: B**

4: What is required to create a new user in the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator V3.1 user interface?

- A.e-mail address
- B.superuser designation
- C.default access group
- D.a pre-existing system user account

**Correct Answers: C**

5: How is the shared property interpreted for a resource allocation request in a virtual server template?

- A.The resource can be used by multiple virtual servers and is decremented on the host platform.
- B.The resource cannot be used by multiple virtual servers but is available to multiple host platforms.
- C.The resource can be used by multiple virtual servers and is not decremented on the host platform.
- D.The resource can be used by multiple host platforms and is only decremented on a single host platform.

**Correct Answers: C**

6: Which log file contains information about starting IBM Tivoli Provisioning Manager?

- A.\$WAS\_LOGS/start.log
- B.\$TIO\_LOGS/tio\_start.log
- C.\$WAS\_HOME/logs/tclear.log
- D.\$TIO\_HOME/logs/tio\_start.log

**Correct Answers: B**

7: Viewing Server Utilization statistics in the user interface requires which server variable to be defined?

- A.system.driver
- B.snmp.device.filter
- C.server-utilization
- D.cpu-utilization.device

**Correct Answers: D**

8: What is the purpose of a Fibre Channel switch?

- A.It allows the allocation of storage to Clients.
- B.It recovers lost data in the event of a failure.
- C.It connects clusters to the storage area network (SAN) fabric.
- D.It allows the administrator to manage ports and connect storage subsystems to the storage area network (SAN) fabric.

**Correct Answers: D**

9: An administrator successfully adds server XYZ to an application tier, but notices a previous attempt to add server ABC to the same application tier failed. Where can the administrator look to determine why the workflow failed for server ABC?

- A.\$TIO\_LOGS/de/output.log
- B.\$WAS\_HOME/logs/server1/Deployments.log
- C.In the Deployment Requests section of the user interface.
- D.The history for server ABC was overwritten when server XYZ was added to the application tier.

**Correct Answers: C**

10: How are Data Center Model (DCM) objects imported?

- A.by using the XML import tool from the command line interface
- B.by invoking the XML.Import logical device operation from the Web interface
- C.by invoking the XML import tool from the Inventory view in the user interface
- D.It is not possible to import DCM objects after installation of the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator.

**Correct Answers: A**

11: Which two actions are required to allocate a virtual server from a host platform? (Choose two.)

- A.Create a virtual server template.
- B.Setup a virtual resource pool to group virtual servers.

- C. Associate the host platform server with a boot server.
- D. Define hardware resources on the host platform available to the virtual server.
- E. Mark the host platform as managed by IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator.

**Correct Answers: A D**

12: What needs to be configured for IBM Tivoli Provisioning Manager (ITPM)/IBM Tivoli Intelligent Orchestrator (ITIO) reporting to work?

- A. Crystal Reports
- B. Tivoli Data Warehouse
- C. IBM DB2 Data Warehouse
- D. Functionality is preconfigured in ITPM/ITIO

**Correct Answers: D**

13: How is a device driver associated with a boot server?

- A. It is not possible to associate a device driver to a boot server.
- B. The SetDeviceDriver logical device operation is invoked from the user interface.
- C. The device driver on the Workflows tab of the boot server in the user interface is specified.
- D. The device driver in the Add Boot Server dialog is specified when creating the boot server in the user interface.

**Correct Answers: C**

14: Once all prerequisites are installed and when installing IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator V3.1 on Windows, which two installation parameters are required? (Choose two).

- A. DB2 instance owner
- B. LDAP server install location
- C. ITPM administrator user name
- D. LDAP administrator account information
- E. WebSphere Application Server administrator account information

**Correct Answers: A D**

15: Which attribute of a subscription can users modify when the service is already provisioned?

- A. service application
- B. end time of the service
- C. start time of the service
- D. dedicated service servers

**Correct Answers: B**

16: Which two statements are true for the user ID tioldap? (Choose two.)

- A. This account must be granted tree ownership.
- B. It is used by IBM WebSphere as the administrator account.
- C. It is used by WebSphere to connect to the IBM Tivoli Directory Server.
- D. It is used to log into the IBM Tivoli Provisioning Manager/Tivoli Intelligent Orchestrator Web

console.

E.It is used by the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator server for system initiated actions.

**Correct Answers: A C**

17: When adding a storage volume to a host server which three options are valid? (Choose three.)

A.Storage Volume

B.Storage Manager

C.Storage Container

D.Storage Subsystem

E.Storage Area Network

F.Storage Channel Adaptor

**Correct Answers: A B D**

18: Where are the deployment engine log files located?

A.\$TIO\_LOGS/de

B.\$TIO\_LOGS/deploymentengine

C.\$TIO\_HOME/deploymentengine

D.\$TIO\_HOME/logs/deploymentengine

**Correct Answers: B**

19: What is the default Distinguished Name (DN) for the IBM Tivoli Directory Server administrator?

A.cn=root

B.cn=tioldap

C.dn=tioldap

D.cn=tiadmin

**Correct Answers: A**

20: Where are newly discovered servers found in the IBM Tivoli Provisioning Manager/IBM Tivoli Intelligent Orchestrator V3.1 user interface?

A.Inventory-> Servers

B.Configuration-> Discovery-> Servers

C.Inventory-> Discovered -> Discovered Servers

D.Configuration-> Discovered -> Discovered Servers

**Correct Answers: C**