



Exam Code: 000-873

Exam Name: ibm tivoli totalstorage prod center for data
v2.1 impl

Vendor: IBM

Version: DEMO

Part: A

1: How is it determined if SNMP is running in a UNIX environment?

- A.lslpp
- B.ps -ef
- C.cat /etc/rc.d
- D.cat /etc/services

Correct Answers: B

2: The name file filter allows you to include or exclude files based on what?

- A.File name
- B.User owner
- C.File extension
- D.Directory name

Correct Answers: C

3: What is required for TPC for Data for HDS Storage Subsystem support?

- A.Agent placement
- B.Standby Server for HA
- C.UNIX system requirements
- D.Exam Code's CIM/OM application

Correct Answers: D

4: Which three staffing resources are appropriate for a TPC for Data implementation? (Choose three.)

- A.DBA
- B.System Operator
- C.Help Desk Operator
- D.Operations Manager
- E.System Administrator
- F.Network Administrator

Correct Answers: A E F

5: Which two types of alerts can be created? (Choose two.)

- A.New User
- B.RAID 5 Failure
- C.Virus Detected
- D.New Disk Detected
- E.File System Not Found

Correct Answers: D E

6: What are two possible factors that should be considered in troubleshooting the network connectivity between the TPC for Data server and agent? (Choose two.)

- A.Firewall

- B.CRC errors
- C.Port availability
- D.HBA malfunction
- E.Malfunctioning GBIC

Correct Answers: A C

7: What is the minimum level of Novell NetWare operating system that is supported by TPC for Data?

- A.3.2
- B.4.0
- C.4.5
- D.5.0

Correct Answers: B

8: When creating a new table group for TPC for Data database reporting, which two view options are available? (Choose two.)

- A.Users by group
- B.Groups by table
- C.Tables by group
- D.Instances by table
- E.Tables by instance

Correct Answers: D E

9: How are the agent logs accessed?

- A.Administrative Services>Services>log
- B.Administrative Services>Agents>click on view log
- C.Administrative Services>Services>right click on view log
- D.Administrative Services>Agents>right click and select view log

Correct Answers: D

10: What are three available policy types for TPC for Data? (Choose three.)

- A.Quotas
- B.Storage
- C.Network
- D.Constraints
- E.Daily actions
- F.Network Appliance Quotas

Correct Answers: A D F

11: Which component is a prerequisite for TPC for Data?

- A.DNS
- B.LDAP
- C.SMTP
- D.SNMP

Correct Answers: A

12: Which two UNIX filesystems are supported by a filesystem extension? (Choose two.)

- A.JFS
- B.NFS
- C.QFS
- D.VxFS
- E.GPFS

Correct Answers: A D

13: How is information collected about the availability of the storage assets in a given enterprise?

- A.Ping
- B.Scan
- C.Probe
- D.Discovery

Correct Answers: A

14: What must run to populate the backend repository with Storage Subsystem data?

- A.Ping
- B.Scan
- C.Probe
- D.Discovery

Correct Answers: C

15: Which two output formats are available parameter definitions for ChargeBack? (Choose two.)

- A.XML
- B.PDF
- C.CIMS
- D.Invoice
- E.Comma delimited text file

Correct Answers: C D

16: Which two reports can be viewed under Asset Reporting->System-Wide->By Computer? (Choose two.)

- A.By ping time
- B.By boot time
- C.By scan time
- D.By down time
- E.By probe time

Correct Answers: B E

17: What are two valid options on when to run a script? (Choose two.)

- A.Run Now
- B.Run Never

- C.Run On Alert
- D.Run Repeatedly
- E.Run On System Available

Correct Answers: A D

18: Which type of user ID must be supplied for the RDBMS when installing TPC for Data?

- A.Root login
- B.Valid database user
- C.TPC for Data user login
- D.Local Windows administrator

Correct Answers: B

19: When using custom generated certificates, which file must be copied from the Agent Manager Install directory to the TPC for Data install image?

- A.agentTrust.jks
- B.Authorization.xml
- C.agentManagerKeys.jks
- D.agentManagerTrust.jks

Correct Answers: A

20: Which two tabs are available when defining a database scan? (Choose two.)

- A.Users
- B.Actions
- C.Profiles
- D.Options
- E.Instances

Correct Answers: C D