



Exam Code: 050-707

Exam Name: Novell Open Enterprise Server for NetWare

Advanced Admin

Vendor: NOVELL

Version: DEMO

Part: A

1: You have created a volume named ARCHIVE for file versioning. You need to configure your MySQL server to work with Archive and Versioning Services. To do this, which command would you enter at the server console to install a new MySQL database that uses the ARCHIVE volume and runs on port 3306?

- A.mysql --datadir=ARCHIVE:/ --port=3306
- B.mysql_install_db dir=ARCHIVE:/ port=3306
- C.load mysql_install_db --datadir=ARCHIVE:/ --port=3306
- D.mysql_install_db datadir=ARCHIVE:/ port=3306
- E.mysql_install_db --datadir=ARCHIVE:/ --port=3306

Correct Answers: E

2: The NDS.01 file grows to a certain size and then an NDS.02 file is created for the remaining data. How big can NDS.01 get before the NDS.02 file gets created for the remaining data?

- A.100 MB
- B.500 MB
- C.1 GB
- D.2 GB
- E.4 GB

Correct Answers: D

3: In which area of the Novell corporate web site will you find links to documentation for Novell products?

- A.News & Events
- B.Services & Support
- C.Company Information
- D.Products & Solutions
- E.Partners & Communities

Correct Answers: B

4: Click the Point-and-Click button to begin.

Click the option that will allow you to manually start the schema synchronization process.

Point and Click
NDS™ iMonitor
December 20, 2004 11:02:10 am
Agent Summary

[.CN=DA1.](#) [OU=SLC.](#) [O=DA.](#) [T=DA-TREE.](#)

Identity: .CN=admin. OU=SLC. O=DA. DA-TREE.

Links:

- [Agent Synchronization](#)
- [Known Servers](#)
- [Schema](#)
- [Agent Configuration](#)
- [Trace Configuration](#)
- [Agent Health](#)
- [Agent Process Status](#)
- [Agent Activity](#)
- [Connections](#)
- [Error Index](#)

Partition Synchronization Status

Partition	Errors	Last Successful Sync.	Maximum Ring Delta	Replica's Perishable Data Delta	
.DA-TREE.	0	0:34:01	0:00:00	306545:55:50	Replica Synchronization, Agent Health, Change Cache, Continuity

Servers Known to Database Totals

Type	Count	Up	Down	Unknown
Known Servers	1	1	0	0
In Replica Ring	1	1	0	0

5: Which ConsoleOne Reports category would you use to generate a report for your OES NetWare server object?

- A. Error Reports
- B. Server Reports
- C. User Security Reports
- D. General Object Reports
- E. User and Group Reports
- F. Unknown Objects Reports
- G. Disabled Accounts Reports

Correct Answers: D

6: Which OES NetWare services can be managed with the IP Address Management Utility? (Choose 2.)

- A. NAT
- B. DHCP
- C. iSCSI
- D. MySQL
- E. NetWare VNC
- F. iManager 2.5

Correct Answers: D F

7: Which SET parameter will cause the server to attempt to recover from all software and hardware abends, wait a specified amount of time, and then restart the operating system?

- A. SET AUTO RESTART AFTER ABEND = 0
- B. SET AUTO RESTART AFTER ABEND = 1

C.SET AUTO RESTART AFTER ABEND = 2

D.SET AUTO RESTART AFTER ABEND = 3

Correct Answers: C

8: You've created a share named SHARE for the SHARED directory on the DATA volume on your DA2-W CIFS server. What UNC path should be used to access this share from a Windows workstation?

A.\\DA2-W\SHARE

B.\\DA2-W\SHARED

C.\\DA2-W\DATA\SHARE

D.\\DA2-W\DATA\SHARED

Correct Answers: A

9: Which local file does an OES NetWare server use to resolve hostnames into IP addresses? (Choose 2.)

A.Sys:\Etc\Hosts

B.Sys:\Etc\Named

C.Sys:\Etc\Resolve

D.Sys:\System\Host

E.Sys:\Etc\Hostname

F.Sys:\Public\Resolve

G.Sys:\Login\Resolver\Named

Correct Answers: A E

10: Which server console command is used to configure the CIFS service running on an OES NetWare server as a Primary Domain Controller (PDC)?

A.ENABLE PDC

B.CIFS DOMAIN ON

C.CIFS PDC ENABLE

D.ENABLE CIFS PDC

E.CIFS DOMAIN ENABLE

F.CIFS DOMAIN CONTROLLER ON

Correct Answers: E

11: You have noticed two servers not communicating with each other. You have run DSTRACE and it is showing -625 errors. Your environment is a pure IP environment. Which are useful troubleshooting steps to help identify the problem? (Choose 2.)

A.Verify that both servers have NSS volumes.

B.Verify that time is synchronized on the network.

C.Verify that each server has enough free disk space.

D.Verify that DSREPAIR is not loaded and locking the database.

E.Load IPXPING and verify that each server can ping each other.

Correct Answers: B D

12: Your iSCSI target server has an IP address of 10.200.200.1. Your iSCSI initiator has an IP address of 10.200.200.2. The iSCSI initiator is currently using a shared storage device on the iSCSI target. Which command can be entered at the server console of the iSCSI initiator to end the session?

- A.ISCSITAR END 10.200.200.1
- B.ISCSINIT CLOSE 10.200.200.2
- C.ISCSINIT RELEASE 10.200.200.2
- D.ISCSINIT DISCONNECT 10.200.200.1
- E.ISCSITAR DISCONNECT 10.200.200.2

Correct Answers: D

13: What type of disk partition needs to be created on an OES NetWare server to support iSCSI shared storage?

- A.EXT3
- B.NTFS
- C.VFAT
- D.FAT32
- E.ReiserFS
- F.Novell NSS
- G.Novell iSCSI

Correct Answers: G

14: Which eDirectory object in the Security container is used to configure security labels for NMAS graded authentication?

- A.CA
- B.KAP
- C.Login Policy
- D.Security Policy
- E.Authorized Login Methods

Correct Answers: D

15: You're troubleshooting an intermittent connectivity problem between the Windows XP client workstations and the OES NetWare server in your network. You need to continuously ping your server from a client workstation to test a hypotheses. By default, the Windows PING utility terminates after four pings. What switch would you use with the PING command on the workstation to configure it to ping continuously?

- A.-t
- B.-a
- C.-f
- D.-c
- E.-continuous
- F.-n continuous

Correct Answers: A