



Vendor: Oracle

Exam Code: 1Z0-569

Exam Name: Exalogic Elastic Cloud X2-2 Essentials

Version: DEMO

QUESTION NO: 1

In order to scale the WebLogic Server cluster beyond a single computers node, the domain must be propagated to additional computers nodes. How is this best accomplished?

- A. The domain can simply be zipped (using tar, cpio, or jar), copied over, and extracted on the other computer node.
- B. Web logic Server has specific commands like pack.sh and unpack.sh that are designed for this purpose.
- C. The step can be accomplished most easily through the admin server when the second machine is added to the cluster.
- D. With Exalogic Elastic Cloud software, domain propagation is automatic when additional machine is added to the cluster.

Answer: D

QUESTION NO: 2

In a reference Exalogic topology, all compute nodes _____.

- A. Use locally installed application binaries for execution
- B. Are subdivided using InfiniBand partitions based on application deployment topology
- C. Remotely access software binaries installed on the shared Sun ZFS storage
- D. Use SDP for all interprocess communication

Answer: D

QUESTION NO: 3

When you run the Exalogic Configuration Utility scripts the first time, which three verification steps are performed? (Choose Three)

- A. BOND1 interfaces for all compute nodes
- B. ILOM interfaces for all compute nodes
- C. ILOM interfaces for storage heads
- D. NET0 interfaces for all compute nodes
- E. BOND2 interfaces for storage heads

Answer: A,B,D

QUESTION NO: 4

Which two network channels are necessary to be configured on the admin server?

- A. HTTP client channel
- B. T3 channel
- C. SDP channel
- D. EoIB channel

Answer: A,B

QUESTION NO: 5

In the CLI for the gateway switch, the command [option][option] . . . format of commands is used for _____ .

- A. General hardware administration
- B. InfiniBand fabric control and management

- C. ILOM access
- D. Launching the web interface

Answer: B

QUESTION NO: 6

If you cannot connect to ILOM over the network, which connection method would you use?

- A. USB
- B. Serial connection
- C. Web
- D. SSH

Answer: C

QUESTION NO: 7

Which statement is true about the default cluster configuration of Exalogic's storage appliance?

- A. The default storage pool is assigned to each storage head.
- B. The default storage pool is assigned to the passive storage head.
- C. A separate storage pool is allocated to each storage head.
- D. The default storage pool is assigned to the active storage head.

Answer: D

QUESTION NO: 8

In ILOM, you can configure up to _____ alert rules.

- A. 12
- B. 20
- C. 15
- D. 32

Answer: C

QUESTION NO: 9

Which three are features of the Sun ZFS Storage 7320 appliance that is used in Exalogic machines? (Choose Three)

- A. Entry level cluster option
- B. Multi-protocol support
- C. 100 TB of usable capacity
- D. Replication and snapshots
- E. 80 TB of usable capacity

Answer: A,B,D

QUESTION NO: 10

When using OHS and the WebLogic Server proxy plugin with dynamic server lists, what, if any, configuration is required at the OHS tier when adding additional WebLogic Server instances?

- A. OHS must be restarted and upon restart; the dynamic server list will be automatically updated with newly added server(s).

- B.** OHS httpd.conf must be updated with the newly added WebLogic Server(s).
- C.** Nothing. Newly added WebLogic Server instances are automatically picked up and the plugin is dynamically reconfigured.
- D.** The admin server must be restarted when the cluster has been reconfigured. This will, in turn, notify the web tier (OHS).

Answer: A