



Exam Code: 4h0-110

Exam Name: Hyperion Essbase 6 Certification Exam

Vendor: Hyperion Solutions

Version: DEMO

Part: A

1: Which two dimension build methods create shared members that are at different generations?
(Choose two.)

- A.None
- B.Level
- C.Generation
- D.Parent/Child

Correct Answers: B D

2: Click the Exhibit button. Given the Data Prep Editor in the exhibit, what defines the field 1 header to build Markets dimension?

- A.Gen2,Markets
- B.Child0,Markets
- C.Level0,Markets
- D.Level1,Markets
- E.Parent0,Markets

Correct Answers: C

3: How should you have Essbase assign a subtraction unary operator to members in a dimension build?

- A.Add "-" as a prefix to each member in the source file
- B.Add "-" as a suffix to each member in the source file
- C.Add a column to the left of member column and assign "-" as a property
- D.Add a column to the right of member column and assign "-" as a property

Correct Answers: D

4: Click the Exhibit button. Given the Data Prep Editor in the exhibit, what defines the field 3 header to build Markets dimension?

- A.UDA0,Markets
- B.Level1,Markets
- C.Parent0,Markets
- D.Central6,Markets
- E.Userattrib2,Markets

Correct Answers: B

5: What are two benefits of using aliases? (Choose two.)

- A.Decreased dataload times
- B.Flexible dataloading options
- C.Reduced batch calculation times
- D.Accommodation of multiple names for a member

Correct Answers: B D

6: When should you select User-Defined Attribute (UDA) functionality, as opposed to Attribute

dimension functionality? (Choose two.)

- A. When providing crosstab reports
- B. When providing filtering on Dense dimensions
- C. When applying attributes to multiple dimensions
- D. When utilizing Attribute Calculations dimension

Correct Answers: B C

7: Which two statements describe the relationship between Base dimension member associations and Attribute dimensions? (Choose two.)

- A. All Base members must be associated with an Attribute member.
- B. Base members must be associated with a level-0 Attribute member.
- C. All Base members assigned to a given Attribute dimension must be from the same level.
- D. A Base member can be associated with multiple members in a given Attribute dimension.

Correct Answers: B C

8: Which statement about Dynamic Time Series is true?

- A. It provides to-date functionality.
- B. It performs stored consolidations.
- C. It allows for Dynamic Time dimension builds.
- D. It creates alternate alias table(s) based on Time dimension.

Correct Answers: A

9: When a Location Alias is defined, it _____.

- A. defines a substitution variable reference
- B. allows for the use of the @XREF function in a database
- C. indicates where a database's page and index files are stored
- D. allows defining of multiple alias tables to facilitate internationalization

Correct Answers: B

10: Which function generates a list of all members with a common User-Defined Attribute (UDA)?

- A. @UDA
- B. @ISUDA
- C. @ISIUDA
- D. @UDAMBR

Correct Answers: A

11: Which type of member cannot have a User-Defined Attribute (UDA)?

- A. Time
- B. Account
- C. Dynamic Calc
- D. Attribute dimension member

Correct Answers: D

12: The Expense tag is used to identify outline members utilized in _____.

- A.Variance Reporting
- B.Currency Conversion
- C.Profit & Loss Analysis
- D.Financial Consolidation

Correct Answers: A

13: What generally happens when outline members are tagged as Dynamic Calc? (Choose two.)

- A.It reduces the database size.
- B.It may decrease batch calculation time.
- C.It increases database restructure time.
- D.It decreases client data retrieval times.

Correct Answers: A B

14: What does the Data File Cache contain?

- A.Compressed data blocks
- B.Uncompressed data blocks
- C.A record of recently accessed data blocks
- D.The addresses of data blocks on the disk

Correct Answers: A

15: Click the Exhibit button. Given the outline in the exhibit, which two members should be tagged as Label Only? (Choose two.)

- A.100
- B.Diet
- C.Year
- D.Profit
- E.Ratios
- F.Measures

Correct Answers: E F

16: Which command allows you to optimize formula calculations in Sparse dimensions on large outlines?

- A.CALCCACHE
- B.SET FRMLBOTTOMUP
- C.CALCOPTCALCHASHTBL
- D.SET CLEARUPDATESTATUS

Correct Answers: B

17: What is the effect of deleting the sparse shared member Diet Cola assuming data values exist?

- A.The outline file shrinks.
- B.The page file size shrinks.
- C.There is smaller block size.
- D.The block density increases.

E.The existing number of blocks decreases.

Correct Answers: A

18: Given the following dense/sparse configuration:

Dimension	Storage
Total Year	dense
Measures	dense
Scenario	dense
Product	sparse
Market	sparse

Which calculation script minimizes the number of passes through the database?

A.Fix (Jan) Budget = Actual; Endfix; Fix (Feb) Budget = Actual*1.5; Endfix ;

B.Budget (IF(@ISMBR (Jan)) Budget = Actual; ELSEIF (@ISMBR(Feb) Budget = Actual * 1.5; ENDIF;)

C.DATACOPY Actual to Budget; Fix (Feb) Budget = Actual* 1.5 Endfix ;

Correct Answers: B

19: A default calculation is performed on an outline with Two-Pass Account members. Which data storage setting will ensure one pass through the database?

A.Accounts-Dense; Time-Dense

B.Accounts-Dense; Time-Sparse

C.Accounts-Sparse; Time-Dense

D.Accounts-Sparse; Time-Sparse

Correct Answers: A

20: The ESS00001.IND is 70 MB and the ESS00001.PAG is 450 MB. What is the optimal Index Cache setting?

A.50 MB

B.140 MB

C.350 MB

D.450 MB

Correct Answers: A