

Vendor: Cisco

Exam Code: 642-994

Exam Name: Implementing Cisco Data Center Unified

Computing (DCUCI)

Version: DEMO

QUESTION 1

A particular UCS system has 8 fiber channel uplinks configured. How many VSANs are supported by this configuration?

- A. four.
- B. eight.
- C. sixteen.
- D. thirty-two.

Answer: B

QUESTION 2

You are enabling AAA RADIUS/TACACS+ on a UCS. Which attribute must be added to the User account?

- A. Encryption algorithm.
- B. Shared Secret Key
- C. Security policy
- D. Cisco AvPair

Answer: D

QUESTION 3

Which Cisco UCS feature enables the administrator to send specific functional data using call home?

- A. call home port groups
- B. call home alert groups
- C. call home threshold groups
- D. call home profiles

Answer: B

QUESTION 4

In Cisco Nexus 1000V deployments which two statements are true (Choose two.)

- A. VMware provides the VNIC and drivers
- B. VMware provides the VNIC and Cisco provides the drivers
- C. Cisco provides the switching and management of switching
- D. Cisco provides the switching and VMware provides the management of switching

Answer: AC

QUESTION 5

Which two aspects of a UCS solution enable fast response to growth requirements in the data center? (Choose two.)

- A. UCS Manager
- B. fabric interconnect

- C. service profiles
- D. expansion modules
- E. virtual interface cards

Answer: AC

QUESTION 6

Which three objects represent pools used in Mobile Service Profiles in the Cisco UCS? (Choose three.)

- A. WWN
- B. VSAN
- C. UUID
- D. MAC
- E. VU\N

Answer: ACD

QUESTION 7

Which three pieces of information are contained in a Service Profile for related vNICs? (Choose three)

- A. MAC address
- B. MTU
- C. IP address
- D. VLAN connectivity information
- E. UUID

Answer: ABD

QUESTION 8

Which connection type is available on a virtual switch?

- A. service console port
- B. ESX machine port group
- C. virtual machine port group
- D. None of the above

Answer: A

QUESTION 9

Which components of the UCS solution include beacon LEDs? (Choose two.)

- A. monitors
- B. fabric interconnect
- C. blades
- D. expansion modules
- E. chassis

Answer: CE

QUESTION 10

Which feature allows users to be granted granular permission Sets based on their responsibilities?

- A. Organization
- B. AAA
- C. RBAC
- D. Groups

Answer: C

QUESTION 11

Which three Server Pool Qualifications are used in the Cisco UCS manager? (Choose three.)

- A. firmware
- B. CPU
- C. memory
- D. adapter card

Answer: BCD

QUESTION 12

Which statement about a Service Profile is most accurate?

- A. associated with a pool of blades
- B. represents a group of physical blades
- C. stores connectivity requirements
- D. none of the above

Answer: C

QUESTION 13

Which of the following is correct regarding full-state backups?

- A. used for either a single or dual UCS catastrophic failure
- B. can be restored with no special requirements
- C. stored as gzipped tarball
- D. easy to modify as needed

Answer: C

QUESTION 14

Which three pieces of information are contained in a Service Profile for related vNICs? (Choose three)

- A. MAC address
- B. MTU
- C. IP address
- D. VDLN connectivity information
- E. UUID

Answer: ABD

QUESTION 15

What do management group hierarchies manage?

- A. resources and logical objects
- B. operation of servers and compute nodes
- C. UCS server blade service profiles
- D. Logical objects and compute nodes

Answer: A

QUESTION 16

Which two statements regarding configuring high availability in the Cisco UCS is correct? (Choose two.)

- A. High availability is enabled during the configuration of either HSRP or VRRP from global configuration mode
- B. High availability is configured during the initial setup of both Fabric interconnects
- C. High availability can only be configured via the CMC
- D. High availability is enabled during the initial configuration of one of the Fabric interconnects

Answer: BD

QUESTION 17

On what basis are worldwide node names assigned?

- A. per-service profile
- B. per-compute node
- C. per-group
- D. per-VSA~I

Answer: A

QUESTION 18

The cluster IP address of the UCS Fabric interconnects is used to access which three entities? (Choose three.)

- A. CMC
- B. CLI
- C. API
- D. VSM

E. UI

Answer: ABC

QUESTION 19

How many VLANs on the UCS must be configured when using FCoE?

- A. One per blade
- B. One per VSAN
- C. One per fabric
- D. None are required

Answer: B

QUESTION 20

Which two Cisco UCS features facilitate easy deployment of server farms? (Choose two.)

- A. cloning
- B. CMCs
- C. IOMs
- D. Templates

Answer: AD

Ensurepass.com Members Features:

- 1. Verified Answers researched by industry experts.
- 2. Q&As are downloadable in PDF and VCE format.
- 3. 98% success Guarantee and Money Back Guarantee.
- 4. Free updates for 180 Days.

View list of All Exam provided:

http://www.ensurepass.com/certfications?index=A

To purchase Lifetime Full Access Membership click here:

http://www.ensurepass.com/user/register

Valid Discount Code for 2014: SFOH-FZA0-7Q2S

To purchase the HOT Exams:

Cisco		CompTIA		Oracle	<u>VMWare</u>	IBM
100-101	640-554	220-801	LX0-101	<u>1Z0-051</u>	VCAD510	C2170-011
200-120	640-802	220-802	N10-005	<u>1Z0-052</u>	<u>VCP510</u>	C2180-319
300-206	<u>640-816</u>	BR0-002	SG0-001	<u>1Z0-053</u>	<u>VCP550</u>	C4030-670
300-207	640-822	CAS-001	SG1-001	<u>1Z0-060</u>	VCAC510	C4040-221
300-208	640-864	CLO-001	SK0-002	<u>1Z0-474</u>	VCP5-DCV	RedHat
350-018	642-467	<u>ISS-001</u>	SK0-003	<u>1Z0-482</u>	VCP510PSE	EX200
352-001	642-813	JK0-010	SY0-101	<u>1Z0-485</u>		EX300
400-101	642-902	JK0-801	SY0-301	<u>1Z0-580</u>		
640-461	700-302			<u>1Z0-820</u>		

