

*Ensurepass.com Easy Test! Easy Pass!*



**Vendor: Cisco**

**Exam Code: 644-066**

**Exam Name: Routing and Switching Solutions for  
System Engineers (RSSSE)**

**Version: DEMO**

**QUESTION 1**

Which three services can be provided by Cisco ISR G2 access routers? (Choose three.)?

- A. IP telephony with SIP trunking
- B. integrated video conferences
- C. zone-based firewalling
- D. NX-OS-based services
- E. video control unit services
- F. Cisco WAAS engine

**Answer:** ABC

**QUESTION 2**

Which of the following Cisco ISR G2 features provides support for cloud-based web security?

- A. ScanSafe Client
- B. ScanSafe Connector
- C. ScanSafe Controller
- D. CleanAir Controller
- E. CleanAir Connector
- F. CleanAir Client

**Answer:** B

**QUESTION 3**

About 50 percent of the installed base of Cisco routers are reaching end of service or end of life. As a result, about 4 million units are expected to be replaced. What are the four strongest arguments to pre-empt competitive attacks? (Choose four.)

- A. price per unit
- B. service integration
- C. quality of Cisco software and support
- D. long investment cycles
- E. transparency of solutions
- F. ability to meet local service provider requirements

**Answer:** BCDE

**QUESTION 4**

Desktop virtualization can be a driver for implementing WAN optimization. Which two of the following statements are true regarding WAAS and virtualized desktops? (Choose two.)?

- A. Cisco WAAS can substantially reduce band requirements of Microsoft RDP, Citrix ICA, and PCoIP.
- B. When using Microsoft RDP, make sure that you disable native RDP compression and encryption.
- C. When testing or demonstrating WAAS performance with ICA, be aware that the bandwidth reduction increases with additional users. Traffic of a single user is reduced by 20 - 30%, while traffic of 10 users is reduced by 50 - 70%.

D. Cisco WAAS can provide about 20% compression ratio for watching videos over Microsoft RDP.

**Answer:** BC

**QUESTION 5**

Which two of the following statements correctly describe Cisco WAAS Mobile? (Choose two.)

- A. One Cisco WAAS Mobile server can serve up to 10,000 concurrent mobile users.
- B. The Cisco WAAS Mobile client is optimized for smartphones with 3G or 4G connections.
- C. The Cisco WAAS Mobile Server provides up to 1 Gb/s LAN throughput.
- D. The Cisco WAAS Mobile Server is based on a UCS-C series server and provides up to 200 Mb/s WAN throughput.

**Answer:** AD

**QUESTION 6**

Which two of the following statements are true regarding placement of WAAS? (Choose two.)?

- A. All WAE appliance models support inline deployment. Fail-to-wire capabilities ensure that traffic continues to flow through the system in case of a hardware or software failure.
- B. Off-path interception of traffic can be achieved by policy-based routing or WCCP v2 interception.
- C. Cisco WAAS Express supports off-path interception only via WCCP v2 interception.
- D. WAE appliances do not support 802.1Q.

**Answer:** AB

**QUESTION 7**

Which of the following statements regarding the WAAS vendor landscape is not true??

- A. Riverbed is the market leader.
- B. Bluecoat is number two in the WAAS market.
- C. Riverbed lacks routing functionality.
- D. The benefits of Cisco WAAS include scalability, the comprehensive product portfolio, and VDI vendor-validated optimization.

**Answer:** B

**QUESTION 8**

Which three are important market drivers for WAN optimization? (Choose three.)

- A. eliminate the need for complex IPSLA implementation
- B. acceleration of applications
- C. optimization of bandwidth
- D. offer value-added, optimized application services
- E. sufficient bandwidth availability

**Answer:** BCD

**QUESTION 9**

Which of the following is the strongest competitor of Cisco in the WAN optimization market space?

- A. Blue Coat Systems
- B. F5 Networks
- C. Riverbed Technology
- D. Silver Peak Systems

**Answer: C**

**QUESTION 10**

Which two statements describe the role of core technologies with regard to business processes? (Choose two.)

- A. An end-to-end borderless network architecture builds the foundation for integrating people and tasks in changing market environments.
- B. Operational agility is important for businesses today. A constant, stable core allows IT to focus on the rapidly changing applications.
- C. In order to react to market changes, operations and processes have to be modified as well. The network infrastructure has to match the changed requirements.
- D. Requirements to core technologies are rather static and are therefore independent of market changes.

**Answer: AC**

**QUESTION 11**

Which four of the following are components of Cisco Prime for Enterprise? (Choose four.)

- A. NCS: Cisco Prime Network Control System
- B. WMS: Cisco Prime WAN Management Solution
- C. LMS: Cisco Prime LAN Management Solution
- D. SMS: Cisco Prime Security Management Solution
- E. NAM: Cisco Prime Network Analysis Module
- F. AM: Cisco Prime Assurance Manager

**Answer: ACEF**

**QUESTION 12**

Which two of the following statements correctly describe Cisco Prime features that help improve operational efficiency? (Choose two.)

- A. The Cisco Prime user interface is optimized for touchscreens.
- B. All components of the Cisco Prime for Enterprise product portfolio provide a common look and feel, which simplifies usability.
- C. Integrated workflows and best practices enable quick and error-free deployment.
- D. TrustSec, MediaNet, and EnergyWise services are only configured outside Work Centers in Cisco Prime LMS.

**Answer: BC**

## Ensurepass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

**Valid Discount Code for 2014: SFOH-FZA0-7Q2S**

To purchase the HOT Exams:

| <u>Cisco</u>                   |                                | <u>CompTIA</u>                 |                                | <u>Oracle</u>                  | <u>VMWare</u>                    | <u>IBM</u>                       |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|----------------------------------|----------------------------------|
| <a href="#"><u>100-101</u></a> | <a href="#"><u>640-554</u></a> | <a href="#"><u>220-801</u></a> | <a href="#"><u>LX0-101</u></a> | <a href="#"><u>1Z0-051</u></a> | <a href="#"><u>VCAD510</u></a>   | <a href="#"><u>C2170-011</u></a> |
| <a href="#"><u>200-120</u></a> | <a href="#"><u>640-802</u></a> | <a href="#"><u>220-802</u></a> | <a href="#"><u>N10-005</u></a> | <a href="#"><u>1Z0-052</u></a> | <a href="#"><u>VCP510</u></a>    | <a href="#"><u>C2180-319</u></a> |
| <a href="#"><u>300-206</u></a> | <a href="#"><u>640-816</u></a> | <a href="#"><u>BR0-002</u></a> | <a href="#"><u>SG0-001</u></a> | <a href="#"><u>1Z0-053</u></a> | <a href="#"><u>VCP550</u></a>    | <a href="#"><u>C4030-670</u></a> |
| <a href="#"><u>300-207</u></a> | <a href="#"><u>640-822</u></a> | <a href="#"><u>CAS-001</u></a> | <a href="#"><u>SG1-001</u></a> | <a href="#"><u>1Z0-060</u></a> | <a href="#"><u>VCAC510</u></a>   | <a href="#"><u>C4040-221</u></a> |
| <a href="#"><u>300-208</u></a> | <a href="#"><u>640-864</u></a> | <a href="#"><u>CLO-001</u></a> | <a href="#"><u>SK0-002</u></a> | <a href="#"><u>1Z0-474</u></a> | <a href="#"><u>VCP5-DCV</u></a>  | <a href="#"><u>RedHat</u></a>    |
| <a href="#"><u>350-018</u></a> | <a href="#"><u>642-467</u></a> | <a href="#"><u>ISS-001</u></a> | <a href="#"><u>SK0-003</u></a> | <a href="#"><u>1Z0-482</u></a> | <a href="#"><u>VCP510PSE</u></a> | <a href="#"><u>EX200</u></a>     |
| <a href="#"><u>352-001</u></a> | <a href="#"><u>642-813</u></a> | <a href="#"><u>JK0-010</u></a> | <a href="#"><u>SY0-101</u></a> | <a href="#"><u>1Z0-485</u></a> |                                  | <a href="#"><u>EX300</u></a>     |
| <a href="#"><u>400-101</u></a> | <a href="#"><u>642-902</u></a> | <a href="#"><u>JK0-801</u></a> | <a href="#"><u>SY0-301</u></a> | <a href="#"><u>1Z0-580</u></a> |                                  |                                  |
| <a href="#"><u>640-461</u></a> | <a href="#"><u>700-302</u></a> |                                |                                | <a href="#"><u>1Z0-820</u></a> |                                  |                                  |

