

Ensurepass.com Easy Test! Easy Pass!



Vendor: Cisco

Exam Code: 650-154

Exam Name: Cisco IronPort Security Professional-Web
Security (ISPWS)

Version: DEMO

QUESTION 1

DRAG DROP

Match the configuration parameter with where it is found.

<input type="button" value="Select"/> <input type="button" value="Deselect"/>	Threat Risk Threshold
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	types of malware to be blocked
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	upload size limits
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	Allow List

L4TM configuration
Access Policies
Data Security Policies
Global Anti-Malware Settings

Answer:

<input type="button" value="Select"/> <input type="button" value="Deselect"/>	Threat Risk Threshold
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	types of malware to be blocked
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	upload size limits
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	Allow List

Allow List
types of malware to be blocked
upload size limits
Threat Risk Threshold

L4TM configuration
Access Policies
Data Security Policies
Global Anti-Malware Settings

QUESTION 2

Per-user bandwidth limits are configured as part of what type of policy?

Select exactly 1 answer(s) from the following:

- A. user quota policies
- B. access policies
- C. AVC policies
- D. identity policies

Answer: A

QUESTION 3

Which of the following commands is used to tune the WSA proxy caching behavior?
Select exactly 1 answer(s) from the following:

- A. webcache
- B. proxyconfig
- C. advancedproxyconfi
- D. proxy stat

Answer: C

QUESTION 4

If authentication is enabled, which of the following is true?
Select exactly 1 answer(s) from the following:

- A. Client reports are not affected by authentication.
- B. Client reports will display both the user name and IP address of the clients.
- C. Client reports will display authenticated user names.
- D. Client reports will display the IP address of the authentication server.

Answer: C


QUESTION 5

DRAG DROP

Match the CLI Command to the use.

<input type="button" value="Select"/>	<input type="button" value="Deselect"/>	netstat
<input type="button" value="Select"/>	<input type="button" value="Deselect"/>	nslookup
<input type="button" value="Select"/>	<input type="button" value="Deselect"/>	ping
<input type="button" value="Select"/>	<input type="button" value="Deselect"/>	telnet

Answer:



QUESTION 6

Which statement is true about WSA user authentication? Select exactly 1 answer(s) from the following:

- A. A single WSA can have up to two authentication realms: one for LDAP and one for NTLM.
- B. WSA supports NTLM, but not LDAP.
- C. A single WSA can have multiple LDAP realms.
- D. WSA supports LDAP, but not NTLM.

Answer: C

QUESTION 7

What is a benefit of NTLMSSP over Basic authentication? Select exactly 1 answer(s) from the following:

- A. NTLMSSP is more secure than Basic.
- B. Basic requires re-authentication with every new domain,
- C. NTLMSSP is compatible with OpenLDAP.
- D. Basic cannot be used in transparent proxy mode.

Answer: A

QUESTION 8

Which of the following commands is used to view the cache hit rate? Select exactly 1 answer(s) from the following:

- A. advancedproxyconfig
- B. proxyconfig
- C. webcache
- D. proxy stat

Answer: D

QUESTION 9


DRAG DROP

Match the HTTP response code with the meaning or use.

	used when the WSA returns EUNs
	proxy authentication request
	web server authentication request
	page not found

<input type="button" value="Select"/> <input type="button" value="Deselect"/>	401
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	403
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	404
<input type="button" value="Select"/> <input type="button" value="Deselect"/>	407

Answer:



QUESTION 10

In the System Setup Wizard, the default action for the WSA when malware is detected can be configured. Assume you do not change this setting when running the System Setup Wizard, What will this default action be set to? Select exactly 1 answer(s) from the following:

- A. drop
- B. monitor
- C. block
- D. allow
- E. pass through

Answer: B

Ensurepass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2014: SFOH-FZA0-7Q2S

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
<u>100-101</u>	<u>640-554</u>	<u>220-801</u>	<u>LX0-101</u>	<u>1Z0-051</u>	<u>VCAD510</u>	<u>C2170-011</u>
<u>200-120</u>	<u>640-802</u>	<u>220-802</u>	<u>N10-005</u>	<u>1Z0-052</u>	<u>VCP510</u>	<u>C2180-319</u>
<u>300-206</u>	<u>640-816</u>	<u>BR0-002</u>	<u>SG0-001</u>	<u>1Z0-053</u>	<u>VCP550</u>	<u>C4030-670</u>
<u>300-207</u>	<u>640-822</u>	<u>CAS-001</u>	<u>SG1-001</u>	<u>1Z0-060</u>	<u>VCAC510</u>	<u>C4040-221</u>
<u>300-208</u>	<u>640-864</u>	<u>CLO-001</u>	<u>SK0-002</u>	<u>1Z0-474</u>	<u>VCP5-DCV</u>	<u>RedHat</u>
<u>350-018</u>	<u>642-467</u>	<u>ISS-001</u>	<u>SK0-003</u>	<u>1Z0-482</u>	<u>VCP510PSE</u>	<u>EX200</u>
<u>352-001</u>	<u>642-813</u>	<u>JK0-010</u>	<u>SY0-101</u>	<u>1Z0-485</u>		<u>EX300</u>
<u>400-101</u>	<u>642-902</u>	<u>JK0-801</u>	<u>SY0-301</u>	<u>1Z0-580</u>		
<u>640-461</u>	<u>700-302</u>			<u>1Z0-820</u>		

