



**Vendor: Cisco**

**Exam Code: 650-472**

**Exam Name: Introduction to 802.1X Operations for Cisco  
Security Professionals Exam (S802DT1X)**

**Version: Demo**

**QUESTION 1**

Which two statements represent good use cases for Wake on LAN? (Choose two.)

- A. WoL can be used to power-up hosts for on-demand PXE booting.
- B. WoL can be used to power-up hosts for after-hours operating system updates and application patching.
- C. WoL can be used to power-up hosts to access the IPMI.
- D. WoL can be used to save electricity by powering down underused servers and desktops.

**Correct Answer:** AB

**QUESTION 2**

Which two choices are valid methods of authorizing a wired supplicant? (Choose two.)

- A. EAP-FAST
- B. VLAN assignment
- C. dACL
- D. EAPOL
- E. RADIUS

**Correct Answer:** BC

**QUESTION 3**

Which two statements about MACsec security are true? (Choose two.)

- A. MACsec is an IEEE standard that is defined by 802.3AE.
- B. MACsec leverages an 802.1X EAP framework to negotiate the MACsec Key Agreement.
- C. MACsec is an IETF standard that is defined by RFC 4501.
- D. MACsec can negotiate a MACsec Key Agreement without 802.1X.
- E. MACsec is an IETF standard that is defined by RFC 4505.
- F. MACsec is an IEEE standard that is defined by 802.1AE.

**Correct Answer:** BF

**QUESTION 4**

Which statement correctly defines a persona?

- A. A Cisco ISE node can be configured as a primary or backup persona.
- B. Persona refers to collections of services running on a Cisco ISE node.
- C. A Cisco ISE node can be configured as a wired or wireless persona.
- D. Persona relates to the collection of 802.1X services configured on a Cisco Catalyst switch.
- E. Persona refers to the collection of EAP methods available to a supplicant.
- F. A Cisco ISE node can be configured as a standalone or distributed persona.

**Correct Answer:** B

**QUESTION 5**

Which two EAP methods are examples of challenge-response methods? (Choose two.)

- A. EAP-TLS
- B. PEAP
- C. EAP-FAST
- D. LEAP
- E. EAP-MD5

**Correct Answer:** DE

**QUESTION 6**

On a Cisco Catalyst switch, which default ports will the radius-server host command use for RADIUS authentication and accounting messages?

- A. TCP - Authentication 1645/Accounting 1646
- B. TCP - Authentication 1535/Accounting 1536
- C. TCP - Authentication 1812/Accounting 1813
- D. UDP - Authentication 1535/Accounting 1536
- E. UDP - Authentication 1812/Accounting 1813
- F. UDP - Authentication 1645/Accounting 1646

**Correct Answer:** E

**QUESTION 7**

Which three modules are valid components of Cisco AnyConnect Secure Mobility Client for Windows? (Choose three)

- A. Network Access Manager
- B. VPN Module
- C. Network Authentication Manager
- D. Telemetry and Profiling Module
- E. Profiling Module
- F. Posture Module
- G. Profiling Module

**Correct Answer:** AEF

**QUESTION 8**

Which option is a good example of a non-suppliant host?

- A. Laptop running Microsoft Windows 7
- B. IP printer
- C. desktop PC running Ubuntu Linux
- D. IP camera
- E. Apple Macintosh running Mac OS X

**Correct Answer:** BD

**QUESTION 9**

Which three RADIUS attributes are required to dynamically assign a VLAN? (Choose three)

- A. Attribute 65 (Tunnel-Medium-Type)
- B. Attribute 26 (Vendor-Specific)
- C. Attribute 64 (Tunnel-Type)
- D. Attribute 8 (Framed-IP-Address)
- E. Attribute 5 (NAS-Port)
- F. Attribute 81 (Tunnel-Private-Group-ID)

**Correct Answer:** ACF

## EnsurePass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.
5. **Instant Access to download the Items**

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

**Valid Discount Code for 2015: JREH-G1A8-XHC6**

To purchase the HOT Exams:

Cisco		CompTIA		Oracle	VMWare	IBM
<a href="#">100-101</a>	<a href="#">640-554</a>	<a href="#">220-801</a>	<a href="#">LX0-101</a>	<a href="#">1Z0-051</a>	<a href="#">VCAD510</a>	<a href="#">C2170-011</a>
<a href="#">200-120</a>	<a href="#">200-101</a>	<a href="#">220-802</a>	<a href="#">N10-005</a>	<a href="#">1Z0-052</a>	<a href="#">VCP510</a>	<a href="#">C2180-319</a>
<a href="#">300-206</a>	<a href="#">640-911</a>	<a href="#">BR0-002</a>	<a href="#">SG0-001</a>	<a href="#">1Z0-053</a>	<a href="#">VCP550</a>	<a href="#">C4030-670</a>
<a href="#">300-207</a>	<a href="#">640-916</a>	<a href="#">CAS-001</a>	<a href="#">SG1-001</a>	<a href="#">1Z0-060</a>	<a href="#">VCAC510</a>	<a href="#">C4040-221</a>
<a href="#">300-208</a>	<a href="#">640-864</a>	<a href="#">CLO-001</a>	<a href="#">SK0-003</a>	<a href="#">1Z0-474</a>	<a href="#">VCP5-DCV</a>	<b>RedHat</b>
<a href="#">350-018</a>	<a href="#">642-467</a>	<a href="#">ISS-001</a>	<a href="#">SY0-301</a>	<a href="#">1Z0-482</a>	<a href="#">VCP510PSE</a>	<a href="#">EX200</a>
<a href="#">352-001</a>	<a href="#">642-813</a>	<a href="#">JK0-010</a>	<a href="#">SY0-401</a>	<a href="#">1Z0-485</a>		<a href="#">EX300</a>
<a href="#">400-101</a>	<a href="#">642-832</a>	<a href="#">JK0-801</a>	<a href="#">PK0-003</a>	<a href="#">1Z0-580</a>		
<a href="#">640-461</a>	<a href="#">642-902</a>			<a href="#">1Z0-820</a>		

