



Vendor: Cisco

Exam Code: 650-474

Exam Name: Introducing Cisco Identity Services Engine for System Engineer Exam (PAISESE)

Version: Demo

QUESTION 1

Which statement about Cisco Identity Services Engine high availability is true?

- A. Monitoring nodes are deployed in an active/active mode. One node serves as primary. All logs are sent automatically to both HA monitoring nodes.
- B. Administration nodes are limited to two and are deployed in an active/standby mode.
- C. Secondary Administration node automatically becomes primary in the event of primary node failure.
- D. Monitoring nodes are deployed in an active/standby mode. All logs sent to the primary are replicated to the secondary node.
- E. Users are served from the secondary Monitoring node only if the active Monitoring node fails.

Correct Answer: D

QUESTION 2

Which types of design are required in the Cisco ISE ATP program?

- A. schematic and detailed
- B. preliminary and final
- C. high-level and low-level designs
- D. top down and bottom up

Correct Answer: C

QUESTION 3

Each node can have a different persona and associated services with that persona. Which persona cannot run with other personas on the same Cisco Identity Services Engine node?

- A. Inline Policy Service
- B. Administration
- C. Monitoring
- D. Policy Service

Correct Answer: A

QUESTION 4

Which external identity sources are not supported on Cisco ISE 1.0?

- A. SunONE LDAP Directory Server
- B. Microsoft Active Directory
- C. RSA Authentication Manager
- D. Novell NDS

Correct Answer: D

QUESTION 5

Which two roles can be deployed across more than two nodes in an instance? (Choose two.)

- A. Monitoring
- B. Administration

- C. Inline Posture
- D. Pokey Service

Correct Answer: AB

QUESTION 6

Which RADIUS extension is required for posture and profiling support?

- A. ARAP
- B. VSA
- C. CoA
- D. EAPOL

Correct Answer: C

QUESTION 7

Which methods can be used to create usernames?

- A. general or random
- B. RFC2381 or IEEE 1493
- C. Knopf or WS naming
- D. manual or Ruby

Correct Answer: A

QUESTION 8

Which option is the default authentication priority on a Cisco switch?

- A. MAB, 802.1X, Web-Auth
- B. 802.1X, MAB, Web-Auth
- C. MAB Web-Auth, 802.1X
- D. 802.1X, Web-Auth, MAB

Correct Answer: B

QUESTION 9

Which statement about Inline Posture node deployment support is true?

- A. The Inline Posture node is supported on VMware ESX 4.1 but not on earlier versions ESX.
- B. The Inline Posture node is supported on any VMware/ESX/ESXi virtual appliance.
- C. The Inline Posture node is supported on the 1121, 3315, 3355, and 3395 appliance.
- D. The Inline Posture node is supported only on the 3315, 3355, and 3395 appliances.

Correct Answer: C

QUESTION 10

Which appliance supports Cisco ISE 1.0?

- A. ACS 1120 Appliance
- B. VMWare ESX 3.5
- C. NAC 3390 Appliance
- D. NAC 3355 Appliance

Correct Answer: D

QUESTION 11

In the Cisco ISE ATP program, what must the sales team submit to begin the sales process?

- A. a new product-hold waiver
- B. high-level and low-level designs
- C. a preliminary design and a request for equipment release
- D. a high-level design and BoM

Correct Answer: B

EnsurePass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.
5. **Instant Access to download the Items**

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2015: JREH-G1A8-XHC6

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
100-101	640-554	220-801	LX0-101	1Z0-051	VCAD510	C2170-011
200-120	200-101	220-802	N10-005	1Z0-052	VCP510	C2180-319
300-206	640-911	BR0-002	SG0-001	1Z0-053	VCP550	C4030-670
300-207	640-916	CAS-001	SG1-001	1Z0-060	VCAC510	C4040-221
300-208	640-864	CLO-001	SK0-003	1Z0-474	VCP5-DCV	RedHat
350-018	642-467	ISS-001	SY0-301	1Z0-482	VCP510PSE	EX200
352-001	642-813	JK0-010	SY0-401	1Z0-485		EX300
400-101	642-832	JK0-801	PK0-003	1Z0-580		
640-461	642-902			1Z0-820		

