

**Exam Code:** e20-060

**Exam Name:** emc technology foundations-business

continuity

Vendor: EMC

**Version: DEMO** 

## Part: A

1: In a DMX-3, which component is used for communication and environmental monitoring?

A.CCM

**B.ECM** 

C.XCM

D.XEM

**Correct Answers: C** 

2: Which type of array is described by this statement? PowerPath will reassign the logical volume to the secondary interface when all paths to the logical device through the primary interface are unavailable.

A.Active-active array

B.Active-passive array

C.Passive-active array

D. Virtual storage array

**Correct Answers: B** 

3: When does a Vault Restore occur in a Symmetrix DMX3?

A.During Power Down

**B.**During Power Up

C.Following Disk Director Replacement

D.Following Disk Replacement

**Correct Answers: B** 

4: What does a Domain ID uniquely identify?

A.A fabric in a multi-fabric environment

B.A Fibre Channel node on a name server

C.A storage frame within a fabric

D.A switch within a fabric

Correct Answers: D

5: Which Management Tool can be used to manage a TimeFinder environment?

A.EMC Control Center (ECC)

B.Navisphere Manager

C.Symmetrix Remote Data Facility

D.VisualSAN

**Correct Answers: A** 

6: What is PowerPath?

A.Array based software that intelligently manages I/O to the array

B.Array based software that supports active-active and active-passive arrays

C.Host based software that notifies the application when a path failure occurs

D.Host based software that provides path failover and load balancing.

## **Correct Answers: D**

- 7: What is the status of the R2 device to its host when the RDF link is in a suspended state?
- A.R1 and R2 devices are both read write enabled
- B.R2 device is off line to its target host
- C.R2 Device is Read Write enabled
- D.R2 Device is Write Disable
- **Correct Answers: D**
- 8: What components are used to daisy chain DMX-3 storage bays?
- A.Disk directors
- B.Disk adapters
- C.Link Control Cards
- D.Midplane
- **Correct Answers: C**
- 9: What is the name of the Symmetrix DMX microcode?
- A.Enginuity
- **B.Flare**
- C.Navisphere
- D.TimeFinder
- **Correct Answers: A**
- 10: Which fabric security feature is governed by the common Fibre Channel standard?
- A.LUN Binding
- **B.Port Binding**
- C.Port Masking
- D.Zoning
- **Correct Answers: D**