



**Exam Code:** HP0-081

**Exam Name:** OpenVMS System Administration

**Vendor:** HP

**Version:** DEMO

## Part: A

1: What is the lexical function used to return accounting, status, and identification information for a process?

- A.F\$USER
- B.F\$GETJPI
- C.F\$GETJOB
- D.F\$PROCESS

**Correct Answers: B**

2: Which command deletes a logical name TROLL from the GROUP logical name table?

- A.DELETE/LOGICAL TROLL
- B.DEASSIGN/GROUP TROLL
- C.DELETE/TABLE=GROUP TROLL
- D.DEASSIGN/TABLE=GROUP TROLL

**Correct Answers: B**

3: After execution of the command: \$ DEFINE/JOB LOGNAME SYSS\$LOGIN:MYFILE.DAT  
What happens to the logical name LOGNAME?

- A.It is visible to all processes in the same UIC group.
- B.It is deassigned automatically on the next image exit.
- C.It is placed into the process logical name table.
- D.It is visible to all processes in this process tree.

**Correct Answers: D**

4: Based on the message format, "%facility-s-identification, text", where "s" represents the severity; what would a severity level of "E" represent?

- A.The command may have performed some, but not all, of your request.
- B.The output or program result is incorrect, but the system may attempt to continue execution.
- C.The output or program result is incorrect. The system cannot continue to execute the request.
- D.The system has performed your request. The message provides information about the process.

**Correct Answers: B**

5: Which statements are true regarding the default behavior of batch job log files? Select TWO.

- A.created in the job owners' SYSS\$LOGIN directory
- B.printed on queue SYSS\$PRINT and retained
- C.printed on queue SYSS\$PRINT and deleted
- D.given the same protection as the batch queue
- E.created in the same directory as the command procedure
- F.given the same protection as the batch procedure

**Correct Answers: A C**

6: What is the command to specify that DECwindows client programs use node XARA as the DECwindows server, running over DECnet protocol?

- A.DEFINE DECW\$DISPLAY XARA::
- B.SET DISPLAY/CREATE/NODE=XARA
- C.CREATE/DISPLAY/NODE=XARA/PROTOCOL=DECNET
- D.SET DECWINDOWS/NODE=XARA/TRANSPORT=DECNET

**Correct Answers: B**

7: Which command or qualifier is used to display each line of a command procedure while it is executing?

- A.SET NOON
- B.SET VERIFY
- C.@procedure/VERIFY
- D.@procedure/OUTPUT=file

**Correct Answers: B**

8: Which statements about the swapfile are true? Select TWO.

- A.The swapfile will be used by the modified page writer when the pagefile is full.
- B.When a process is swapped out of memory, it is written to the swapfile.
- C.The swapfile must exist on the boot device, and be at least the size of WSMAX.
- D.The swapfile is optional, and may be installed on a disk other than the boot device.
- E.The Swapper process writes pages from the modified page list to the swapfile.

**Correct Answers: B D**

9: What are benefits of VMS clustering? Select THREE.

- A.non-stop processing
- B.massively parallel computing
- C.single security domain
- D.transparent access to storage between HP-UX, OpenVMS, and Linux systems
- E.shared storage across multiple systems
- F.cross-node automatic process failover
- G.high availability

**Correct Answers: C E G**

10: What is the difference between a buffered I/O (BIO) and a direct I/O (DIO)?

- A.The user must provide a buffer to perform a BIO, but not for a DIO.
- B.BIOs are substantially faster than DIOs, but consume more memory.
- C.BIO data is copied to/from a system buffer before/after performing the I/O.
- D.Most I/Os to terminals are DIOs; all I/Os to disks are BIOs.

**Correct Answers: C**