



Exam Code: HP0-662

Exam Name: NonStop Configuration and Planning

Vendor: HP

Version: DEMO

Part: A

1: Assuming no I/O enclosures, how many electrical branch circuits are needed to provide power fault tolerance for a six-processor S7x000 system?

- A.2
- B.3
- C.4
- D.6

Correct Answers: D

2: Which items would you expect to see on a network topology diagram? Select TWO.

- A.tape devices
- B.IP addresses
- C.routers
- D.disk mapping
- E.cable specifications

Correct Answers: B C

3: What allows a customer to track open problem cases through the Web?

- A.Scout for NonStop servers
- B.Express Notice
- C.NonStop Technical Library (NTL)
- D.Total Web Support (TWS)

Correct Answers: D

4: Which prediction is NOT produced by TCM?

- A.number of processors required
- B.number of logical disk volumes
- C.network response time
- D.processor and disk utilization

Correct Answers: C

5: Which tool simplifies the task of migrating a database from many small disks to a smaller number of large disks?

- A.MEDIACOM
- B.ASAP
- C.SMF
- D.MAPPER

Correct Answers: C

6: DSM/SCM can be used to control customer software. Which program is used to prepare the software?

- A.CNFGINFO
- B.ZPHIRNM

C.INITENV

D.INITSTAT

Correct Answers: A

7: To what type of adapter does a default configuration system console connect?

A.E4SA

B.MIOE

C.FESA

D.TRSA

Correct Answers: B

8: Which process needs to be configured to ensure Expand connectivity between two systems?

A.\$znet

B.\$ncp

C.\$expand

D.\$zzatm

Correct Answers: B

9: How many internal disk SCSI controllers are on a PMF CRU?

A.0

B.1

C.2

D.3

Correct Answers: C

10: Which element is typically included in a separate document in response to a Request for Proposal (RFP)?

A.software details

B.timescales

C.cost breakdown

D.hardware details

Correct Answers: C