



**Exam Code:** HP0-756

**Exam Name:** HP ProCurve Secure Mobility Solutions

**Vendor:** HP

**Version:** DEMO

## Part: A

1: Which statement is true about the date and time configuration of the 700wl devices?

- A. Time settings must be dynamically acquired or statically defined each time the 740wl is rebooted.
- B. The 740wl can be configured to obtain time services from an NTP server.
- C. The 740wl and each 720wl cannot be configured to obtain time services from different servers.
- D. The 720wl acquires its time settings from the 740wl.

**Correct Answers: B**

2: You are configuring a 740wl at a customer site. To set the shared secret without echoing it to the console, you must enter set sharedsecret with \_\_\_\_\_

- A. the noecho parameter
- B. the shared secret as a parameter
- C. no parameters
- D. the administrative password

**Correct Answers: C**

3: At a customer site, you are configuring an HP ProCurve Access Control Server 740wl. Which tasks can be performed at the CLI? Select TWO.

- A. configure IP address
- B. configure a connected 720wl
- C. set administrative password
- D. add users to built-in database
- E. configure LDAP authentication

**Correct Answers: A C**

4: Match each of the message types with the correct definition.

Place each term next to its definition.

Term	Definition
(place here)	Sent from 720wl to 740wl. Contains MAC address of client and port to which the client is connected.
(place here)	Sent from 740wl to 720wl. Contains rights for unauthenticated client.
(place here)	Sent from 720wl to 740wl. Contains MAC address, port, client's user name and password.
(place here)	Sent from 740wl to 720wl. Contains a list of specific rights for authenticated client.

Rights Request   Association Request   Rights Response   Association Response   Done

**Correct Answers:**

Place each term next to its definition.

Term	Definition
Rights Request	Sent from 720wl to 740wl. Contains MAC address of client and port to which the client is connected.
Association Response	Sent from 740wl to 720wl. Contains rights for unauthenticated client.
Association Request	Sent from 720wl to 740wl. Contains MAC address, port, client's user name and password.
Rights Response	Sent from 740wl to 720wl. Contains a list of specific rights for authenticated client.

5: You are troubleshooting an HP ProCurve Integrated Access Manager 760wl that is not reachable through the web or Telnet. Which information about the device's configuration can be gathered from the LCD panel on the device's front panel? Select TWO.

- A.system time
- B.system uptime
- C.IP addressing information
- D.number of transmitted packets
- E.installed software version

**Correct Answers: C E**

6: The administrator of a 700wl system is performing a remote update on multiple 720wl devices. To simplify this task, the administrator changes the names of the image and checksum files. The administrator is careful to not change the file extensions. The update will \_\_\_\_\_.

- A.fail on devices currently running version 3 software
- B.succeed for all devices
- C.fail for all devices
- D.fail if it is not performed at the CLI

**Correct Answers: C**

7: You must configure a 720wl that has not received an IP address through DHCP. How can you configure an IP address for this system?

- A.Use the Administrative Console to locate the 740wl by its MAC address and select it from the list of available devices.
- B.Start a web browser session using the default IP address 42.0.0.1.
- C.Start a web browser session using the factory-assigned IP address of the uplink port.
- D.Start a Telnet session with the default IP address 42.0.0.1.
- E.Start a direct serial console session and configure the device's IP address at the CLI.

**Correct Answers: E**

8: When you are performing a backup on the 740wl, the system \_\_\_\_\_.

- A.creates an image of the system and copies it to the default directory on a TFTP server
- B.creates an image of the system and copies it to its hard disk
- C.creates a text file that contains all of the configuration settings and copies it to a directory of your choice on the HTTP client computer
- D.logs off all users before beginning the backup

**Correct Answers: B**

9: When organizing 720wl Access Controllers into folders in the Administrative Console, you cannot \_\_\_\_\_.

- A.place more than five devices in a folder
- B.create folders within folders
- C.create custom folders
- D.configure more than five folders

**Correct Answers: B**

10: Which statement is true regarding this naming convention? 740wl-760wl-dist-4.1.1.37. The file \_\_\_\_\_.

- A.is invalid because the filename has no extension
- B.is designated for use in local updates
- C.must be compiled before installation
- D.must be accompanied by a checksum file

**Correct Answers: B**