



**Exam Code:** HP0-A25

**Exam Name:** NonStop SQL/MX

**Vendor:** HP

**Version:** DEMO

## Part: A

1: Who is allowed to add columns to a table? (Select two.)

- A.the SUPER.SUPER
- B.the owner of the table
- C.the owner's group super
- D.the owner of the schema
- E.users that have been granted access

**Correct Answers: A D**

2: Using the following DDL command:

```
CREATE TABLE new_table LIKE old_table
```

What can be specified for new\_table? (Select two.)

- A.Format 1 or Format 2
- B.indexes from old\_table
- C.headings from old\_table
- D.organization and primary key
- E.extent sizes and maximum extents

**Correct Answers: C E**

3: A column definition includes DOB DATE HEADING 'Birth Date'. What is the heading output for SELECT MAX(DOB)?

- A.MAX(dob)
- B.Birth Date
- C.EXPR(dob)
- D.EXPR

**Correct Answers: D**

4: Which statements are true about AUDITCOMPRESS? (Select two.)

- A.The audit contains only altered columns.
- B.It has no effect on transaction throughput.
- C.It is part of the system's TMF configuration.
- D.It contributes to higher transaction throughput.
- E.Compression is performed by the audit disk process.

**Correct Answers: A D**

5: When a table has the primary key defined as DROPPABLE, which statements are true? (Select two.)

- A.A SYSKEY is generated for the table.
- B.The STORE BY clause must be used.
- C.A DROPPABLE key can only be ascending.
- D.The primary key is used as the clustering key.
- E.A separate unique index is build for the primary key.

**Correct Answers: A E**

6: Which command reports the average free space in data blocks?

- A.FUP INFO =table, slack
- B.FUP INFO =table, stat, analyze
- C.FUP INFO table mycatalog.myschema.mytable stat
- D.FUP INFO table mycatalog.myschema.mytable detail

**Correct Answers: C**

7: In SQL/MX syntax, for which database element is an explicit assigned character set supported?

- A.row
- B.table
- C.column
- D.constraint

**Correct Answers: C**

8: How do you access the current data on the SQL/MP view \$data.mycat.myview from mxci? (Select two.)

- A.SELECT \* FROM \$data.mycat.myview;
- B.CREATE VIEW cat.sch.myview AS SELECT ordernum, order\_qty FROM \$data.mycat.myview; SELECT \* FROM cat.sch.myview;
- C.CREATE SQLMP ALIAS cat.sch.myview \$data.mycat.myview; SELECT \* FROM cat.sch.myview
- D.CREATE TABLE cat.sch.myview LIKE \$data.mycat.myview; INSERT INTO cat.sch.myview SELECT \* FROM \$data.mycat.myview; SELECT \* FROM cat.sch.myview;

**Correct Answers: A C**

9: Which statements are true about the location of the system catalog tables of the system \MYSYS? (Select two.)

- A.The subvolume of the catalog tables is MYSYS.
- B.The subvolume of the catalog tables is always ZSD0.
- C.The volume of the catalog tables is always \$SYSTEM.
- D.The subvolume of the catalog tables is always ZSQLMX.
- E.The volume of the catalog tables can be found in \$SYSTEM.ZSQLMX.MXANCHOR.

**Correct Answers: B E**

10: What is the correct definition of a column?

- A.C1 VARCHAR (100) DEFAULT 'HAMBURG'
- B.C1 VARCHAR (100) NULL DEFAULT NULL
- C.C1 VARCHAR (100) DEFAULT "SANTA CLARA"
- D.C1 VARCHAR (100) NULL DEFAULT 'HAMBURG'

**Correct Answers: A**

11: Your system has 30 audited data disks. You want to create a partitioned table with 60 partitions. How can you accomplish this? (Select two.)

- A.You define two partitions on each disk in different subvolumes with the same filename.

- B.You install SMF and configure 60 logical disks.
- C.You install 30 additional disks.
- D.You define two partitions on each disk in the same subvolume with different filenames.

**Correct Answers: C D**

12: A table mytable has been defined on the development system. As several changes have been made the original create-script is no longer valid. Which combination of mxci commands can be used to produce a valid create-script?

- A.LOG and SHOWDDL
- B.OUT and SHOWDDL
- C.OUT and INVOKE
- D.LOG and INFO TABLE,OBEYFORM

**Correct Answers: A**

13: What are the benefits of using rowsets in SQL/MX? (Select two.)

- A.to reduce the throughput
- B.to reduce the number of calls to servernet
- C.to reduce the disc space for the database
- D.to reduce simultaneous access to several rows
- E.to reduce the number of calls to the database system

**Correct Answers: B E**

14: The following query is a typical example of which potential problem?

```
UPDATE inventory SET retail_price = retail_price * 1.1;
```

- A.the Halloween update
- B.the query will take too long to execute
- C.the retail\_price column cannot be CAST to a float
- D.the executor would typically start a parallel query even on small tables

**Correct Answers: A**

15: What takes place during a POPULATE INDEX? (Select two.)

- A.DDL lock
- B.user-defined transaction
- C.automatic adjustment of MAXEXTENTS
- D.the data movement in a single TMF transaction
- E.automatic reload to organize the index structure more efficiently and to reduce index levels

**Correct Answers: A C**