



**Exam Code:** HP0-M19

**Exam Name:** HP Virtual User Generator Software

**Vendor:** HP

**Version:** DEMO

## Part: A

1: What is used, during the debugging process that will pause execution at a specific point in the script?

- A.Step button
- B.Compile button
- C.Execution Arrow button
- D.Toggle Breakpoint button

**Correct Answers: D**

2: Which section in a VuGen script is executed only one time, during Vuser initialization?

- A.login
- B.action
- C.vuser\_init
- D.vuser\_end

**Correct Answers: C**

3: You want to apply Script A Run-time settings, parameters, extra files, and actions to Script B. How can this be accomplished?

- A.save Script A script as a template, then apply the template to Script B
- B.export Script A settings to a .cor file, then import the settings to Script B
- C.select the option to create a new Vuser script from, then, select Script A
- D.copy the .ext file located in Script A main directory to Script B main directory

**Correct Answers: A**

4: For debugging purposes, you would like to show a browser during replay. Where do you enable this option?

- A.General options
- B.Playback options
- C.Run-time settings
- D.Recording options

**Correct Answers: A**

5: You have created several new Auto Correlation rules. A new tester on your team is preparing to record a group of scripts on the same application on his workstation.

What can you do to provide the tester with the correlation rules?

- A.You do not need to do anything. Auto Correlation rules are global and are available to all testers using the same Controller machine.
- B.Under the File menu, you select Zip Operations, then export to a zip file. You have the new tester import the file into his script.
- C.The Auto Correlation rules are saved in the script main folder. You create a share so the other tester has access to the script main folder.
- D.You export the Auto Correlation rules to a .cor file, and then have the new team member import the .cor file into his Auto Correlation rules.

**Correct Answers: D**

6: What is the recommended Logging Run-time setting when playing back a script prior to manual correlation?

- A.Standard
- B.Disable Logging
- C.Extended -> Parameter Substitution
- D.Extended -> Data Returned by Server

**Correct Answers: D**

7: You want to have your script define a different e-mail address to each user during a registration process for an e-commerce site, using the following format: testing99999@hp.com. Your script will execute a maximum of 50 iterations. How can this be accomplished?

- A.define a file parameter, start at 1, block size per Vuser: 50, number format: testing%05d@hp.com
- B.define a unique number parameter, start at 1, block size per Vuser: 50, number format: testing%05d@hp.com
- C.define a random number parameter, minimum number: 1, maximum number: 99999, number format: testing%05d@hp.com
- D.define a sequential number parameter, minimum number: 1, maximum number 999, number format: testing%05d@hp.com

**Correct Answers: B**

8: You want to have each step in your script measured as a transaction in the Controller and not shown in the Replay Log in VuGen. How can you accomplish this?

- A.enable the automatic transaction in the Run-time settings
- B.manually add transactions to each step from the Tree view
- C.add a transaction to each page, using the transactions sub-task
- D.select the option from the Tools menu to add transaction to each step in the Script view

**Correct Answers: A**

9: You want to emulate a call center for an airline. All representatives login in the morning, perform their business processes, and log out at night. In one day, a representative will Create 40 flight reservations, Modify 10 flight reservations, and Search for 20 flight reservations. A representative cannot perform a Modify without performing a Search first. Which run logic would satisfy the load testing goal?

- A.Create - 67%
- Search - 16%
- Block0 - 17%
- Search
- Modify
- B.Create - 57%
- Search - 29%
- Block0 - 14%

Search

Modify

C.Create - 57%

Search - 29%

Modify - 14%

D.Create - 67%

Search - 16%

Modify - 17%

**Correct Answers: A**

10: Where do you define an Auto Correlation rule?

A.Test settings

B.General options

C.Run-time settings

D.Recording options

**Correct Answers: D**