



Exam Code: HP0-T01

Exam Name: HP Performance Insight v5.x Software

Vendor: HP

Version: DEMO

Part: A

1: Where is the user's property configuration file located?

- A. {DPIPE_HOME}/jrun/servers/piweb/properties/userproperties
- B. {DPIPE_HOME}/jrun/servers/piweb/tw-app/webview/properties/userproperties
- C. {DPIPE_HOME}/lib/users/properties
- D. {DPIPE_HOME}/lib/data/users/properties

Correct Answers: B

2: What is the recommended RAID configuration for HPPI implementation?

- A. RAID 0
- B. RAID 1
- C. RAID 1 + 0
- D. RAID 5

Correct Answers: C

3: A node list must contain the following items, each separated by commas. Which items can be used in a node list file?

- A. node name, read community string, snmp port #, snmp profile
- B. an option group contains only polling policies
- C. node_name, node_number, description, SNMPV2
- D. node_number, node description, SNMP profile, SNMP V1

Correct Answers: A

4: What are some of the integration points between NNM and HPPI?

- A. NNM node discovery, HPPI report launching by NNM, HPPI trap generation
- B. NNM node type discovery, NNM Web Console operation in HPPI
- C. Node discovery, node type discovery, remote management console operation
- D. NNM remote report launching, HPPI node discovery used by NNM, HPPI operation of NNM Web console

Correct Answers: A

5: If the report pack installation fails, where can you find the details of the errors?

- A. {DPIPE_HOME}/logs/install/reportpacks.log
- B. {DPIPE_HOME}/logs/report_<timestamp>.log
- C. {DPIPE_HOME}/logs/reportpacks/<reportpackname>.log
- D. {DPIPE_HOME}/logs/install/<reportpackname>.log

Correct Answers: B

6: How can you verify that data is actually being collected from devices?

- A. The number of rows should be increasing in the data table (rate, hourly..).
- B. The lkeys tables should always have rows in them.
- C. Look in the upload tables and see if there are any rows in them.
- D. Look for errors in the ovpi.log file.

Correct Answers: A

7: Where do you verify that the collections are being run?

- A. {SYBASE}\install\errorlog.log
- B. {DPIPE_HOME}\logs\install.log
- C. {TREND_LOG}\trend.log
- D. {DPIPE_HOME}\log\trendtimer.log

Correct Answers: C

8: Which user interfaces can be used for un-deploying Reports? Select TWO.

- A. trend_timer
- B. trend_copy
- C. Catalog Manager
- D. trend_deployer
- E. Package Manager

Correct Answers: C E

9: Deployed Reports are registered within the file _____.

- A. {DPIPE_HOME}/reports/deploy/deploy.conf
- B. {DPIPE_HOME}/reports/deploy.conf
- C. {DPIPE_HOME}/reports/deploy/deploy.xml
- D. {DPIPE_HOME}/reports/deploy.xml

Correct Answers: C

10: Where will hourly data reside if Location Independent Reporting data mapping is created for a property table with the time type specified as ourly??ourly?

- A. Only on the Central server
- B. Only on the Satellite server
- C. Remote Poller
- D. Both the Satellite and Central server

Correct Answers: B