



**Exam Code:** jn0-130

**Exam Name:** juniper networks certified internet  
specialist.e(jncis-e)

**Vendor:** Juniper Networks

**Version:** DEMO

## Part: A

1: If all OSPF routers on a broadcast network have the same OSPF priority, what parameter is used to determine the new BDR at the time of a DR failure?

- A.area ID
- B.router ID
- C.loopback address
- D.IP address of interface on broadcast network

**Correct Answers: B**

2: What type of router cannot exist within a stub area?

- A.ABR
- B.ASBR
- C.internal router
- D.non-backbone router

**Correct Answers: B**

3: Which statement is true about the frequency of OSPF LSA transmissions?

- A.They are configured per OSPF area.
- B.They are configured per virtual router.
- C.They are configured per OSPF process.
- D.They are configured per OSPF interface.

**Correct Answers: D**

4: During OSPF adjacency formation, what state is a router in when it is sending LSA header information to its neighbor?

- A.Init
- B.2Way
- C.ExStart
- D.Exchange

**Correct Answers: D**

5: Why would you make a non-backbone area a stub or not-so-stubby area?

- A.to aggregate routes learned from the ABR
- B.to lower the cost of routes advertised by the ABR
- C.to connect a non-contiguous area to the backbone
- D.to decrease the size of the link-state database in that area

**Correct Answers: D**

6: When configuring OSPF on the ERX, what is the default auto-cost reference-bandwidth value?

- A.1 Mbps
- B.10 Mbps
- C.100 Mbps
- D.1000 Mbps

**Correct Answers: C**

7: What are the three OSPF authentication methods supported on the ERX Edge Router? (Choose three.)

- A.null password
- B.simple password
- C.message digest 5
- D.Password Authentication Protocol
- E.Challenge Handshake Authentication Protocol

**Correct Answers: A B C**

8: What is the purpose of the OSPF hello packet?

- A.advertises reachable networks
- B.acknowledges the receipt of update packets
- C.establishes and maintains neighbor relationships
- D.describes the contents of the link-state database

**Correct Answers: C**

9: Which command displays the results of a loopback test you executed on a CT3 line module in slot 5, port 0, t1 number 4?

- A.show interface 5/0:4
- B.show interface 5/0:4/1
- C.show controllers t3 5/0:4
- D.show controllers t3 5/0:4/1

**Correct Answers: C**

10: Log messages are appearing very quickly on the console of your ERX Edge Router. Which Privileged Exec command disables real-time console logging?

- A.no log here
- B.no log console
- C.destination console severity 7
- D.destination console logging off

**Correct Answers: A**