



Vendor: Network Appliance

Exam Code: NS0-153

Exam Name: Network Appliance Storage Networking

Version: DEMO

1: Which three commands would help you troubleshoot a LUN that cannot be accessed by a host?
(Choose three.)

- A.fcp wwpn
- B.igroup show
- C.lun show -v
- D.fcp show initiator
- E.lun show -err

Correct Answers: B C D

2: What are 3 true statements about physical reallocation of data added in ONTAP 7.3? (Choose three.)

- A.Volume Snapshots do not need to be deleted for the reallocate to run effectively
- B.Reinitialize any SnapMirror relationship for the new physical geometry
- C.Dont run it on files, volumes, and LUNs that are in an aggregate created by a version of ONTAP earlier than 7.2
- D.Use aggr reallocate -p pathname to run the physical reallocate
- E.Use reallocate -p pathname to run the physical reallocate

Correct Answers: A C E

3: These are three methods of creating a LUN:

- * lun setup
- * lun map
- * FilerView

- A.True
- B.False

Correct Answers: B

4: Executing this command will have what effect?

options wafl.default_security_style mixed

- A.It will change the security style of all volumes to mixed.
- B.It will change the security style of all qtrees to mixed.
- C.It will set the security style of all files to mixed.
- D.It will set the default security style for all newly created volumes.

Correct Answers: D

5: Which command will show the FCP target(s) on a storage system?

- A.lun show -v
- B.fcp show adapter
- C.fcp show all
- D.lun stats

Correct Answers: B

6: Which option should be used with the nfsstat command to assist in decoding export and mount errors?

- A.nfsstat -d
- B.nfsstat -z
- C.nfsstat -c
- D.nfsstat -t

Correct Answers: A

7: What is the definition of the cifs setup command?

- A.It displays the mount point of all shared directories.
- B.It displays the names of all mounted directories on the storage system.
- C.It displays prompts from a script for configuring CIFS on a storage system.
- D.It displays a list of the users on the storage system.

Correct Answers: C

8: To view per client NFS statistics on a storage system, the option `nfs.per_client_stats.enable` must be set on.

- A.True
- B.False

Correct Answers: A

9: Two alternatives to guaranteeing LUN space reservations during a snapshot on a volume with fractional reserve set to 0% can be: (Choose two.)

- A.LUN reset
- B.Snap Autodelete
- C.Volume AutoSize
- D.Snapshot Reserve

Correct Answers: B C

10: In Data ONTAP, both the Microsoft Windows Administrator and root are exempt from user and group quotas, but not from tree quotas.

- A.True
- B.False

Correct Answers: A

11: Before running `lun setup` on the storage system, you must first create the `igroup` to which the initiator will be attached.

- A.True
- B.False

Correct Answers: B

12: The super user receives an "Access Denied" message when he attempts to mount the new `qtree`. Whats the most likely cause of this error?

- A.NFS is turned off on the storage system.
- B.The `qtree` has not been exported.
- C.The `qtree` is set to `ntfs` only security style.

D.The qtree is missing from the /etc/hosts file.

Correct Answers: B

13: If the security style is set to UNIX, CIFS client file access is determined by _____ .

A.NT ACLs

B.the mapped UNIX UID/GID of the CIFS client and the UNIX file permissions

C.the last client to set permissions

D.This is not allowed: A CIFS client cannot access files in a path set to a security style of UNIX

Correct Answers: B

14: Which two conditions might cause a user to receive a disk full message from a storage system?

(Choose two.)

A.A volumes active file system size could not be provided.

B.Snap reserve is set to 10%.

C.The user has reached her assigned quota.

D.The disk is write-protected.

Correct Answers: A C

15: CIFS clients can resolve symbolic links created by NFS clients on the storage system.

A.True

B.False

Correct Answers: A