



**Vendor:** Network Appliance

**Exam Code:** NS0-156

**Exam Name:** Data ONTAP Cluster-Mode Administrator

**Version:** DEMO

1.Which statement is true about a Data Protection (DP)-type SnapMirror destination volume?

- A. It can be in a Data ONTAP GX cluster.
- B. It must be on the same disk type as the source volume.
- C. It can be smaller than the source volume.
- D. It can be on a different disk type than the source volume.

**Answer: D**

2.To operate Data ONTAP 8.1 Cluster-Mode SAN, what must be configured on both the initiator and target.?

- A. Logical Unit Access Initialization
- B. Physical Unit Access Initialization
- C. Symmetric Logical Unit Access
- D. Asymmetric Logical Unit Access
- E. SAN Access Initialization Protocol

**Answer: D**

3.Which command can be used to identify the target iqn name in Data ONTAP 8.1 Cluster-Mode and later?

- A. cluster iscsi name
- B. cluster iscsi nodename
- C. cluster iscsi show
- D. vserver iscsi nodename
- E. vserver iscsi name
- F. vserver iscsi show

**Answer: F**

4.What does Storage Failover allow?

- A. disks to fail over between HA partners
- B. disks to fail over to a plex
- C. disks to fail over to any node in a cluster
- D. disks to fail over to the Epsilon node

**Answer: A**

5.Which five protocols are supported by Data ONTAP 8.1 Cluster-Mode? (Choose five.)

- A. CIFS
- B. FC
- C. FCIP
- D. FCoE
- E. iFCP
- F. iSCSI
- G. NFS

**Answer: A,B,D,F,G**

6. Which two methods expose volumes to NAS clients? (Choose two.)

- A. mount directories of a volume in a namespace
- B. mount the required namespaces in a volume
- C. mount the required namespaces in an aggregate
- D. mount the required volumes in a namespace

**Answer:** A,D

7. Which storage system combination is supported in Cluster-Mode?

- A. a pair of FAS3270s and a pair of FAS3020s
- B. a pair of FAS3270s with a FAS3240 and a FAS6240
- C. a pair of FAS6280s and a pair of E7900s
- D. a pair of FAS6280s and a pair of FAS3240s

**Answer:** D

8. Which two statements are true in a SnapMirror LS mirror relationship? (Choose two.)

- A. Client requests to write data are allowed if the user is root.
- B. Client requests to write data are denied unless accessing the admin share.
- C. Client requests to read data are only allowed if the mirror is up-to-date.
- D. Client requests to read data are redirected to the LS mirror destination volumes.

**Answer:** B,D

9. Which two SMB versions does Data ONTAP Cluster-Mode support? (Choose two.)

- A. SMB 1.0
- B. SMB 2.0
- C. SMB 3.0
- D. SMB 4.0

**Answer:** A,B

10. How does the NetApp Remote Support Agent (RSA) connect to NetApp Support?

- A. NetApp Support initiates a secure connection to the RSA.
- B. NetApp Support initiates a non-secure connection to the RSA.
- C. The RSA initiates a secure connection to NetApp Support.
- D. The RSA initiates a non-secure connection to NetApp Support.

**Answer:** C