



Exam Code: SC0-471

Exam Name: Strategic Infrastructure Securify

Vendor: SCP

Version: DEMO

Part: A

1: During a routine security inspection of the clients in your network, you find a program called cgiscan.c on one of the computers. You investigate the file, reading part of the contents. Using the portion of the program shown below, identify the function of the program.

```
Temp[1] = "GET /cgi-bin/phf HTTP/1.0\n\n";  
Temp[2] = "GET /cgi-bin/Count.cgi HTTP/1.0\n\n";  
Temp[3] = "GET /cgi-bin/test-cgi HTTP/1.0\n\n";  
Temp[4] = "GET /cgi-bin/php.cgi HTTP/1.0\n\n";  
Temp[5] = "GET /cgi-bin/handler HTTP/1.0\n\n";  
Temp[6] = "GET /cgi-bin/webgais HTTP/1.0\n\n";  
Temp[7] = "GET /cgi-bin/websendmail HTTP/1.0\n\n";
```

- A.The program is designed to launch the user's email program.
- B.The program is designed to manage the counters on a target web server.
- C.The program is simply old temp files, and nothing of interest.
- D.The program is designed to test the functionality of the cgi email scripts that are installed on the server.
- E.The program is a vulnerability scanner

Correct Answers: E

2: When using multiple alphabets, what type of cipher is being used?

- A.Polyalphabetic Cipher
- B.Multiple Cipher
- C.Multialphabetic Cipher
- D.Confusion Cipher
- E.Diffusion Cipher

Correct Answers: A

3: DES is often defined as no longer "secure enough" to handle high security requirements. Why is this?

- A.DES is more vulnerable to dictionary attacks than other algorithms
- B.DES is more vulnerable to brute-force attacks than other algorithms
- C.DES uses a 32-bit key length, which can be cracked easily
- D.DES uses a 64-bit key, which can be cracked easily
- E.The DES key can be cracked in a short time

Correct Answers: E

4: Your organization assigns an Annual Loss Expectancy to assets during a risk analysis meeting. You have a server which if down for a day will lose the company \$35,000, and has a serious root access attack against it once per month. What is the ALE for this attack against this server?

- A.\$35,000
- B.\$120,000
- C.\$2,916
- D.\$3,500

E.\$420,000

Correct Answers: E

5: While configuring TCP Wrappers on your Linux system, you desire to create a line that will effect the single host 10.20.23.45 accessing the telnet service. Which of the following lines will achieve this desired result?

- A.10.20.23.45_HOST: in.telnetd
- B.HOST(10.20.23.45): in.telnetd
- C.in.telnetd: HOST_10.20.23.45
- D.in.telnetd: ONLY_10.20.23.45/32
- E.in.telnetd: 10.20.23.45

Correct Answers: E

6: Which three of the following are examples of the reason that Message Authentication is needed?

- A.Packet Loss
- B.Content Modification
- C.Masquerading
- D.Public Key Registration
- E.Sequence Modification

Correct Answers: B C E

7: Which two of the following are factors that must be considered in determining the likelihood of occurrence during a risk analysis review?

- A.What are the methods available to attack this asset?
- B.What are the costs associated with protecting this asset?
- C.Does the threat have sufficient capability to exercise the attack?
- D.Does the threat have the motivation or incentive to exercise the attack?
- E.Are any of the assets worthy of an attack?

Correct Answers: C D

8: Recently, you have seen an increase in intrusion attempts and in network traffic. You decide to use Snort to run a packet capture and analyze the traffic that is present. Looking at the example, what type of traffic did Snort capture in this log file?

11: Which of the following answers is the word SECURITY after having been encrypted using the following Polybius Cipher shown in the figure?

	1	2	3	4	5
1	A	B	C	D	E
2	F	G	H	I/J	K
3	L	M	N	O	P
4	Q	R	S	T	U
5	V	W	X	Y	Z

A.280

B.34 51 31 54 24 42 44 45

C.7 6 8 9 6 6 8 9

D.43 15 13 45 42 24 44 54

E.4315 4224 1345 4454

Correct Answers: D

12: Recently you found out that there has been a flood of bogus network traffic hitting your Email server. Because of this flood, authorized users have not been able to consistently send or receive email. What is happening to your Email server?

A.A Denial of Service Attack

B.A Virus Attack

C.A Worm Attack

D.A Macro Attack

E.A Trojan Attack

Correct Answers: A

13: You are reviewing the lines used in the configuration of TCP Wrappers on your Linux system. When placed in the denial file, what is the function of the following line?

```
in.telnetd: 192.168.23.: spawn (/bin/echo %c >> /var/log/telnet.log)
```

A.This line will initiate a Telnet connection to the 192.168.23.0/24 network.

B.This line will write a log line to the /bin/echo directory when a host tries to use Telnet to connect to the 192.168.23.0/24 network.

C.This line will initiate an ICMP echo request when a host from the 192.168.23.0/24 network uses Telnet.

D.This line will write a log line that contains client information when a host from the 192.168.23.0/24 network attempts to use Telnet.

E.This line will write a log line to the /var/log directory when a host tries to use Telnet to connect to the 192.168.23.0/24 network.

Correct Answers: D

14: If you had a cipher that used a unique key every time you encoded text, what would you be using?

- A.A block cipher
- B.A One-time pad
- C.A stream cipher
- D.An asymmetric cipher
- E.A symmetric cipher

Correct Answers: B

15: You wish to install a new Windows 2003 Server in your network, and are deciding which of the server roles will best suit your environment. From the following answers, select the option that is not a Windows 2003 Server Role.

- A.SQL Server
- B.DNS Server
- C.DHCP Server
- D.Print Server
- E.SharePoint Services Server

Correct Answers: A