


C220 Server?



- A. A is power button and power status LED; B is identification button and LED; C is system status LED; D is network link activity LED.
- B. A is network link activity LED; B is system status LED; C is power button and power status LED; D is identification button and LED.
- C. A is system status LED; B is network link activity LED; C is power button and power status LED; D is identification button and LED.
- D. A is network link activity LED; B is system status LED; C is identification button and LED; D is power button and power status LED.

Correct Answer: A

QUESTION 17

Which processor option is supported in the Cisco UCS C420 M3 Server?

- A. up to two Intel Xeon E5-4600 series multicore processors
- B. up to two Intel Xeon E7-4800 series multicore processors
- C. up to four Intel Xeon E5-4600 series multicore processors
- D. two or four Intel Xeon E7-8800 series multicore processors

Correct Answer: C

QUESTION 18

Which two major components does a Cisco Nexus 1000V Series Switch have? (Choose two.)

- A. Virtual Fiber Channel Module
- B. Virtual Ethernet Module
- C. Virtual Supervisor Module
- D. Virtual Memory Controller Module
- E. Virtual Network Module

Correct Answer: BC

QUESTION 19

Which Cisco Nexus 5000 Series model supports 1/10G BASE-T ports?

[Download Full Version 010-151 Exam Dumps\(Updated in Feb/2023\)](#)

- A. Cisco Nexus 5548P
- B. Cisco Nexus 5548UP
- C. Cisco Nexus 5596UP
- D. Cisco Nexus 5596T

Correct Answer: D

QUESTION 20


Which Cisco MDS model supports the most Fibre Channel ports per chassis?

- A. MDS 9513
- B. MDS 9509
- C. MDS 9506
- D. MDS 9250i

Correct Answer: A

QUESTION 21

Refer to the exhibit. Which Cisco MDS chassis supports the 48-Port 16-Gbps Fibre Channel Switching Module?



- A. MDS 9509
- B. MDS 9513
- C. MDS 9710
- D. MDS 9506

Correct Answer: C

QUESTION 22

Refer to the exhibit. What is the name of this rack-mount server?

[010-151 Exam Dumps](#) **[010-151 PDF Dumps](#) **[010-151 VCE Dumps](#) **[010-151 Q&As](#)
<https://www.ensurepass.com/010-151.html>******



- A. Cisco UCS C220 Rack-Mount Server
- B. Cisco UCS C240 Rack-Mount Server
- C. Cisco UCS C420 Rack-Mount Server
- D. Cisco UCS C460 Rack-Mount Server

Correct Answer: C

QUESTION 23

Which supervisor module is supported by a Cisco Nexus 7700 Series Switch?

- A. first-generation supervisor module
- B. second-generation supervisor module (Sup2)
- C. second-generation supervisor enhanced module (Sup2E)
- D. third-generation supervisor enhanced module (Sup3E)

Correct Answer: C

QUESTION 24

Which type of optics module is supported by a 12-port 100 GE Cisco Nexus 7700 F3 Series I/O module?

- A. CPAK
- B. QSFP+
- C. SFP/SFP+
- D. CFP

Correct Answer: A

QUESTION 25

Which command-line interface mode is best described by this prompt?


UCS-switch-A (nxos)#

- A. maintenance mode
- B. EXEC mode
- C. local management mode
- D. global configuration mode
- E. Cisco IOS mode

Correct Answer: B

QUESTION 26

Refer to the exhibit. Which item does A represent?



- A. Emulex Adapter Card for Cisco UCS B420 M3 Blade Servers
- B. Virtual Interface Card for Cisco UCS B420 M3 Blade Servers
- C. mLOM for Cisco UCS B420 M3 Blade Servers
- D. Virtual Emulex Adapter Card for Cisco UCS B420 M3 Blade Servers
- E. SuperCap module for Cisco UCS B420 M3 Blade Servers

Correct Answer: C

QUESTION 27

Which command can be used to exit to EXEC mode from this current mode?

switch(config-if) #

- A. Ctrl-C
- B. Ctrl-L
- C. quit

[Download Full Version 010-151 Exam Dumps\(Updated in Feb/2023\)](#)

- D. exit
- E. end

Correct Answer: E

QUESTION 28

Refer to the exhibit. Which call-out accurately shows the current running version of the Cisco UCS Manager management software?

Name	Model	Running Version	Startup Version	Backup Version	Update Status	Activate Status
UCS Manager		1.4(1m)	1.4(1m)	N/A	N/A	ready
Chassis 1	Cisco UCS 5108					
IO Module 1	Cisco UCS 2104XP	1.4(1m)	1.4(1m)	1.4(1)	ready	ready
IO Module 2	Cisco UCS 2104XP	1.4(1m)	1.4(1m)	1.4(1)	ready	ready
Server 1 (vince)	Cisco UCS B200 M1					
Interface Card 1	Cisco UCS M81KR	1.4(1m)	1.4(1m)	1.4(1)	ready	ready
BIOS	Cisco UCS B200 M1	S5500.1.4.1f.0.120820101100	S5500.1.4.1f.0.120820101100	N/A	N/A	ready
CIMC Controller	Cisco UCS B200 M1	1.4(1m)	1.4(1m)	1.4(1)	ready	ready
Server 2	Cisco UCS B230 M1					
Server 6	Cisco UCS B200 M1					
Server 7	Cisco UCS B200 M1					
Server 8	Cisco UCS B200 M1					
Fabric Interconnect A (primary)	Cisco UCS 6140XP					
Kernel		4.2(1)N(1.4m)	4.2(1)N(1.4m)	N/A	N/A	ready
System		4.2(1)N(1.4m)	4.2(1)N(1.4m)	N/A	N/A	ready
Fabric Interconnect B (subordinate)	Cisco UCS 6140XP					
Kernel		4.2(1)N(1.4m)	4.2(1)N(1.4m)	N/A	N/A	ready
System		4.2(1)N(1.4m)	4.2(1)N(1.4m)	N/A	N/A	ready

- A. A - UCS Manager running version 1.4(1m)
- B. B - IO Module 1 running version 1.4(1m)
- C. C - Interface Card 1 running version 1.4(1m)
- D. D - Kernel running version 4.2(1)N(1.4m)

Correct Answer: A

QUESTION 29

Which command saves the active configuration to NVRAM?

- A. copy startup-config running-config
- B. copy active-config backup-config
- C. copy running-config startup-config
- D. copy backup-config active-config

Correct Answer: C

QUESTION 30

[010-151 Exam Dumps](#) [010-151 PDF Dumps](#) [010-151 VCE Dumps](#) [010-151 Q&As](#)

<https://www.ensurepass.com/010-151.html>