
which code snippet creates a handle instance?



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: B

QUESTION 15

Refer to the exhibit. Which python data structure does my josn contain?

- A. List
- B. Json
- C. Map
- D. Dict

Correct Answer: D

QUESTION 16

Refer to the exhibit. Which two statement describe the configuration of the Ansible script is run? (Choose two.)

```
- hosts: switch2960cx
gather_facts: no

tasks.
- ios_12_interface:
    name: GigabitEthernet0/1
    state: unconfigured

- ios_12_interface;
    name: GigabitEthernet0/1
    mode: trunk
    native_vlan: 1
    trunk_allowed_vlans: 6-8
    state: present

- ios_vlan.
    vlan_id: 6
    name: guest_vlan
    interfaces:
        - GigabitEthernet0/1

- ios_vlan:
    vlan:
    vlan id 7
    name: corporate-vlan
    interfaces:
        - GigabitEthernet0/4

- ios_vlan:
    vlan_id. 8
    name: lot-vlan
    interfaces:
        - GigabitEthernet0/4

- ios_vlan:
    vlan_id. 8
    name: lot-vlan
    interfaces:
        - GigabitEthernet0/5
```

- A. Traffic on port 0/2 and 0/3 is connected to port 0/6.
- B. Traffic from ports 0/2 to 0/5 can flow on port 0/1 due to the trunk.
- C. Traffic can flow between ports 0/2 to 0/5 due to the trunk on port 0/1.
- D. GigabitEthernet0/2 and GigabitEthernet0/3 are access ports for VLAN 6.
- E. GiabitEthernet0/1 is left unconfigured.

Correct Answer: BD

QUESTION 17

Which action does the Git command git merge allow the development to perform?

- A. Combine multiple sequence of commits into one unified history.
- B. Push changes to the remote repository
- C. Switch between branches
- D. Create, list, rename, and delete branches

Correct Answer: A

QUESTION 18

In python, which expression checks whether the script returns a success status code when the Requests library is used?

- A. response.status code == requests.ok
- B. respons.status_code == requests.codes.ok
- C. response.code == requests.codes.ok
- D. response.status code! == requests.codes.ok

Correct Answer: B

QUESTION 19

What are two advantages of the Model-view-controller software design pattern? (Choose two.)

- A. simplifies network automation
- B. allows for multiple views of the same model
- C. makes code easier to deploy using CI/CD pipelines
- D. reduces need for error handling
- E. separates responsibilities of the code, which makes future modifications easier

Correct Answer: BE

QUESTION 20

An automation script fails to connect to an internal server exactly 1 out of 2 times it is executed. This behavior is seen from different clients. Which networking device mut be at fault?

- A. Laptop on which the scripted is running
- B. Router
- C. Switch
- D. Load balancer


Correct Answer: D

QUESTION 21


DRAG DROP

Drag and drop the network component names from the left onto the correct descriptions on the right. Not all options are used.

200-901 Exam Dumps 200-901 PDF Dumps 200-901 VCE Dumps 200-901 Q&As https://www.ensurepass.com/200-901.html



Correct Answer:



QUESTION 22

Fill in the blanks to complete the statement.

Given a username of "devnet" And a password "Cisco123", applications must create a base64 encoding of the string" ______ " when sanding HTTP requests to an API that uses _____ authentication.

Correct Answer: devnet: Cisco123, Basic

Explanation:

Solution as below:

Given a username of "devnet" and a password of "cisco123", applications must create a base64 encoding of the string "
devnet:cisco123 " when sending HTTP requests to an API that uses Basic authentication.

QUESTION 23

On which network plane is routing protocol traffic handled?

- A. data plane
- B. management plane
- C. authentication plane
- D. control plane

Correct Answer: D

QUESTION 24


Which two statements are true about Cisco UCS manager, Cisco Intersight APIs? (Choose two.)

- A. Cisco Intersight API interactions can be encoded in XML or JSON and require an APIs key in the HTTP header for authentication.
- B. USC Director API interactions can be XML- or JSON-encoded and require an APLs key in the HTTP header for authentication.
- UCS manager API interactions are XML-encoded and require a cookie in the method for authentication.
- D. Cisco Intersight uses XML to encoded API interactions and requires an API key pair for authentication.
- E. UCS manager uses JSON to encode API interactions and utilizes Base64-encoded credentials in the HTTP header for authentication.

Correct Answer: BC

QUESTION 25

Drag and drop the Docker file instructions from the onto correct descriptions on the right. Not all options are used.



Correct Answer: