


## [Download Full Version 200-901 Exam Dumps\(Updated in Feb/2023\)](#)



### QUESTION 26

What are two benefit of managing network configuration via APIs? (Choose two.)

- A. configuration on devices becomes less complex
- B. more security due to locking out manual device configuration
- C. increased scalability and consistency of network changes
- D. eliminates the need of legacy management protocols like SNMP
- E. reduction in network changes performed manually

**Correct Answer:** CE

### QUESTION 27

What is the benefit of edge computing?

- A. It reduces network latency by moving processing closer to the data source.
- B. It simplifies security as devices and processing are brought closer together.
- C. It removes the need for centralized data processing.
- D. It reduces data velocity from devices or other data sources.

**Correct Answer:** A

### QUESTION 28

A developer is writing an application that a REST API and the application requires a valid from the API which element of the response is used in the conditional check?

- A. URL
- B. Status code
- C. Link
- D. Body
- E. Headers

**Correct Answer:** B

### QUESTION 29

[200-901 Exam Dumps](#)   [200-901 PDF Dumps](#)   [200-901 VCE Dumps](#)   [200-901 Q&As](#)

<https://www.ensurepass.com/200-901.html>

## [Download Full Version 200-901 Exam Dumps\(Updated in Feb/2023\)](#)


What is the purpose of the Cisco VIRL software tool?

- A. To verify configurations against compliance standards
- B. To simulate and model networks
- C. To automate API workflows
- D. To test performance of an application

**Correct Answer:** B

### QUESTION 30

Refer to the exhibit.



Fill in the blank to complete the query parameter and value so that the result set is returned in reverse chronological order (most recent first) based on when message were entered.

HTTP GET /v1/rooms |

**Correct Answer:** ?sortBy=lastactivity

#### Explanation:

Solution as below

HTTP GET /v1/rooms ?sortBy=lastactivity

### QUESTION 31

[200-901 Exam Dumps](#) [200-901 PDF Dumps](#) [200-901 VCE Dumps](#) [200-901 Q&As](#)

<https://www.ensurepass.com/200-901.html>

## [Download Full Version 200-901 Exam Dumps\(Updated in Feb/2023\)](#)

Refer to the exhibit. A process on the host wants to access the service running inside this Docker container. Which port is used to make a connection?

```
docker run -p 3000:5000 f877cbf2ff33
```

- A. only outbound connections between 3000 and 5000 are possible
- B. port 3000
- C. any port between 3000 and 5000
- D. port 5000

**Correct Answer: B**

### QUESTION 32

DRAG DROP

Refer to the exhibit.

**List the clients that have used this network in the timespan**

**HTTP REQUEST**

**GET** /networks/{networkId}/clients

**PARAMETERS**

**t0**  
The beginning of the timespan for the data. The maximum lookback period is 31 days from today.

**timespan**  
The timespan for which the information will be fetched. If specifying timespan, do not specify parameter t0. The value must be in seconds and be less than or equal to 31 days. The default is 1 day.

**perPage**  
The number of entries per page returned. Acceptable range is 3 - 1000. Default is 10.

**startingAfter**  
A token used by the server to indicate the start of the page. Often this is a timestamp or an ID but it is not limited to those. This parameter should not be defined by client applications. The link for the first, last, prev, or next page in the HTTP Link header should define it.

**endingBefore**  
A token used by the server to indicate the end of the page. Often this is a timestamp or an ID but it is not limited to those. This parameter should not be defined by client applications. The link for the first, last, prev, or next page in the HTTP Link header should define it.

```
base_url = "https://api.meraki.com/api/v0"
base_url = "https://api.meraki.com/api/v0"
network_id = "L_12345678910"
api_key = "1098hadpfsiapsf8ahf8ohp"
requests.<item 1>({
  <item 2> + "/"<item 3>/" + <item 4> + "/"<item 5>",
  headers = {
    "X-Cisco-Meraki-API-Key": "<item 6>",
    "Content-Type": "<item 7>"
  },
  <item 8>={"<item 9>":<item 10>})
```

Drag and drop the code from the left code from the left onto the item number on the right to

[200-901 Exam Dumps](#) [200-901 PDF Dumps](#) [200-901 VCE Dumps](#) [200-901 Q&As](#)

<https://www.ensurepass.com/200-901.html>

## [Download Full Version 200-901 Exam Dumps\(Updated in Feb/2023\)](#)


complete the Meraki code to obtain a list of client which have used this network.

params	<item 1>
networks	<item 2>
timespan	<item 3>
get	<item 4>
432000	<item 5>
base_url	<item 6>
application/json	<item 7>
network_id	<item 8>
clients	<item 9>
api_key	<item 10>

**Correct Answer:**




[Download Full Version 200-901 Exam Dumps\(Updated in Feb/2023\)](#)



**QUESTION 33**

**DRAG DROP**

Drag and drop the element of the Finesse API on the left onto the description of its functionality on the right.



**Correct Answer:**

[200-901 Exam Dumps](#) [200-901 PDF Dumps](#) [200-901 VCE Dumps](#) [200-901 Q&As](#)

<https://www.ensurepass.com/200-901.html>