

## [Download Full Version A00-211 Exam Dumps\(Updated in Feb/2023\)](#)

```
if level = . then  
    expertise = 'Unknown';  
  
else if level = 1 then  
    expertise = 'Low';  
  
else if level = 2 or 3 then  
    expertise = 'Medium';  
  
else  
    expertise = 'High';  
  
run;
```

Which of the following values does the variable EXPERTISE contain?

- A. Low, Medium, and High only
- B. Low, Medium, and Unknown only
- C. Low, Medium, High, and Unknown only
- D. Low, Medium, High, Unknown, and '' (missing character value)

**Correct Answer:** B

### **QUESTION 128**

Which step displays a listing of all the data sets in the WORK library?

- A. 

```
proc contents lib=WORK  
run;
```
- B. 

```
proc contents lib=WORK.all;  
run;
```
- C. 

```
proc contents data=WORK._all_;  
run;
```
- D. 

```
proc contents data=WORK _ALL_;  
run;
```

**Correct Answer:** C

### **QUESTION 129**

The following SAS program is submitted:

```
libname sasdata 'SAS-data-library';
```

[A00-211 Exam Dumps](#) [A00-211 PDF Dumps](#) [A00-211 VCE Dumps](#) [A00-211 Q&As](#)

<https://www.ensurepass.com/A00-211.html>

## [Download Full Version A00-211 Exam Dumps\(Updated in Feb/2023\)](#)

data test;

set sasdata.chemists (keep = job\_code);

if job\_code = 'chem3'

then description = 'Senior Chemist';

run;

The variable JOB\_CODE is a character variable with a length of 6 bytes.

Which one of the following is the length of the variable DESCRIPTION in the output data set?

- A. 6 bytes
- B. 8 bytes
- C. 14 bytes
- D. 200 bytes

**Correct Answer: C**

### QUESTION 130

Given the SAS data set WORK.ONE:

N	BeginDate
1	09JAN2010
2	12JAN2010

The following SAS program is submitted:

```
data WORK.TWO;  
  set WORK.ONE;  
  Day=;  
  format BeginDate date9.;  
run;
```

The data set WORK.TWO is created, where Day would be 1 for Sunday, 2 for Monday, 3 for Tuesday, ... :

WORK.TWO		
N	BeginDate	Day
1	09JAN2010	1
2	12JAN2010	4

Which expression successfully completed the program and creates the variable DAY?

- A. day(BeginDate)
- B. weekday(BeginDate)
- C. dayofweek(BeginDate)
- D. getday(BeginDate,today())

**Correct Answer: B**

[A00-211 Exam Dumps](#) [A00-211 PDF Dumps](#) [A00-211 VCE Dumps](#) [A00-211 Q&As](#)

<https://www.ensurepass.com/A00-211.html>

## [Download Full Version A00-211 Exam Dumps\(Updated in Feb/2023\)](#)

### **QUESTION 131**

The following SAS program is submitted and reads 100 records from a raw data file:

```
data work.total;  
  
infile 'file-specification' end = eof;  
  
input name $ salary;  
  
totsal + salary;  
  
run;
```

Which one of the following IF statements writes the last observation to the output data set?

- A. if end = 0;
- B. if eof = 0;
- C. if end = 1;
- D. if eof = 1;

**Correct Answer:** D

### **QUESTION 132**

The following SAS program is submitted:

```
data work.products;  
  
Product_Number = 5461;  
  
Item = '1001';  
  
Item_Reference = Item/'Product_Number';  
  
run;
```

Which one of the following is the value of the variable ITEM\_REFERENCE in the output data set?

- A. 1001/5461
- B. 1001/ 5461
- C. . (missing numeric value)
- D. The value can not be determined as the program fails to execute due to errors.

**Correct Answer:** D

### **QUESTION 133**

When the following SAS program is submitted, the data set SASDATA.PRDSALES contains 5000 observations:

```
libname sasdata 'SAS-data-library';
```

[A00-211 Exam Dumps](#) [A00-211 PDF Dumps](#) [A00-211 VCE Dumps](#) [A00-211 Q&As](#)

<https://www.ensurepass.com/A00-211.html>

## [Download Full Version A00-211 Exam Dumps\(Updated in Feb/2023\)](#)

```
options obs = 500;

proc print data = sasdata.prdsales (firstobs = 100);

run;

options obs = max;

proc means data = sasdata.prdsales (firstobs = 500);

run;
```

How many observations are processed by each procedure?

- A. 400 for PROC PRINT  
4500 for PROC MEANS
- B. 401 for PROC PRINT  
4501 for PROC MEANS
- C. 401 for PROC PRINT  
4500 for PROC MEANS
- D. 500 for PROC PRINT  
5000 for PROC MEANS

**Correct Answer: B**

### **QUESTION 134**

The following SAS program is submitted:

```
libname temp 'SAS-data-library';

data work.new;

set temp.jobs;

format newdate mmddyy10.;

qdate = qtr(newdate);

ddate = weekday(newdate);

run;

proc print data = work.new;

run;
```

The variable NEWDATE contains the SAS date value for April 15, 2000.

What output is produced if April 15, 2000 falls on a Saturday?

- A. Obs newdate qdate ddate  
1 APR152000 2 6
- B. Obs newdate qdate ddate

**[Download Full Version A00-211 Exam Dumps\(Updated in Feb/2023\)](#)**

- 1 04/15/2000 2 6  
C. Obs newdate qdate ddate  
1 APR152000 2 7  
D. Obs newdate qdate ddate  
1 04/15/2000 2 7

**Correct Answer:** D

**QUESTION 135**

The contents of the raw data file SIZE are listed below:

-----10-----20-----30

72 95

The following SAS program is submitted:

```
data test;  
infile 'size';  
input @1 height 2. @4 weight 2;  
run;
```

Which one of the following is the value of the variable WEIGHT in the output data set?

- A. 2  
B. 72  
C. 95  
D. . (missing numeric value)

**Correct Answer:** A

**QUESTION 136**

The following SAS program is submitted:

```
data work.staff;  
JobCategory = 'FA';  
JobLevel = '1';  
JobCategory = JobCategory || JobLevel;  
run;
```

Which one of the following is the value of the variable JOBCATEGORY in the output data set?

- A. FA  
B. FA1  
C. FA 1  
D. '' (missing character value)