

## [Download Full Version AZ-100 Exam Dumps\(Updated in Feb/2023\)](#)

### QUESTION 44

#### HOTSPOT

You have an Azure subscription named Subscription1. Subscription1 contains the resources in the following table.

Name	Type
RG1	Resource group
RG2	Resource group
VNet1	Virtual network
VNet2	Virtual network

VNet1 is in RG1. VNet2 is in RG2. There is no connectivity between VNet1 and Vnet2.

An administrator named Admin1 creates an Azure virtual machine named VM1 in RG1. VM1 uses a disk named Disk1 and connects to VNet1. Admin1 then installs a custom application in VM1.

You need to move the custom application to Vnet2. The solution must minimize administrative effort.

Which two actions should you perform?

To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

### Answer Area

First action:

	▼
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1.	
Move a network interface to RG2.	

Second action:

	▼
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine.	
Move VM1 to RG2.	

**Correct Answer:**

**[Download Full Version AZ-100 Exam Dumps\(Updated in Feb/2023\)](#)**

First action:

	▼
Create a network interface in RG2.	
Detach a network interface.	
Delete VM1.	
Move a network interface to RG2.	

Second action:

	▼
Attach a network interface.	
Create a network interface in RG2.	
Create a new virtual machine.	
Move VM1 to RG2.	

**QUESTION 45**

**HOTSPOT**

You have an Azure subscription named Subscription1.

You plan to deploy an Ubuntu Server virtual machine named VM1 to Subscription1.

You need to perform a custom deployment of the virtual machine. A specific trusted root certification authority (CA) must be added during the deployment.

What should you do?

To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

**Answer Area**

File to create:

	▼
Answer.ini	
Autounattend.conf	
Cloud-init.txt	
Unattend.xml	

Tool to use to deploy the virtual machine:

	▼
The az vm create command	
The Azure portal	
The New-AzureRmVM cmdlet	

**Correct Answer:**

## [Download Full Version AZ-100 Exam Dumps\(Updated in Feb/2023\)](#)

### Answer Area

File to create:

	▼
Answer.ini	
Autounattend.conf	
Cloud-init.txt	
Unattend.xml	

Tool to use to deploy the virtual machine:

	▼
The az vm create command	
The Azure portal	
The New-AzureRmVM cmdlet	

### QUESTION 46

#### DRAG DROP

You have an Azure Active Directory (Azure AD) tenant that has the initial domain name.

You have a domain name of contoso.com registered at a third-party registrar.

You need to ensure that you can create Azure AD users that have names containing a suffix of @contoso.com.

Which three actions should you perform in sequence?





To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.

Actions		Answer Area
Configure company branding.		
Add an Azure AD tenant.		
Verify the domain.		
Create an Azure DNS zone.	➔	⬆
Add a custom domain name.	⬅	⬇
Add a record to the public contoso.com DNS zone.		

**Correct Answer:**

## [Download Full Version AZ-100 Exam Dumps\(Updated in Feb/2023\)](#)

Actions	Answer Area
Configure company branding.	Add a custom domain name.
Add an Azure AD tenant.	Add a record to the public contoso.com DNS zone.
Verify the domain.	Verify the domain.
Create an Azure DNS zone.	
Add a custom domain name.	
Add a record to the public contoso.com DNS zone.	



### QUESTION 47

You have an Azure subscription that contains 100 virtual machines.

You regularly create and delete virtual machines.

You need to identify unused disks that can be deleted.

What should you do?

- A. From Microsoft Azure Storage Explorer, view the Account Management properties.
- B. From the Azure portal, configure the Advisor recommendations.
- C. From Cloudyn, open the Optimizer tab and create a report.
- D. From Cloudyn, create a Cost Management report.

**Correct Answer: A**

### QUESTION 48

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution. After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription named Subscription1. Subscription1 contains a resource group named RG1. RG1 contains resources that were deployed by using templates.

You need to view the date and time when the resources were created in RG1.

Solution: From the RG1 blade, you click Deployments.

Does this meet the goal?

- A. Yes
- B. No

**Correct Answer: A**

## [Download Full Version AZ-100 Exam Dumps\(Updated in Feb/2023\)](#)

### QUESTION 49

#### DRAG DROP

You have an Azure subscription that contains an Azure virtual machine named VM1. VM1 runs Windows Server 2016 and is part of an availability set.

VM1 has virtual machine-level backup enabled.

VM1 is deleted.

You need to restore VM1 from the backup. VM1 must be part of the availability set.

Which three actions should you perform in sequence?

To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the Restore configuration blade, set Restore Type to <b>Create virtual machine</b> .	
From the VM1 blade, edit the disk settings of the OS disk.	
From the Restore configuration blade, set Restore Type to <b>Restore disks</b> .	
From the Recovery Services vault, deploy a template.	
From the VM1 blade, add a disk.	
From the Recovery Services vault, select a restore point for VM1.	

#### Correct Answer:

Actions	Answer Area
From the Restore configuration blade, set Restore Type to <b>Create virtual machine</b> .	From the Recovery Services vault, select a restore point for VM1.
From the VM1 blade, edit the disk settings of the OS disk.	From the Restore configuration blade, set Restore Type to <b>Restore disks</b> .
From the Restore configuration blade, set Restore Type to <b>Restore disks</b> .	From the Recovery Services vault, deploy a template.
From the Recovery Services vault, deploy a template.	
From the VM1 blade, add a disk.	
From the Recovery Services vault, select a restore point for VM1.	

### QUESTION 50

Click to expand each objective. To connect to the Azure portal, type <https://portal.azure.com> in

[AZ-100 Exam Dumps](#) [AZ-100 PDF Dumps](#) [AZ-100 VCE Dumps](#) [AZ-100 Q&As](#)

<https://www.ensurepass.com/AZ-100.html>