

- A. IKEDiagnosticLog
- B. GatewayDiagnosticLog
- C. TunnelDiagnosticLog
- D. RouteDiagnosticLog

**Correct Answer:** A

### QUESTION 13

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2.

You need to ensure that Client1 can communicate with Vnet2.

Solution: You reset the gateway of Vnet1.

Does this meet the goal?

- A. Yes
- B. No

**Correct Answer:** B

### QUESTION 14

You have an Azure virtual network and an on-premises datacenter. You need to implement a Site-to-Site VPN connection between the datacenter and the virtual network. Which two resources should you create? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

- A. a virtual network gateway
- B. Azure Firewall
- C. a local network gateway
- D. Azure Web Application Firewall (WAF)
- E. an on-premises data gateway
- F. an Azure application gateway
- G. a user-defined route

**Correct Answer:** AC

**QUESTION 15**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2.

You need to ensure that Client1 can communicate with Vnet2.

Solution: You download and reinstall the VPN client configuration.

Does this meet the goal?

- A. Yes
- B. No

**Correct Answer: A**

**QUESTION 16**

You have an Azure subscription that contains multiple virtual machines in the West US Azure region.

You need to use Traffic Analytics.

Which two resources should you create? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct answer selection is worth one point.

- A. an Azure Monitor workbook
- B. a Log Analytics workspace
- C. a storage account
- D. an Azure Sentinel workspace
- E. an Azure Monitor data collection rule

**Correct Answer: BC**

**QUESTION 17**

You have an Azure subscription that is linked to an Azure AD tenant named contoso.onmicrosoft.com. The subscription contains the following resources:

- A virtual network named Vnet1
- An App Service plan named ASPI

## [Download Full Version AZ-700 Exam Dumps\(Updated in March/2023\)](#)

---

- An Azure App Service named webapp1
- An Azure private DNS zone named private.contoso.com
- Virtual machines on Vnet1 that cannot communicate outside the virtual network

You need to ensure that the virtual machines on Vnet1 can access webapp1 by using a URL of `https://www.private.contoso.com`.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a private endpoint for webapp1.
- B. Create a service endpoint for webapp1.
- C. Create a CNAME record that maps `www.private.contoso.com` to `webapp1.privatelink.azurewebsites.net`.
- D. Create a CNAME record that maps `www.private.contoso.com` to `webapp1.contoso.onmicrosoft.com`.
- E. Register an enterprise application in Azure AD for webapp1.
- F. Create a CNAME record that maps `www.private.contoso.com` to `webapp1.private.contoso.com`.

**Correct Answer:** AD

### QUESTION 18

You have an Azure application gateway for a web app named App1. The application gateway allows end-to-end encryption.

You configure the listener for HTTPS by uploading an enterprise signed certificate.

You need to ensure that the application gateway can provide end-to-end encryption for App1. What should you do?

- A. Set Listener type to Multi site.
- B. Increase the Unhealthy threshold setting in the custom probe.
- C. Upload the public key certificate to the HTTPS settings.
- D. Enable the SSL profile for the listener.

**Correct Answer:** C

### QUESTION 19

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have an Azure subscription that contains the following resources:

- A virtual network named Vnet1
- A subnet named Subnet1 in Vnet1
- A virtual machine named VM1 that connects to Subnet1
- Three storage accounts named storage1, storage2, and storage3

You need to ensure that VM1 can access storage1. VM1 must be prevented from accessing any

[AZ-700 Exam Dumps](#) [AZ-700 PDF Dumps](#) [AZ-700 VCE Dumps](#) [AZ-700 Q&As](#)

<https://www.ensurepass.com/AZ-700.html>

other storage accounts.

Solution: You configure the firewall on storage1 to only accept connections from Vnet1.

Does this meet the goal?

- A. Yes
- B. No

**Correct Answer: B**

#### **QUESTION 20**

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have two Azure virtual networks named Vnet1 and Vnet2.

You have a Windows 10 device named Client1 that connects to Vnet1 by using a Point-to-Site (P2S) IKEv2 VPN.

You implement virtual network peering between Vnet1 and Vnet2. Vnet1 allows gateway transit. Vnet2 can use the remote gateway.

You discover that Client1 cannot communicate with Vnet2.

You need to ensure that Client1 can communicate with Vnet2.

Solution: You enable BGP on the gateway of Vnet1.

Does this meet the goal?

- A. Yes
- B. No

**Correct Answer: B**

#### **QUESTION 21**

Your company has offices in Montreal, Seattle, and Paris. The outbound traffic from each office originates from a specific public IP address.

You create an Azure Front Door instance named FD1 that has Azure Web Application Firewall (WAF) enabled. You configure a WAF policy named Policy1 that has a rule named Rule1. Rule1 applies a rate limit of 100 requests for traffic that originates from the office in Montreal.

You need to apply a rate limit of 100 requests for traffic that originates from each office.

What should you do?

- A. Modify the conditions of Rule1.
- B. Create two additional associations.
- C. Modify the rule type of Rule1.
- D. Modify the rate limit threshold of Rule1.

**Correct Answer: A**

#### **QUESTION 22**

You have an Azure virtual network named Vnet1 that hosts an Azure firewall named FW1 and 150 virtual machines. Vnet1 is linked to a private DNS zone named contoso.com. All the virtual machines have their name registered in the contoso.com zone.

Vnet1 connects to an on-premises datacenter by using ExpressRoute.

You need to ensure that on-premises DNS servers can resolve the names in the contoso.com zone.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. On the on-premises DNS servers, configure forwarders that point to the frontend IP address of FW1.
- B. On the on-premises DNS servers, configure forwarders that point to the Azure provided DNS service at 168.63.129.16.
- C. Modify the DNS server settings of Vnet1.
- D. For FW1, enable DNS proxy.
- E. For FW1, configure a custom DNS server.

**Correct Answer: AD**

#### **QUESTION 23**

You have an Azure subscription that contains the following resources:

- A virtual network named Vnet1
- Two subnets named subnet1 and AzureFirewallSubnet
- A public Azure Firewall named FW1
- A route table named RT1 that is associated to Subnet1
- A rule routing of 0.0.0.0/0 to FW1 in RT1

After deploying 10 servers that run Windows Server to Subnet1, you discover that none of the virtual machines were activated.

You need to ensure that the virtual machines can be activated.

What should you do?

- A. On FW1, create an outbound service tag rule for AzureCloud.
- B. On FW1, create an outbound network rule that allows traffic to the Azure Key Management Service (KMS).