Correct Answer: B

QUESTION 630

Technical controls such as encryption and access control can be built into the operating system, be software applications, or can be supplemental hardware/software units. Such controls, also known as logical controls, represent which pairing?

- A. Preventive/Administrative Pairing
- B. Preventive/Technical Pairing
- C. Preventive/Physical Pairing
- D. Detective/Technical Pairing

Correct Answer: B

QUESTION 631

Which one of the following can be identified when exceptions occur using operations security detective controls?

- A. Unauthorized people seeing confidential reports.
- B. Unauthorized people destroying confidential reports.
- C. Authorized operations people performing unauthorized functions.
- D. Authorized operations people not responding to important console messages.

Correct Answer: C

QUESTION 632

Which of the following is not an example of an operation control?

- A. backup and recovery
- B. audit trails
- C. contingency planning
- D. operations procedures

Correct Answer: C

QUESTION 633

Which of the following is not an example of an operational control?

- A. backup and recovery
- B. audit trails

```
CISSP Exam Dumps CISSP PDF Dumps CISSP VCE Dumps CISSP Q&As
https://www.ensurepass.com/CISSP.html
```

- C. contingency planning
- D. operations procedures

Correct Answer: B

QUESTION 634

Access control allows you to exercise directing influence over which of the following aspects of a system?

- A. Behavior, user, and content provider.
- B. Behavior, use, and content.
- C. User logs and content.
- D. None of the choices.

Correct Answer: B

QUESTION 635

______ is the means by which the ability to do something with a computer resource is explicitly enabled or restricted.

- A. Access control
- B. Type of access
- C. System resource
- D. Work permit

Correct Answer: A

QUESTION 636

The ability to do something with a computer resource can be explicitly enabled or restricted through:

- A. Physical and system-based controls.
- B. Theoretical and system-based controls.
- C. Mental and system-based controls.
- D. Physical and trap-based controls.

Correct Answer: A

QUESTION 637

The main categories of access control do NOT include:

- A. Administrative Access Control
- B. Logical Access Control
- C. Random Access Control
- D. Physical Access Control

Correct Answer: C

QUESTION 638

You have very strict Physical Access controls. At the same time you have loose Logical Access Controls. What is true about this setting?

- A. None of the choices.
- B. It can 100% secure your environment.
- C. It may secure your environment.
- D. It may not secure your environment.

Correct Answer: D

QUESTION 639

Which of the following is not a detective technical control?

- A. Intrusion detection system
- B. Violation reports
- C. Honeypot
- D. None of the choices

Correct Answer: D

QUESTION 640

A business continuity plan is an example of which of the following?

- A. Corrective Control
- B. Detective Control
- C. Preventive Control
- D. Compensating Control

Correct Answer: A

QUESTION 641

______ Technical Controls warn of technical Access Control violations.

- A. Elusive
- B. Descriptive
- C. Corrective
- D. Detective

Correct Answer: D

QUESTION 642

A two factor authentication method is considered a:

- A. Technical control
- B. Patching control
- C. Corrective control
- D. Systematic control

Correct Answer: A

QUESTION 643

Which of the following are NOT considered technical controls?

- A. Access Control software
- B. Man trap
- C. Passwords
- D. Antivirus Software

Correct Answer: B

QUESTION 644

_____ are the technical ways of restricting who or what can access system

resources.

- A. Preventive Manual Controls
- B. Detective Technical Controls
- C. Preventive Circuit Controls
- D. Preventive Technical Controls

Correct Answer: D

QUESTION 645

Which of the following is not a form of detective administrative control?

- A. Rotation of duties
- B. Required vacations
- C. Separation of duties
- D. Security reviews and audits

Correct Answer: C

QUESTION 646

Preventive Technical Controls are usually built:

- A. By using MD5.
- B. Into an operating system.
- C. By security officer.
- D. By security administrator.

Correct Answer: B

QUESTION 647

Preventive Technical Controls cannot:

- A. Protect the OS from unauthorized modification.
- B. Protect confidential information from being disclosed to unauthorized persons.
- C. Protect the OS from unauthorized manipulation.
- D. Protect users from being monitored.

Correct Answer: D

QUESTION 648

How do Preventive Technical Controls protect system integrity and availability?

- A. By limiting the number of threads only.
- B. By limiting the number of system variables.
- C. By limiting the number of function calls only.
- D. By limiting the number of users and/or processes.

Correct Answer: D