QUESTION 668

The MAIN reason for developing closed-circuit television (CCTV) as part of your physical security program is to

- A. Provide hard evidence for criminal prosecution.
- B. Apprehend criminals.
- C. Deter criminal activity.
- D. Increase guard visibility.

Correct Answer: D

QUESTION 669

Closed circuit TV is a feature of:

- A. Detective Physical Controls
- B. Corrective Physical Controls
- C. Corrective Logical Controls
- D. Logical Physical Controls

Correct Answer: A

QUESTION 670

Motion detector is a feature of:

- A. Corrective Logical Controls.
- B. Logical Physical Controls.
- C. Corrective Physical Controls.
- D. Detective Physical Controls.

Correct Answer: D

QUESTION 671

Which of the following is a physical control?

- A. Monitoring of system activity.
- B. Environmental controls.
- C. Identification and authentication methods.
- D. Logical access control mechanisms.

Correct Answer: B

QUESTION 672

Which of the following is a detective control?

- A. Segregation of duties
- B. Back-up procedures
- C. Audit trails
- D. Physical access control

Correct Answer: C

QUESTION 673

The basic Electronic Access Control (EAC) components required for access doors are an electromagnetic lock

- A. A credential reader, and a door closed sensor.
- B. A card reader, and a door open sensor.
- C. A biometric reader, and a door open sensor.
- D. A card reader, and door motion detector.

Correct Answer: A

QUESTION 674

Which of the following control pairing places emphasis on "soft" mechanisms that support the access control objectives?

- A. Preventive/Technical Pairing
- B. Preventive/Administrative Pairing
- C. Preventive/Physical Pairing
- D. Detective/Administrative Pairing

Correct Answer: B

QUESTION 675

Controls like guards and general steps to maintain building security, securing of server rooms or laptops, the protection of cables, and the backing up of files are some of the examples of:

- A. Administrative controls
- B. Logical controls
- C. Technical controls
- D. Physical controls

Correct Answer: D

QUESTION 676

Which of the following is NOT a type of motion detector?

- A. photoelectric sensor
- B. wave pattern
- C. capacitance
- D. audio detector

Correct Answer: D

QUESTION 677

Which of the following measures would be the BEST deterrent to the theft of corporate information from a laptop which was left in a hotel room?

- A. Store all data on disks and lock them in an in-room safe.
- B. Remove the batteries and power supply from the laptop and store them separately from the computer.
- C. Install a cable lock on the laptop when it is unattended.
- D. Encrypt the data on the hard drive.

Correct Answer: D

QUESTION 678

Guards are appropriate whenever the function required by the security program involves which of the following?

- A. The use of discriminating judgment.
- B. The use of physical force.
- C. The operation of access control devices.
- D. The need to detect unauthorized access.

Correct Answer: A

QUESTION 679

Which of the following floors would be most appropriate to locate information processing facilities in a 6-stories building?

A. Basement

CISSP Exam Dumps CISSP PDF Dumps CISSP VCE Dumps CISSP Q&As https://www.ensurepass.com/CISSP.html

- B. Ground floor
- C. Third floor
- D. Sixth floor

Correct Answer: C

QUESTION 680

Which of the following risk will most likely affect confidentiality, integrity and availability?

- A. Physical damage
- B. Unauthorized disclosure of information
- C. Loss of control over system
- D. Physical theft

Correct Answer: D

QUESTION 681

Which is the last line of defense in a physical security sense?

- A. people
- B. interior barriers
- C. exterior barriers
- D. perimeter barriers

Correct Answer: A

QUESTION 682

The recording of events with a closed-circuit TV camera is considered a:

- A. Preventative control
- B. Detective control
- C. Compensating control
- D. Corrective Control

Correct Answer: B

QUESTION 683

Sensor is:

A. Logical, Physical

- B. Corrective, Logical
- C. Detective, Physical
- D. Corrective, Physical

Correct Answer: C

QUESTION 684

What fencing height is likely to stop a determined intruder?

- A. 3' to 4' high
- B. 6' to 7' high
- C. 8' high and above with strands of barbed wire
- D. No fence can stop a determined intruder

Correct Answer: C

QUESTION 685

A controlled light fixture mounted on a 5-meter pole can illuminate an area 30 meter in diameter. For security lighting purposes, what would be the proper distance between fixtures?

- A. 25 meters
- B. 30 meters
- C. 35 meters
- D. 40 meters

Correct Answer: A

QUESTION 686

Critical areas should be lighted:

- A. Eight feet high and two feet out.
- B. Eight feet high and four feet out.
- C. Ten feet high and four feet out.
- D. Ten feet high and six feet out.

Correct Answer: A