В.	host
C.	node
D.	network
Co	rect Answer: A
ΟI	ESTION 862
	th TCP and UDP use port numbers of what length?
ь	in ter and obtruse port numbers of what length:
A.	32 bits
В.	16 bits
C.	8 bits
D.	4 bits
Co	rrect Answer: B
ΟL	FSTION 863
	ESTION 863  with of the following type of packets can *easily* he denied with a stateful packet filter?
	estion 863  sich of the following type of packets can *easily* be denied with a stateful packet filter?
Wł	
Wł	nich of the following type of packets can *easily* be denied with a stateful packet filter?
Wh A. B.	nich of the following type of packets can *easily* be denied with a stateful packet filter?  ICMP
Wh A. B. C.	ich of the following type of packets can *easily* be denied with a stateful packet filter?  ICMP  TCP
A. B. C.	ich of the following type of packets can *easily* be denied with a stateful packet filter?  ICMP  TCP  UDP  IP
A. B. C.	ich of the following type of packets can *easily* be denied with a stateful packet filter?  ICMP  TCP  UDP
A. B. C.	ich of the following type of packets can *easily* be denied with a stateful packet filter?  ICMP  TCP  UDP  IP
A. B. C. D.	ich of the following type of packets can *easily* be denied with a stateful packet filter?  ICMP  TCP  UDP  IP
A. B. C. D.	ICMP TCP UDP IP
A. B. C. D.	ICMP TCP UDP IP rect Answer: B
A. B. C. D.	ICMP TCP UDP IP rect Answer: B
A. B. C. D.	ICMP TCP UDP IP  Trect Answer: B  ESTION 864 hich ports are the "Register ports", registered by the IANA?
A. B. C. D. Col	ICMP TCP UDP IP  rect Answer: B  ESTION 864 aich ports are the "Register ports", registered by the IANA?  Ports 128 to 255

**Correct Answer: B** 

#### **QUESTION 865**

What protocol was UDP based and mainly intended to provide validation of dial up user login passwords?

- A. PPTP
- B. L2TP
- C. IPSec
- D. TACACS

**Correct Answer: D** 

#### **QUESTION 866**

On which port is POP3 usually run?

- A. 110
- B. 109
- C. 139
- D. 119

**Correct Answer: A** 

#### **QUESTION 867**

The primary function of this protocol is to send messages between network devices regarding the health of the network:

- A. Internet Control Message Protocol (ICMP)
- B. Reverse Address Resolution Protocol (RARP)
- C. Address Resolution Protocol (AR)
- D. Internet Protocol (IP)

**Correct Answer: A** 

#### **QUESTION 868**

Telnet and rlogin use which protocol?

- A. UDP
- B. SNMP
- C. TCP
- D. IGP

**Correct Answer: C** 

#### **QUESTION 869**

The IP header contains a protocol field. If this file contains the value of 2, what type of data is contained within the IP datagram?

- A. TCP
- B. ICMP
- C. UDP
- D. IGMP

**Correct Answer: D** 

#### **QUESTION 870**

The IP header contains a protocol field. If this field contains the value of 17, what type of data is contained within the ip datagram?

- A. TCP
- B. ICMP
- C. UDP
- D. IGMP

**Correct Answer: C** 

#### **QUESTION 871**

Why do some sites choose not to implement Trivial File Transfer Protocol (TFTP)?

- A. list restrictions
- B. inherent security risks
- C. user authentication requirement
- D. directory restriction

**Correct Answer: B** 

### **QUESTION 872**

The IP header contains a protocol field. If this field contains the value of 6, what type of data is contained within the ip datagram?

- A. TCP
- B. ICMP
- C. UDP
- D. IGMP

#### **Correct Answer: A**

#### **QUESTION 873**

Which of the following is not a basic security service defined by the OSI?

- A. Routing control
- B. Authentication
- C. Data Confidentiality
- D. Logging and monitoring

#### **Correct Answer: D**

#### **QUESTION 874**

Which of the following is not an OSI architecture-defined broad category of security standards?

- A. Security techniques standards
- B. Layer security protocol standards
- C. Application-specific security
- D. Firewall security standards

### **Correct Answer: D**

#### **QUESTION 875**

Which one of the following is the Open Systems Interconnection (OSI) protocol for message handling?

- A. X.25
- B. X.400
- C. X.500
- D. X.509

### **Correct Answer: B**

#### **QUESTION 876**

The IP header contains a protocol field. If this field contains the value of 1, what type of data is contained within the IP datagram?

- A. TCP
- B. ICMP
- C. UDP

D. IGMP

**Correct Answer: B** 

#### **QUESTION 877**

Which of the following is true?

- A. TCP is connection-oriented. UDP is not.
- B. UDP provides for Error Correction. TCP does not.
- C. UDP is useful for longer messages.
- D. UDP guarantees delivers of data. TCP does not guarantee delivery of data.

**Correct Answer: A** 

#### **QUESTION 878**

What works as an E-mail message transfer agent?

- A. SMTP
- B. SNMP
- C. S-RPC
- D. S/MIME

**Correct Answer: A** 

### **QUESTION 879**

A common way to create fault tolerance with leased lines is to group several T-1's together with an inverse multiplexer placed:

- A. at one end of the connection
- B. at both ends of the connection
- C. somewhere between both end points
- D. in the middle of the connection

**Correct Answer: B** 

#### **QUESTION 880**

Several methods provide telecommunications continuity, which of the following is a method of routing traffic through split cable or duplicate cable facilities?

A. diverse routing

CISSP Exam Dumps CISSP PDF Dumps CISSP VCE Dumps CISSP Q&As https://www.ensurepass.com/CISSP.html