

- A. retain
- B. resolve
- C. readvertise
- D. install

Correct Answer: B

QUESTION 46

Click the Exhibit button. Referring to the exhibit, you are unable to reach devices in the 172.19.25.0/28 subnet. What should you do to solve this problem?

user@router> show in	terfaces	terse						
Interface	Admin	Link	Proto	Local	Remote			
ge-0/0/0	up	up						
ge-0/0/0.0	up	up	inet	172.18.36.1/24				
ge-0/0/1	up	up						
ge-0/0/1.0	up	up	inet6	fd73:5d2a:f03b:15e	fd73:5d2a:f03b:15e0::1/64			
				fe80::217:cbff:fe4	e:a281/64			
ge=0/0/2	up	up						
ge-0/0/2.0	down	up	inet	172.19.25.1/28				
ge-0/0/2.1	down	up	inet	10.0.0.10/24				
ge-0/0/2.2	down	up	inet	192.168.1.1/24				

- A. Enable the ge-0/0/2 interface.
- B. Enable the ge-0/0/2.2 interface.
- C. Enable the ge-0/0/2.0 interface.
- D. Enable the ge-0/0/2.1 interface.

Correct Answer: C

QUESTION 47

Which default login class should you select if you want the user to edit configuration files?

- A. read-only
- B. unauthorized
- C. super-user

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As https://www.ensurepass.com/JN0-104.html

D. operator

Correct Answer: C

QUESTION 48

Which statement describes the ulst next-hop type that appears in the output of the show route forwarding-table command?

- A. A list of unicast or multicast forwarding entries waiting to be resolved.
- B. A list of unicast destination prefixes for which packets will be silently discarded
- C. A list of unicast next hops used for a given destination for which load balancing is enabled
- D. A list of unicast or multicast destination prefixes for which packets will be silently discarded.

Correct Answer: C

QUESTION 49

Which two statements describe firewall filters? (Choose two.)

- A. Firewall filters are applied to interfaces.
- B. Firewall filters are applied to security policies
- C. Firewall filters provide stateless security.
- D. Firewall filters provide stateful security.

Correct Answer: AC

QUESTION 50

What information is provided by the show route forwarding-table command?

- A. the routing table stored on the RE
- B. the protocol from where the route was learned
- C. the outgoing interface(s) associated with the destination prefixes
- D. the number of routes that are active, hidden, or in a hold-down state

Correct Answer: C

QUESTION 51

What will the request system configuration rescue save command accomplish?

- A. It will generate support information for JTAC.
- B. It will save a copy of the configuration so that you can go back to it at any time
- C. It will prevent 2 commit from happening
- D. It will restore your system to factory default settings.

Correct Answer: B

QUESTION 52

Which statement about the forwarding table is correct?

- A. It contains all known routes including IPv6-
- B. It is only available on the PFE

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As

- C. It is only available on the RE
- D. It is available on both the RE and the PFE.

Correct Answer: B

QUESTION 53

Which three benefits are made possible by the separation of the control plane and forwarding plane of a Junos device? (Choose three.)

- A. nonstop active routing
- B. in-service software upgrades
- C. deep packet inspection
- D. stateful firewall
- E. graceful Routing Engine switchover

Correct Answer: ABE

QUESTION 54

Which statement about the Junos OS forwarding table is correct?

- A. The forwarding table consolidates routes from multiple sources.
- B. The forwarding table is populated with active routes from the routing table
- C. The forwarding table is responsible for identifying and selecting active routes.
- D. The forwarding table is only stored on the Routing Engine.

Correct Answer: B

QUESTION 55

Which step is required when performing a Junos software upgrade?

- A. You must create a user account named maintenance-user.
- B. You must reboot the device
- C. You must load the factory default configuration
- D. You must zeroize the device.

Correct Answer: B

QUESTION 56

Which statement regarding transit traffic processing is correct?

- A. Transit traffic is processed by both the control plane and forwarding plane.
- B. Transit traffic is only processed by the control plane.
- C. Transit traffic is only processed by the forwarding plane
- D. Transit traffic is not processed by the local device.

Correct Answer: C

QUESTION 57

You are asked to configure filter-based forwarding. Which routing-instance type would you use?

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As https://www.ensurepass.com/JN0-104.html

- A. VRF
- B. virtual router
- C. non-forwarding
- D. forwarding

Correct Answer: D

QUESTION 58

Click the Exhibit button. Which operational mode command in Junos OS produces the output shown in the exhibit?

2021-08-19						
**** ··· **	02:01:51	PDT	by	lab	via	cli
2021-08-19	02:00:41	PDT	by	lab	via	cli
2021-08-18	13:20:20	PDT	by	lab	via	cli
2021-08-18	13:17:52	PDT	by	lab	via	cli
2021-08-18	13:17:33	PDT	by	lab	via	cli
2021-08-18	05:02:16	PDT	by	lab	via	cli
	2021-08-18 2021-08-18	2021-08-18 13:17:52 2021-08-18 13:17:33	2021-08-18 13:17:52 PDT 2021-08-18 13:17:33 PDT	2021-08-18 13:17:52 PDT by 2021-08-18 13:17:33 PDT by	2021-08-18 13:17:52 PDT by lab 2021-08-18 13:17:33 PDT by lab	2021-08-18 13:20:20 PDT by lab via 2021-08-18 13:17:52 PDT by lab via 2021-08-18 13:17:33 PDT by lab via 2021-08-18 05:02:16 PDT by lab via

- A. show system users
- B. show system connections
- C. show system commit
- D. show system reboot

Correct Answer: C

QUESTION 59

By default, which Junos directory contains the primary syslog file?

- A. /var/syslog
- B. /var/home
- C. /var/log
- D. /var/tmp

Correct Answer: C

QUESTION 60

Which two statements about exception traffic processing are correct? (Choose two.)

- A. When congestion occurs, only exception traffic is given preference.
- B. By default, a rate-limiter for exception traffic exists on the internal link between the control plane and the forwarding plane
- C. When congestion occurs, local and control traffic are given preference.
- D. By default, no rate-limiter for exception traffic exists on the internal link between the control plane and the forwarding plane.

Correct Answer: BC

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As https://www.ensurepass.com/JN0-104.html

QUESTION 61

Which protocol is responsible for learning an IPv6 neighbor's IMAC address?

- A. Neighbor Discovery Protocol (NDP)
- B. Media Access Control Security (MACsec)
- C. Address Resolution Protocol (ARP)
- D. Network Address Translation (NAT)

Correct Answer: A

QUESTION 62

A user entered configuration mode and modified the candidate configuration. In this scenario, what are two results? (Choose two.)

- A. Other users cannot enter configuration mode.
- B. Other users cannot enter configuration mode using the exclusive parameter
- C. Other users cannot log into the device.
- D. Other users cannot enter configuration mode using the private parameter.

Correct Answer: BD

QUESTION 63

You are asked to determine when a Junos device was booted. Which command would you use to obtain this information?

- A. show system statistics
- B. show system commit
- C. show system information
- D. show system uptime

Correct Answer: D

QUESTION 64

Click the Exhibit button. You have applied the policy shown in the exhibit as an import policy to your BGP group. In this scenario, what will happen when the router receives the 192.168.30.48/32 route?