- B. Power off and power on the device.
- C. Establish an SSH connection to the loopback interface.
- D. Connect to the console of the device.

Correct Answer: D

QUESTION 81

You have the policy configuration shown in the exhibit applied to a BGP peering. You determine that customer routes coming from the 10.1.1.0/24 network are being rejected. Which action should be used to correct the problem?

Exhibit is Missing

- A. [edit policy-options policy-statement my-policy] user@router# copy term 2 to term 1
- B. [edit policy-options policy-statement my-policy] user@router# rename term 1 to term 3
- C. [edit policy-options policy-statement my-policy] user@router# copy term 2 to term 0
- D. [edit policy-options policy-statement my-policy] user@router# insert term 2 before term 1

Correct Answer: C

QUESTION 82

What are three acceptable modifiers to a terminating action on a firewall filter? (Choose three.)

- A. policer
- B. count
- C. log
- D. discard
- E. syslog

Correct Answer: BCE

QUESTION 83

What is the default firewall filter behavior when a term is matched but no terminating action is specified?

- A. an implicit deny and the filter evaluation terminates
- B. an implicit accept and the filter evaluation terminates
- C. an implicit accept and the filter evaluation continues to the next term
- D. an implicit deny and the filter evaluation continues to the next term

Correct Answer: C

QUESTION 84

You have entered the command "show log messages | match "error | kernel | panic" which statement is correct regarding the keywords error, kernel and panic in the output?

A. the output messages will contain all messages from the file except the ones that contain all three

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As https://www.ensurepass.com/JN0-104.html

defined keywords.

- B. the output messages will contain all messages from the file that contains all three defined Keywords
- C. the output messages will contain all messages from the file that contains at least one of the three defined keywords
- D. the output messages will contain all messages from the file except the ones that contains at least one of the three defined keywords

Correct Answer: B

QUESTION 85

In which directory the traceoption files stored by default?

- A. /var/db/
- B. /var/tmp/
- C. /var/log/
- D. /var/home/

Correct Answer: C

QUESTION 86

When you first log in to a router, how does the router indicate that factory defaults are being used?

Junos Configuration Basics

- A. The router's host name is Amnesiac.
- B. The password you used to log in is junos.
- C. The router immediately enters configuration mode after you log in.
- D. The router allows you to enter configuration mode without logging in.

Correct Answer: A

QUESTION 87

Which three statements are true about IPv6 linl local addresses? (Choose three.)

- A. They begin with the prefix fe80::/64.
- B. They can be assigned manually or dynamically.C. They are not guaranteed to be unique outside of the network segment.
- D. They are optional adddresses.
- E. They provide reachability to the internet.

Correct Answer: ABC

QUESTION 88

Referring to the exhibit, what happens when ping packets are sent to management interface address of the local router?

```
[edit firewall family inst]
user@router# show
filter protect-RE-1 {
   term 1 (
    from (
       protocol icmp;
    then accept;
   }
filter protect-RE-2 (
   term 1 (
    from {
     protocol icmp;
    then reject;
   >
}
[edit interfaces 1c0]
user@router# show
unit 0 (
   family inet {
     filter (
        input-list [protect- RE-1 protect-RE-2];
      address 192.168.2.1/32;
   >
3
[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 (
```

- A. The ping packets are silently discarded
- B. An ICMP unreachable message is returned
- C. The Ping packets are accepted
- D. An ICMP redirect message is returned

Correct Answer: D

QUESTION 89

What is the initial prompt displayed when logging in as the root user?

- A. root@router>
- B. root@router%
- C. root@router#
- D. root@router*

Correct Answer: B

QUESTION 90

Which two platforms are supported in physical and virtual form factors? (Choose two.)

- A. NFX Series
- B. SRX Series
- C. MX Series
- D. ACX Series

Correct Answer: BC

QUESTION 91

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As https://www.ensurepass.com/JN0-104.html

Which three protocols are connectionless? (Choose three.)

- A. ICMP
- B. Telnet
- C. SSH
- D. TFTP
- E. DNS

Correct Answer: ADE

QUESTION 92

Which two commands would you use to reset the candidate configuration to the active configuration? (Choose two.)

- A. rollback 0
- B. rollback 1
- C. rollback 2
- D. rollback

Correct Answer: AD

QUESTION 93

Which command prompt indicates that you are in operational mode?

- A. user @ router &
- B. user @ router #
- C. user @ router \$
- D. user @ router >

Correct Answer: D

QUESTION 94

Which command displays all IPv4 routes in the default routing instance?

- A. show route table inet.0
- B. show route table inet.2
- C. show route table inet6.0
- D. show route table inet.1

Correct Answer: A

QUESTION 95 What is the decimal equivalent of 00000100?

- A. 2
- B. 4
- C. 9
- D. 12

Correct Answer: B

QUESTION 96

How many IP addresses can be configured on a given interface?

- A. one primary and one secondary
- B. one
- C. as many as you want
- D. one primary and multiple secondary

Correct Answer: C

QUESTION 97

What is responsible for processing multicast transit traffic?

- A. Control plane
- B. Management plane
- C. RE
- D. PFE

Correct Answer: D

QUESTION 98

What are three characteristics of Layer 2 switches? (Choose Three.)

- A. Layer 2 switches separates multicast domains.
- B. Layer 2 switches separates collision domains.
- C. Layer 2 switches forward traffic addressed to hosts that reside on the same collision domain.
- D. Layer 2 switches forward traffic addressed to hosts that reside on a different collision domain.
- E. Layer 2 switches forward broadcast traffic.

Correct Answer: BDE

QUESTION 99

Which process is responsible for controlling all interfaces on a Junos device?

- A. rpd
- B. chassisd
- C. dcd
- D. mgd

Correct Answer: C

QUESTION 100

You issue the request system zeroize command. Which statement is correct in this scenario?

- A. All data files are deleted and all configuration setting are returned to factory defaults.
- B. All data files remain unchanged but all configuration setting are returned to factory defaults.
- C. Disk space is freed by rotating log files and a proposed list of files to delete is presented.

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As

https://www.ensurepass.com/JN0-104.html