

[Download Full Version JN0-104 Exam Dumps\(Updated in Feb/2023\)](#)

- A. show log messages | refresh 1
- B. monitor traffic interface fxp0.0
- C. monitor start messages
- D. show log messages

Correct Answer: C

Explanation:

https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/monitor-start.html

QUESTION 120

You issue a "request system zeroize" command. Which statement is correct in this scenario?

- A. All data files remain unchanged but all configuration settings returned to factory defaults.
- B. All data files are deleted and all configuration settings are returned to factory defaults.
- C. All data files are deleted and all configuration settings remain unchanged
- D. Disk space is freed by rotating log files and a proposed list of files to be deleted is presented.

Correct Answer: B

QUESTION 121

What are three valid software release designations for the junos OS? (Choose three.)

- A. X
- B. R
- C. T
- D. Z
- E. B

Correct Answer: ABE

QUESTION 122

Refer to the exhibit. A customer reports that they have recently lost connectivity to a remote site over a shared architecture. Referring to the exhibit, what is the problem?

Counter	Total	Last 5 min	Last minute
Updates Sent	2663	0	0
Triggered Updates Sent	2	0	0
Responses Sent	0	0	0
Bad Messages	0	0	0
RIPv1 Updates Received	0	0	0
RIPv1 Bad Route Entries	0	0	0
RIPv1 Updates Ignored	0	0	0
RIPv2 Updates Received	2675	0	0
RIPv2 Bad Route Entries	0	0	0
RIPv2 Updates Ignored	0	0	0
Authentication Failures	0	0	0
RIP Requests Received	0	11	2
RIP Requests Ignored	0	0	0
none	0	0	0

- A. The remote link is down.
- B. The remote router has been powered off.
- C. The authentication method or key has been changed.

[JN0-104 Exam Dumps](#) [JN0-104 PDF Dumps](#) [JN0-104 VCE Dumps](#) [JN0-104 Q&As](#)

<https://www.ensurepass.com/JN0-104.html>

[Download Full Version JN0-104 Exam Dumps\(Updated in Feb/2023\)](#)

D. The remote site router has been configured for OSPF.

Correct Answer: C

QUESTION 123

Which two interfaces are considered logical interfaces? (Choose two.)

- A. xe-1/1/1
- B. ge-2/0/2.0
- C. et-5/0/0
- D. ae1.1

Correct Answer: CD

QUESTION 124

What are two benefits realized by the disaggregated Junos? (Choose two.)

- A. There is increased flexibility to use different control plane versions.
- B. The Junos VM becomes hardware-independent and can be deployed on any hypervisor without modification.
- C. The architecture facilitates programmability through provisioning the control plane, the data path, and the platform APIs.
- D. The platform drivers and forwarding engine are removed from the control plane to increase performance.

Correct Answer: CD

QUESTION 125

Referring to the exhibit. Which next-hop interface will be used to reach the 10.21.14.16 destination?

```
user@router> show route forwarding-table
routing table: inet
internet:
Destination Type RtRef next hop Type Index NhRef Netif
default user 0 0:32.51.07.89.2 ucst 520 ge-0/0/0.0
default perm 0 rjct 36 1
0.0.0.0/32 perm 0 dscl 34 1
10.21.0.0/16 user 0 192.168.10.100 ucast 535 3 ge-0/0/2.0
10.21.14.0/24 user 0 192.168.11.100 ucast 528 3 ge-0/0/1.0
10.21.14.10/30 user 0 192.168.12.100 ucast 530 3 ge-0/0/3.0
```

- A. ge-0/0/1.0
- B. ge-0/0/0.0
- C. ge-0/0/3.0
- D. ge-0/0/2.0

Correct Answer: A

[Download Full Version JN0-104 Exam Dumps\(Updated in Feb/2023\)](#)

QUESTION 126

What is the maximum number of rollback files a Junos device can store?

- A. 5
- B. 10
- C. 49
- D. 50

Correct Answer: D

QUESTION 127


The monitor traffic command provides access to which utility?

- A. tcpdump
- B. telnet
- C. traceroute
- D. netstat

Correct Answer: A

QUESTION 128

Referring to the exhibit, which OSPF feature would connect Area 2 to Area 0?




- A. route summarization
- B. equal-cost multipath
- C. virtual link
- D. database synchronization

Correct Answer: C

QUESTION 129

While working on a Junos Device, you receive the message shown. In this scenario, what would you do to stop the shutdown process?

[Download Full Version JN0-104 Exam Dumps\(Updated in Feb/2023\)](#)



```
user@router>
*** System shutdown message from user@router ***

System going down at 08:28

The system will be powered down in 10 minutes for maintenance.

user@router>
```

- A. Issue the clear system commit command
- B. Issue the clear system reboot command
- C. Issue the request system halt in command
- D. Issue the request system power-off in command

Correct Answer: B

QUESTION 130

Which statement is true about PFEs?

- A. A PFE receives microcode updates from the RE.
- B. A PFE receives layer 4 forwarding tables updates from the RE.
- C. A PFE receives hardware status messages from the RE
- D. A PFE receives environmental status messages from RE.

Correct Answer: B

QUESTION 131

Click the Exhibit button. Referring to the exhibit, which two statements are correct? (Choose two.)

[Download Full Version JN0-104 Exam Dumps\(Updated in Feb/2023\)](#)

```
user@router> show chassis routing-engine
Routing Engine status:
  Temperature           0 degrees C / 32 degrees F
  CPU temperature       0 degrees C / 32 degrees F
  Total memory          931 MB Max 270 MB used ( 29 percent)
  Memory utilization    28 percent
  5 sec CPU utilization:
    User                 1 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 98 percent
  1 min CPU utilization:
    User                 0 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 99 percent
  5 min CPU utilization:
    User                 0 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 99 percent
  15 min CPU utilization:
    User                 0 percent
    Background           0 percent
    Kernel               1 percent
    Interrupt            0 percent
    Idle                 99 percent
  Model                 VSRX-S
  Serial ID             BUILTIN
  Start time            2020-01-16 15:21:32 UTC
  Uptime                12 days, 4 hours, 33 minutes, 7 seconds
  Last reboot reason    0x4000:VJUNOS reboot
```

- A. The memory utilization is 28%
- B. The memory utilization is 72%
- C. The CPU kernel utilization is 1%
- D. The 15 minute CPU load average is 99%

Correct Answer: AC

QUESTION 132

Which two conditions must exist in a Junos device for traffic to transit the device to a specific destination? (Choose two.)

- A. A forwarding table entry for that destination must exist
- B. A routing policy must be in place on the device
- C. A firewall filter must exist to allow traffic to reach that destination
- D. A routing table entry for that destination must exist

[JN0-104 Exam Dumps](#) [JN0-104 PDF Dumps](#) [JN0-104 VCE Dumps](#) [JN0-104 Q&As](#)

<https://www.ensurepass.com/JN0-104.html>