Correct Answer: AD

QUESTION 133

Which two features are implemented on the Packet Forwarding Engine? (Choose two.)

- A. Chassis Management
- B. Firewall Filters
- C. Class of Service
- D. Routing protocol update

Correct Answer: BC

QUESTION 134

Which two methods keep a Junos device operational if the primary storage device fails? (Choose two.)

- A. Create a recovery snapshot.
- B. Enable the ephemeral database.
- C. Enable J-Web for device management.
- D. Create a rescue configuration.

Correct Answer: AD

QUESTION 135

What happens when a route does not match any user-configured policies?

- A. The route is rejected.B. The route is accepted.
- C. The route is given a lower priority.
- D. The route is sent to the default policy.

Correct Answer: D

QUESTION 136 What does the number inside the square bracket represent?

user@router> show route

	tinations, 1525 routes (1222 active, 0 holddown, 0 hidden)
+ = Active Route,	, - = Last Active, * = Both
0.0.0/0	*[Static/5] 1w2d 22:59:01 > to 10.10.10.1 via fxp0.0
10.10.10.0/25	*[Direct/0] 1w2d 22:59:01 > via fxp0.0 [Direct/0] 1w2d 22:58:57 > via fxp0.0
10.10.10.7/32	*[Local/0] 1w2d 22:59:01 Local via fxp0.0
10.10.10.9/32	*[Local/0] 1w2d 22:58:57 Local via fxp0.0
10.200.200.0/23	*[Direct/0] 1w2d 22:30:24 > via xe-0/0/3.100

- A. Metric
- B. Local preference
- C. Protocol reference number
- D. Route preference

Correct Answer: D

Explanation:

https://www.juniper.net/documentation/us/en/software/junos/bgp/topics/ref/command/show-route.html#show-route-command___d48917e62

Module 9 of Juniper Open Learning, Routing Fundamentals describes the [Source/Route Preference]. The metric is 'how' a protocol calculates the best path to a destination. RIP = Hops, OSPF = Cost. Metrics are unique to protocols.

user@host> show route

inet.0: 11 destinations, 12 routes (11 active, 0 holddown, 0 hidden)

+ = Active Route, - = Last Active, * = Both

1:65500:1:10.0.0.20/240

*[MVPN/70] 19:53:41, metric2 1

Indirect

1:65500:1:10.0.0.40/240

*[BGP/170] 19:53:29, localpref 100, from 10.0.0.30

AS path: I

> to 10.0.24.4 via It-0/3/0.24, label-switched-path toD

[BGP/170] 19:53:26, localpref 100, from 10.0.0.33

AS path: I

> to 10.0.24.4 via lt-0/3/0.24, label-switched-path toD

inside square brackets -> route preference

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As

metric and localpref are optional and after the date

QUESTION 137

Which keystroke is used to auto-complete user-defined variables?

- A. Spacebar
- B. Home
- C. Esc
- D. Tab

Correct Answer: D

QUESTION 138

Which keystroke combination allows users to move the cursor to the beginning of the command line without deleting text?

- A. Ctrl + u
- B. Ctrl + w
- C. Ctrl + a
- D. Ctrl + b

Correct Answer: C

QUESTION 139

A Junos device is in a factory-default configuration and no host name is set. What is used in place of a host name in this scenario?

- A. amnesiac
- B. router
- C. Junos
- D. user

Correct Answer: A

QUESTION 140

You are troubleshooting an issue and want to monitor syslog in real time. Which operational command accomplish this task?

- A. Show log message
- B. Monitor start message
- C. Show log message | refresh i
- D. Monitor traffic interface fxp0.0

Correct Answer: B

QUESTION 141

What is minimum configuration required for a Junos device to respond to SNMP requests?

- A. set snmp community public authorization read only
- B. set snmp public version v2

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As https://www.ensurepass.com/JN0-104.html

- C. set snmp community public
- D. set snmp trap-group public version v1

Correct Answer: C

QUESTION 142

Which two statements are correct about the inet.0 routing table? (choose two.)

- A. It is used for populating the Ethernet switching table.
- B. It stores information learned from routing protocols and other sources.
- C. It is used for populating the forwarding table.
- D. It is used for populating the forwarding policy.

Correct Answer: BC

QUESTION 143

What is the subnet mask for the 172.45.32.6/19 address?

- A. 255.255.224.0
- B. 255.255.240.0
- C. 255.224.0.0
- D. 255.240.0.0

Correct Answer: A

QUESTION 144

Which protocol family is required prior to assigning an IP address to an interface?

- A. ip
- B. ip6
- C. inet
- D. inet4

Correct Answer: C

QUESTION 145

Which source of routing information is preferred by default?

- A. static
- B. RIP
- C. direct
- D. BGP

Correct Answer: A QUESTION 146

You suspect a duplicate MAC address on a subnet. You want to display the MAC, errors, and statistics of the ge-O/0/0 interface. Which command will accomplish this task?

- A. show arp
- B. show interface ge-O/0/0 extensive
- C. show ethernet-switching table

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As

https://www.ensurepass.com/JN0-104.html

D. show interface terse

Correct Answer: B

QUESTION 147

Which TWO of the following are private IP addresses?

- A. 12.0.0.1
- B. 168.172.19.39
- C. 172.20.14.36
- D. 172.33.194.30
- E. 192.168.24.43

Correct Answer: C

QUESTION 148

You must configure the 2bfc:0000:0000:beef:0217:cbff:0000:5c85 IPv6 address on your device. In this scenario, which three addresses are correct? (Choose three.)

- A. 2bfc::beef:217:cbff:0:5c85
- B. 2bfc:0:0:beef:0217:cbff:0:5c85
- C. 2BFCnBEEF:0217:CBFF:0:5C85
- D. 2bfc:0:beef:0217:cbff:0:5c85
- E. 2BFC::BEEF:217:CBFF::5C85

Correct Answer: ABC

QUESTION 149

Which keystrokes are used to auto-complete user-defined variables?

- A. Spacebar
- B. Home
- C. End
- D. Tab CC

Correct Answer: D

QUESTION 150

Which command is used to replace the current configuration?

- A. load replace
- B. load patch
- C. load override
- D. load set

Correct Answer: C

QUESTION 151

You must archive log messages for an extended period of time for audit and troubleshooting purposes. Which syslog setting should you configure on the Junos device in this scenario?

JN0-104 Exam Dumps JN0-104 PDF Dumps JN0-104 VCE Dumps JN0-104 Q&As

https://www.ensurepass.com/JN0-104.html