- A. host
- B. facility
- C. console
- D. severity

Correct Answer: A

QUESTION 152

Which two statements describe the connection between control plane and the forwarding plane? (Choose two.)

- A. No rate limiter is configured by default
- B. A rate limiter is configured by default
- C. Exception traffic is preferred over the control traffic during congestion
- D. Control traffic is preferred over the exception traffic during congestion

Correct Answer: AD

QUESTION 153

Which two interfaces are considered as physical interface? (Choose two.)

- A. xe-1/1/1
- B. ge-2/0/2.0
- C. et-5/0/0
- D. ae1.1

Correct Answer: AB

QUESTION 154

What are three functions of the RE? (Choose three.)

- A. to maintain the forwarding tables
- B. to enforce stateless firewall filters
- C. to manage the PFE
- D. to monitor the chassis
- E. to implement policing

Correct Answer: ABD

QUESTION 155

You are performing the initial configuration of an SRX Series device. What must you set before the device will allow you to commit your configuration?

- A. management interface
- B. system time
- C. hostname
- D. root authentication

Correct Answer: D

QUESTION 156

Referring to the exhibit, which statement is true?

- A. The customer has set the version parameter to automatic.
- B. The customer has not enabled security for BFD.
- C. The customer's link will failover in nine seconds.
- D. The customer's link flappedd within the last hour.

Correct Answer: D

QUESTION 157

Which two statements are true regarding dynamic routing? (Choose two)

- A. Dynamic routing is used when absolute control of routing parameters is necessary
- B. Dynamic routing allows a device to automatically reroute traffic around a failure
- C. Participating devices dynamically learn routing information from each other
- D. Dynamic routing requires more administrative overhead than static routing

Correct Answer: BC

QUESTION 158

What are two examples of transit traffic? (Choose two.)

- A. SCP traffic that is destined for the router's loopback interface.
- B. SCP traffic that enters one interface and exits another interface on the local router.
- C. SFTP traffic that enters and exits the same interface on the local router.
- D. SFTP traffic that enters one interface and is destined for another interface on the local router

Correct Answer: AD

QUESTION 159

What are two default password requirements on devices running Junos OS? (Choose two.)

- A. Passwords must be at least six characters in length.
- B. An expiration date must be set.
- C. Passwords must contain at least one special character.
- D. Alphanumeric characters classes must be used.

Correct Answer: AD

QUESTION 160

You notice traffic destined to 172.31.17.0/24 is traversing an OSPF path rather than BGP Path. What is causing this behavior?

```
user@router> show route
inet.0: 5 destinations, 5 routes (5 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
10.210.0.0/16
                  *[Static/5] 1w0d 20:17:39
                  > to 172.25.11.254 via fxp0.0
                   *[Direct/0] 00:00:30
172.18.6.0/30
                   > via ge-0/0/0.0
172.31.20.0/24
                   *[BGP/170] 00:00:24, localpref 100
                     AS path: 65000 I, validation-state: unverified
                    > to 172.18.6.1 via ge-0/0/0.0
                       to 172.18.7.1 via ge-0/0/1.0
                    [BGP/170] 00:00:24, localpref 100
                     AS path: 65000 I, validation-state: unverified
                   > to 172.18.7.1 via ge-0/0/1.0
172.31.17.0/24
                   *[OSPF/150] 00:00:25, metric 1
                   > to 192.168.11.2 via ge-0/0/4.0
                    [BGP/170] 00:00:24, localpref 100
                     AS path: 65000 I, validation-state: unverified
                    > to 172.18.6.1 via ge-0/0/0.0
                       to 172.18.7.1 via ge-0/0/1.0
                    [BGP/170] 00:00:24, localpref 100
                     AS path: 65000 I, validation-state: unverified
                    > to 172.18.7.1 via ge-0/0/1.0
```

- A. The 172.31.17.0/24 BGP route is missing a valid default next hop
- B. The 172.31.17.0/24 BGP has a higher route preference
- C. The 172.31.17.0/24 route does not have a valid BGP entry D. The 172.31.17.0/24 BGP route's outgoing interface is down

Correct Answer: B

QUESTION 161

. . .

Which command will completely turn off a Junos device?

- A. request system halt
- B. request chassis fpc offline
- C. request system power-off
- D. request system recover

Correct Answer: C

QUESTION 162


Which two statements describe PFE functions are true?

- A. The PFE implements rate limiting using policers
- B. The PFE stores the master copy of the layer 2 and layer 3 forwarding tables
- C. The PFE provides access to the CLI and Jweb
- D. The PFE stores a local copy of the layer 2 and layer 3 forwarding tables

Correct Answer: AD

QUESTION 163

Click the Exhibit button. A user attempts to log in to a Junos device, but the RADIUS server is unreachable. Referring to the exhibit, what is the default action of a Junos device in this scenario?



- A. The Junos device retries every 30 seconds until the connection is restored.
- B. The Junos device uses the local authentication database.
- C. The Junos device displays a RADIUS connection error.
- D. The Junos device prompts for a cached RADIUS password.

Correct Answer: C

QUESTION 164

Which two firewall filter actions will affect a packet's class-of-service setting? (Choose two.)

- A. scheduler
- B. queue
- C. forwarding-class
- D. loss-priority

Correct Answer: CD

QUESTION 165

Which logical interface is able to forward IP traffic?

- A. Ge-0/0/0
- B. Ge-0/0/2
- C. Ge-0/0/2.0
- D. Ge-0/0/1.0

Correct Answer: C QUESTION 166

You have the policy configuration shown in the exhibit applied to your BGP peering. You find that your customer routes coming from the 10.1.1.0/24 network are being rejected. Which command should be used to correct the problem?

```
(edit policy-options policy-statement my-policy)
user@scouterf show
tern 1 {
    from {
        route-filter 10.0.0.0/8 orlonger;
    }
    then reject;
}
tern 2 {
    from {
        route-filter 10.1.1.0/24 exect;
        route-filter 10.1.1.0/24 exect;
        route-filter 10.1.1.0/24 orlonger;
    }
    then accept;
}
```

- A. [edit policy-options policy-statement my-policy] user@router# insert term 1 before term 2
- B. [edit policy-options policy-statement my-policy] user@router# insert term 2 before term 1
- C. [edit policy-options policy-statement my-policy] user@router# copy term 2 to term 0
- D. [edit policy-options policy-statement my-policy]

Correct Answer: B

QUESTION 167

What is a valid IPv6 address?

- A. 00:05:85:23:45:67
- B. 127.0.0.1
- C. 2001:0db8:3000:2215:0000:0000:aaaa:llll
- D. 49.0001.0192.0168.1001.00

Correct Answer: C

QUESTION 168

Which statement is true about default route preferences?

- A. RIP is lower than RIPng.
- B. OSPF AS external is lower than OSPF internal.
- C. Direct is lower than Static.
- D. IBGP is lower than EBGP.

Correct Answer: D

QUESTION 169

You recently uploaded a new software package to your Junos and you want to ensure that the file uploaded successfully by verifying the file size. In this scenario, which command should you use?

- A. file checksum shall
- B. file compare
- C. file list detail
- D. file show encoding

Correct Answer: C