

## [Download Full Version MS-500 Exam Dumps\(Updated in Feb/2023\)](#)

access for all users who are NOT physically present in the office.

What should you include in the configuration?

- A. a user risk policy
- B. a sign-in risk policy
- C. a named location in Azure Active Directory (Azure AD)
- D. an Azure MFA Server

**Correct Answer:** C

**Explanation:**

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition>

### **QUESTION 17**

#### **HOTSPOT**

You have a Microsoft 365 E5 subscription.

Users and device objects are added and removed daily. Users in the sales department frequently change their device.

You need to create three following groups:

| Group | Requirement  |
|-------|--|
| 1     | All the devices of users where the Department attributes is set to Sales |
| 2     | All the devices where the Department attribute is set to Sales           |
| 3     | All the devices where the deviceOwnership attribute is set to Company    |

The solution must minimize administrative effort.

What is the minimum number of groups you should create for each type of membership? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

[Download Full Version MS-500 Exam Dumps\(Updated in Feb/2023\)](#)

Groups that have assigned membership:

|   |   |
|---|---|
|   | ▼ |
| 0 |   |
| 1 |   |
| 2 |   |
| 3 |   |

Groups that have dynamic membership:

|   |   |
|---|---|
|   | ▼ |
| 0 |   |
| 1 |   |
| 2 |   |
| 3 |   |

**Correct Answer:**

Groups that have assigned membership:

|   |   |
|---|---|
|   | ▼ |
| 0 |   |
| 1 |   |
| 2 |   |
| 3 |   |

Groups that have dynamic membership:

|   |   |
|---|---|
|   | ▼ |
| 0 |   |
| 1 |   |
| 2 |   |
| 3 |   |

**QUESTION 18**

**HOTSPOT**

Your network contains an on-premises Active Directory domain named contoso.com. The domain contains the groups shown in the following table.

| Name   | Type                           | Email address      |
|--------|--------------------------------|--------------------|
| Group1 | Security Group – Domain Local  | Group1@contoso.com |
| Group2 | Security Group – Universal     | None               |
| Group3 | Distribution Group – Global    | None               |
| Group4 | Distribution Group – Universal | Group4@contoso.com |

## [Download Full Version MS-500 Exam Dumps\(Updated in Feb/2023\)](#)

The domain is synced to a Microsoft Azure Active Directory (Azure AD) tenant that contains the groups shown in the following table.

| Name    | Type                        | Membership type |
|---------|-----------------------------|-----------------|
| Group11 | Security group              | Assigned        |
| Group12 | Security group              | Dynamic         |
| Group13 | Office                      | Assigned        |
| Group14 | Mail-enabled security group | Assigned        |

You create an Azure Information Protection policy named Policy1.

You need to apply Policy1.

To which groups can you apply Policy1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

### On-premises Active Directory groups:

|                                    |   |
|------------------------------------|---|
| Group4 only                        | V |
| Group1 and Group4 only             |   |
| Group3 and Group4 only             |   |
| Group1, Group3, and Group4 only    |   |
| Group1, Group2, Group3, and Group4 |   |

### Azure AD groups:

|   |   |
|---|---|
| Group13 only                                | V |
| Group13 and Group14 only                    |   |
| Group11 and Group12 only                    |   |
| Group11, Group13, and Group14 only          |   |
| Group11, Group12, Group13, and Group14 only |   |

**Correct Answer:**

On-premises Active Directory groups:

|                                    |   |
|------------------------------------|---|
| Group4 only                        | V |
| Group1 and Group4 only             |   |
| Group3 and Group4 only             |   |
| Group1, Group3, and Group4 only    |   |
| Group1, Group2, Group3, and Group4 |   |

Azure AD groups:

|   |   |
|---|---|
| Group13 only                                | V |
| Group13 and Group14 only                    |   |
| Group11 and Group12 only                    |   |
| Group11, Group13, and Group14 only          |   |
| Group11, Group12, Group13, and Group14 only |   |

#### QUESTION 19

##### HOTSPOT

You have a Microsoft 365 subscription that uses a default domain name of contoso.com.

Microsoft Azure Active Directory (Azure AD) contains the users shown in the following table.

| Name  | Member of      |
|-------|----------------|
| User1 | Group1         |
| User2 | Group1, Group2 |
| User3 | Group3         |

Microsoft Intune has two devices enrolled as shown in the following table.

| Name    | Platform   |
|---------|------------|
| Device1 | Android    |
| Device2 | Windows 10 |

Both devices have three apps named App1, App2, and App3 installed.

You create an app protection policy named ProtectionPolicy1 that has the following settings:

- Protected apps: App1

## [Download Full Version MS-500 Exam Dumps\(Updated in Feb/2023\)](#)

- Exempt apps: App2
  - Windows Information Protection mode: Block
- You apply ProtectionPolicy1 to Group1 and Group3. You exclude Group2 from ProtectionPolicy1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

| Answer Area  | Yes                   | No                    |
|--|-----------------------|-----------------------|
| From Device1, User1 can copy data from App1 to App3. | <input type="radio"/> | <input type="radio"/> |
| From Device2, User1 can copy data from App1 to App2. | <input type="radio"/> | <input type="radio"/> |
| From Device2, User1 can copy data from App1 to App3. | <input type="radio"/> | <input type="radio"/> |

**Correct Answer:**

| Answer Area  | Yes                              | No                               |
|--|----------------------------------|----------------------------------|
| From Device1, User1 can copy data from App1 to App3. | <input type="radio"/>            | <input checked="" type="radio"/> |
| From Device2, User1 can copy data from App1 to App2. | <input checked="" type="radio"/> | <input type="radio"/>            |
| From Device2, User1 can copy data from App1 to App3. | <input checked="" type="radio"/> | <input type="radio"/>            |

### QUESTION 20

#### HOTSPOT

You have a Microsoft 365 subscription that uses a default domain name of contoso.com.

The multi-factor authentication (MFA) service settings are configured as shown in the exhibit.  
(Click the Exhibit tab.)