Choose commands from: ()

Popular Commands	-
Popular Commands	
Commands Not in the Ribbon	
All Commands	
Macros	
File Tab	
All Tabs	
Main Tabs	
Tool Tabs	
Custom Tabs and Groups	

3. Click a command in the list that you choose.

4. Click Add.

5. To see and save your changes, click OK.

Reference:

https://support.office.com/en-us/article/customize-the-ribbon-in-office-00f24ca7-6021-48d3-9514-a31a460ecb31

QUESTION 18

You have an application that uses the Microsoft Graph API.

You need to configure the application to retrieve the groups to which the current signed-in user belongs. The results must contain the extended priorities of the groups.

Which URI should you use?

- A. https://graph.microsoft.com/v1.0/me/getMemberObjects
- B. https://graph.microsoft.com/v1.0/me/getMemberGroups
- C. https://graph.microsoft.com/v1.0/me/memberOf
- D. https://graph.microsoft.com/v1.0/me/checkMemberGroups

Correct Answer: B

Explanation:

Get member groups returns all the groups that the specified user, group, or directory object is a member of. This function is transitive.

Reference: https://docs.microsoft.com/en-us/graph/api/directoryobject-getmembergroups

QUESTION 19

HOTSPOT You are developing a SharePoint Framework (SPFx) solution.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Answer Area			
Statements	Yes	No	
Field Customizer extensions be used to change the rendering of a field.	0	0	
Field Customizer extensions can use the Server-Side Object Model.	0	0	
Field Customizer extensions can use client-side libraries such as AngularJS and React.	0	0	

Correct Answer:

swer Area		
Statements	Yes	No
Field Customizer extensions be used to change the rendering of a field.	101	0
Field Customizer extensions can use the Server-Side Object Model.	0	2
Field Customizer extensions can use client-side libraries such as AngularJS and React.	0	

QUESTION 20

You are designing a Microsoft Teams application. The application will enable content authors to start conversations about news coming from a third-party application. Which development technique should you use?

- A. incoming webhooks
- B. outgoing webhooks
- C. activity feeds
- D. deep links

Correct Answer: D **Explanation:**

Create deep links to content and features in Microsoft Teams.

You can create links to information and features within the Teams client. Examples of where this may be useful:

- Your app automates or simplifies certain user tasks, such as creating a chat or scheduling a meeting, by pre-populating the deep links with required parameters. This avoids the need for users to manually enter information.
- Navigating the user to content within one of your app's tabs.

Reference:

https://docs.microsoft.com/en-us/microsoftteams/platform/concepts/build-and-test/deep-links

QUESTION 21

HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statements	Yes	No
Microsoft SharePoint solutions that contain isolated web parts can be uploaded to the tenant app catalog.	0	0
Isolated web parts and non-isolated web parts can communicate with the Microsoft SharePoint REST API in the same way.	0	0
A non-isolated web part can be changed to an isolated web part.	0	0
Correct Answer:		
Statements	Yes	No
Microsoft SharePoint solutions that contain isolated web parts can be uploaded to the tenant app catalog.	0	0
Isolated web parts and non-isolated web parts can communicate with the Microsoft SharePoint REST API in the same way.	0	0
A non-isolated web part can be changed to an isolated web part.	īQī	0

QUESTION 22

You are building a Microsoft Outlook add-in. Which object should you use to save additional information in an email?

- A. CustomProperties
- B. CustomXMLParts
- C. RoamingSettings
- D. localStorage

Correct Answer: B

QUESTION 23

You are developing an application that will track changes to the UserPrincipalName attribute of Microsoft 365 accounts.

You need to use a REST request to retrieve the information by using Microsoft Graph. The solution must minimize the amount of data retrieved.

What should you do?

- A. Use GET https://graph.microsoft.com/v1.0/users/delta for the first call. Use the state token in subsequent calls.
- B. Use GET https://graph.microsoft.com/v1.0/users/delta?\$select=UserPrincipalName for the first call. Use the state token in subsequent calls.
- C. Use GET https://graph.microsoft.com/v1.0/users\$select=UserPrincipalName for the calls and track the changes.
- D. Use GET https://graph.microsoft.com/v1.0/users for the calls and track the changes.

Correct Answer: B

QUESTION 24

You are developing a Microsoft Team application. To host a webpage in a Teams tab, the manifest file must include the contentUrl property within the staticTabs property.

Instructions:

Review the underline text. If the makes the statement correct, select `' No change is needed. `' If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed.
- B. websiteUrl property within the configuragbleTabs property
- C. ValidDomain property within the configuragbleTabs property
- D. ValidDomain property within the statictabs property

Correct Answer: B

QUESTION 25

You have a custom Microsoft Word add-in that was written by using Microsoft Visual Studio Code.

A user reports that there is an issue with the add-in.

You need to debug the add-in for Word Online.

What should you do before you begin debugging in Visual Studio Code?

- A. Disable script debugging in your web browser
- B. Sideload the add-in
- C. Publish the manifest to the Microsoft SharePoint app catalog
- D. Add the manifest path to the trusted catalogs

Correct Answer: C

Explanation:

Debug your add-in from Excel or Word on the web.

To debug your add-in by using Office on the web (see step 3):

12. Deploy your add-in to a server that supports SSL.

13. In your add-in manifest file, update the SourceLocation element value to include an absolute, rather than a relative, URI.

14. Upload the manifest to the Office Add-ins library in the app catalog on SharePoint.

15. Launch Excel or Word on the web from the app launcher in Office 365, and open a new document.

16. On the Insert tab, choose My Add-ins or Office Add-ins to insert your add-in and test it in the app.

17. Use your favorite browser tool debugger to debug your add-in.

Reference:

https://docs.microsoft.com/en-us/office/dev/add-ins/testing/debug-add-ins-in-office-online

QUESTION 26 HOTSPOT

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

	Statements	Yes	No
	You can use the Adaptive Cards Designer to create Microsoft Outlook actionable messages.	0	0
	Microsoft Outlook actionable messages are written in JSON.	0	0
	You need Azure Active Directory (Azure AD) tenant admin privileges to enable Microsoft Outlook actionable messages.	0	0
Co	rrect Answer:		
	Statements	Yes	No
	You can use the Adaptive Cards Designer to create Microsoft Outlook actionable messages.	- QI	0
	Microsoft Outlook actionable messages are written in JSON.	Q	0
	You need Azure Active Directory (Azure AD) tenant admin privileges to enable Microsoft Outlook actionable messages.	0	

QUESTION 27

You need to develop a server-based web app that will be registered with the Microsoft identity platform. The solution must ensure that the app can perform operations on behalf of the user. Which type of authorization flow should you use?

- A. authorization code
- B. refresh token
- C. resource owner password
- D. device code

Correct Answer: A Explanation:

In web server apps, the sign-in authentication flow takes these high-level steps: