



**Vendor:** CIW

**Exam Code:** 1D0-635

**Exam Name:** CIW JavaScript Specialist

**Version:** DEMO

**QUESTION NO: 1**

Assuming the function `<body onload="DisplayName()">` is called, which script block will display Hello Joe in the document window after you enter the name Joe?

**A.** `<script type="text/javascript">`

```
function DisplayName(void){  
var YourName = window.prompt("What is your name?","Please enter your name");  
document.write("Hello " + YourName);  
}  
</script>
```

**B.** `<script type="text/javascript">`

```
function DisplayName(){  
var YourName = window.prompt("What is your name?","Please enter your name");  
document.write("Hello " + YourName);  
}  
</script>
```

**C.** `<script type="text/javascript">`

```
function DisplayName(void){  
var YourName = document.prompt("What is your name?","Please enter your name");  
document.write("Hello " + YourName);  
}  
</script>
```

**D.** `<script type="text/javascript">`

```
function DisplayName(){  
var YourName = document.prompt("What is your name?","Please enter your name");  
document.write("Hello " + yourname);  
}  
</script>
```

**Answer: B**

**QUESTION NO: 2**

Consider the following code fragment, which sets up the retrieval of an XML document named

fish.xml and calls a function named showFish(): `var xmlhttp = new XMLHttpRequest();`

`xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish();`

`xmlhttp.send();`

Which line of code initializes the XMLHttpRequest object?

**A.** `xmlhttp.send();`

**B.** `var xmlhttp = new XMLHttpRequest();`

**C.** `xmlhttp.open("GET", "fish.xml", true);`

**D.** `xmlhttp.onreadystatechange = showFish();`

**Answer: C**

**QUESTION NO: 3**

Which of the following demonstrate the correct syntax for the switch statement?

**A.** `var myName= "Paul"`

```
switch (myName){
case "Peter"
document.write("My name is Peter.<br />")
break
case "Paul"
document.write("My name is Paul.<br />")
break: (default);
document.write("I do not have a name.<br />")
}
```

**B.** var myName= "Paul"

```
switch (myName){
case "Peter"
document.write("My name is Peter.<br />")
break
case "Paul"
document.write("My name is Paul.<br />")
break: (default);
document.write("I do not have a name.<br />")
}
```

**C.** var myName= "Paul"

```
switch (myName){
case (Peter)
document.write("My name is Peter.<br />")
break
case (Paul)
document.write("My name is Paul.<br />")
break;
case: (default);
document.write("I do not have a name.<br />")
}
```

**D.** var myName= "Paul"

```
switch (myName){
case (Peter)
document.write("My name is Peter.<br />")
break
case (Paul)
document.write("My name is Paul.<br />")
break;
case: (default);
document.write("I do not have a name.<br />")
}
```

**Answer: A**

**QUESTION NO: 4**

Consider the following code: `<script type="text/javascript"> var v1 = "alpha"; function f () { var v2 = "bravo"; alert (v1 + ", " + v2); } f(); v1="charlie"; alert (v1 + ", " + v2); </script>` What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo
- B. An alert box displaying alpha, bravo followed by an error
- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

**Answer: B**

#### **QUESTION NO: 5**

Which of the following is a valid variable name in JavaScript?

- A. this
- B. that
- C. 2that
- D. 2this

**Answer: B**

#### **QUESTION NO: 6**

What basic code is needed to define a function in JavaScript?

- A. `function myFunction { }`
- B. `define myFunction() { }`
- C. `function myFunction() { }`
- D. `define myFunction { return value; }`

**Answer: C**

#### **QUESTION NO: 7**

When using AJAX, what is the purpose of the XMLHttpRequest object?

- A. To transfer an XML document to the Web server
- B. To request data from the Web server strictly in XML format
- C. To read and write to an XML file stored on the local machine
- D. To request either XML data or plaintext data from the Web server

**Answer: D**

#### **QUESTION NO: 8**

Which statement will correctly call a JavaScript function without error?

- A. `var myFunction()`
- B. `initiate myFunction()`
- C. `call myFunction()`
- D. `myFunction()`

**Answer: D**

#### **QUESTION NO: 9**

Consider only the following code:

```
<script type= "text/javascript">
function mySum(num1, num2)
{
    ...(your selection here)
}
</script>
```

Which of the following would properly supply the sum of the two numbers?

- A. return sum;
- B. mySum (num1+num2);
- C. return num1+num2;
- D. return sum(num1+num2);

**Answer: C**

#### **QUESTION NO: 10**

Which is the best technique to test a script for cross-browser compatibility?

- A. Use the W3C site's code validator to test the script.
- B. Test the script in various versions of the same browser.
- C. Test the script in various browsers, including various versions of the same browsers.
- D. Determine the most frequently used browser for your target audience and then test the script in that browser.

**Answer: C**