



Vendor: Citrix

Exam Code: 1Y0-370

**Exam Name: Designing, Deploying and Managing Citrix
XenMobile Solutions**

Version: Demo

Version: 74

QUESTION 1

A Citrix Engineer needs to load balance enrollment requests from Apple iOS devices.

The engineer should implement an SSL Offload virtual server using _____ protocol and port _____. (Choose the correct set of options to complete the sentence.)

- A. SSL; 443
- B. TCP; 443
- C. SSL; 8443
- D. TCP; 8443

Correct Answer: C

QUESTION 2

A school has a pool of mobile devices that students use on premises for coursework. How could a Citrix Engineer configure XenMobile Device Manager to warn the user when the device is taken off campus?

- A. Deploy a Roaming Configuration policy.
- B. Issue a Locate from the Device Security menu.
- C. Enable Tracking from the Device Security menu.
- D. Set the Geo-fencing options in a Location Services policy.

Correct Answer: D

QUESTION 3

Which two policies should a Citrix Engineer add to a deployment package to set the status of a user's device to Out of Compliance and notify the engineer whenever a user installs a blacklisted application on an enrolled device? (Choose two.)

- A. App Lock
- B. Restriction
- C. Automated Actions
- D. Applications Access

Correct Answer: CD

QUESTION 4

Which two settings could a Citrix Engineer configure during Express Setup on the App Controller console? (Choose two.)

- A. License file
- B. NTP Server
- C. DNS Servers
- D. HA Peer address

Correct Answer: BC

QUESTION 5

Scenario: A Citrix Engineer needs to provide users with remote access to SaaS applications managed by XenMobile. Users will access the applications on their mobile devices through Worx Home. Which two options should the engineer configure in the session profile on the NetScaler? (Choose two.)

- A. ICAProxy OFF
- B. Clientless Access ON
- C. URL Encoding OBSCURE
- D. Single Sign-on to Web Applications DISABLED

Correct Answer: AB

QUESTION 6

Scenario: A Citrix Engineer is working in a XenMobile proof-of-concept environment, which has a single-hop DMZ. The engineer needs to integrate XenMobile Device Manager with XenMobile App Controller for internal testing purposes. Which two requirements must the engineer ensure are met in order to successfully configure this environment? (Choose two.)

- A. The Device Manager must be able to resolve the App Controller's Host Name.
- B. The App Controller root certificate must be installed on the Device Manager server.
- C. Ports 80 and 443 must be opened between the Device Manager and the App Controller.
- D. Both the Device Manager and the App Controller must be located on the same network subnet.

Correct Answer: AC

QUESTION 7

Which steps should an administrator take to publish applications that will be accessed through Web Interface and presented in different folders?

- A. Publish the applications as Content instead of Applications.
- B. Create a folder under the Application node and put the specific application in the folder.
- C. In the application properties, in the location section, change the working directory to match the folder name.
- D. In the application properties, in the Shortcut presentation section, fill in a name for the Client application folder.

Correct Answer: D

EnsurePass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.
5. **Instant Access to download the Items**

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2015: JREH-G1A8-XHC6

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
100-101	640-554	220-801	LX0-101	1Z0-051	VCAD510	C2170-011
200-120	200-101	220-802	N10-005	1Z0-052	VCP510	C2180-319
300-206	640-911	BR0-002	SG0-001	1Z0-053	VCP550	C4030-670
300-207	640-916	CAS-001	SG1-001	1Z0-060	VCAC510	C4040-221
300-208	640-864	CLO-001	SK0-003	1Z0-474	VCP5-DCV	RedHat
350-018	642-467	ISS-001	SY0-301	1Z0-482	VCP510PSE	EX200
352-001	642-813	JK0-010	SY0-401	1Z0-485		EX300
400-101	642-832	JK0-801	PK0-003	1Z0-580		
640-461	642-902			1Z0-820		

