

*Ensurepass.com Easy Test! Easy Pass!*



**Vendor:** Cisco

**Exam Code:** 640-760

**Exam Name:** Supporting Cisco Service Provider IP NGN  
Operations (SSPO)

**QUESTION 1**

While looking at a Cisco CRS syslog, you see this message:

```
%ROUTING-FIB-1-FIBTBLINIT
```

Based on the message alone, should you consider it a high-priority message?

- A. Yes, because router syslog messages require immediate action.
- B. Yes, because the severity of the syslog message requires immediate action.
- C. No, because router syslog messages are informational only.
- D. No, because the severity of the syslog message is informational only.

**Answer: B**

**QUESTION 2**


According to the ITIL@v3 framework, how does problem management contribute to network availability?

- A. by maintaining optimal levels of service quality
- B. by developing and documenting workarounds to known problems
- C. by providing inputs for calculating SLA penalties
- D. by restoring normal service operation as quickly as possible

**Answer: B**

**QUESTION 3**

Refer to the Gigabit Ethernet link in the exhibit. Which of the following IP address schemes would allow for IP reachability across this link?



- A. Router A with IP 10.1.1.0/31 to Router B with IP 10.1.1.1/31
- B. Router A with IP 10.1.1.1/31 to Router B with IP 10.1.1.2/31
- C. Router A with IP 10.1.1.7/30 to Router B with IP 10.1.1.8/30
- D. Router A with IP 10.1.1.255/31 to Router B with IP 10.1.1.253/31

**Answer: A**

**QUESTION 4**

Which one of these items is used to define key elements for successfully building obtainable service levels?

- A. critical success factors
- B. key performance indicators
- C. key quality indicators
- D. metrics

**Answer:** A

**QUESTION 5**

What action should you take if the NMS is receiving temperature alarms from a router?

- A. Check the fan tray to ensure that all of the fans are functioning properly.
- B. Check the line card to ensure that it is not generating excessive heat.
- C. Check the interfaces to ensure that they are not generating excessive heat.
- D. Check the grounding wire to ensure that it is attached properly.

**Answer:** A

**QUESTION 6**

According to the ITIL@v3 framework, what five characteristics can you use to identify effective KPIs? (Choose five.)

- A. specific
- B. agreed
- C. realistic
- D. budget-based
- E. heuristic
- F. time-based
- G. measurable
- H. Boolean

**Answer:** ABCFG

**QUESTION 7**

Which one of the following statements is true for syslog messages?

- A. A syslog packet is limited to 1024 bytes.
- B. Syslog messages use UDP port 520.
- C. At the application layer, syslog sends acknowledgments.
- D. Syslog is a peer-to-peer protocol.

**Answer:** A

**QUESTION 8**

You are responsible for monitoring the IP network. You have noticed since the beginning of your shift that a particular interface on a network switch has been flapping, and it has finally gone down. You open an incident ticket. According to the ITIL@v3 framework, what should you do to determine if it is a recurring issue?

- A. Use Telnet to connect to the device and troubleshoot.
- B. Ping the device to verify connectivity.
- C. Perform a search of the known-error database.
- D. Clear the alarm from the event system to see if it recurs.
- E. Clear the interface counters and see if additional errors are incurred

**Answer: C**

**QUESTION 9**

Which of these items enables an agent to notify the management station of significant events by sending an unsolicited message?

- A. syslog message
- B. SNMP trap
- C. managed object code
- D. RMON notification

**Answer: B**

**QUESTION 10**

When connecting to the console port, you see this message:

```
%SYS-2-MALLOCFAIL: Memory allocation of 1028 bytes failed from  
0x6015EC84, Pool Processor, alignment 0
```

What two situations could cause this message? (Choose two.)

- A. The router does not have the minimum amount of I/O memory to support certain interface processors.
- B. The memory has fragmented into such small pieces that the router cannot find a usable available block.
- C. The router has temporarily or permanently used all available memory.
- D. The router ran out of "fast" memory, and will use its main DRAM instead.

**Answer: BC**

## Ensurepass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

**Valid Discount Code for 2014: SFOH-FZA0-7Q2S**

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
<a href="#"><u>100-101</u></a>	<a href="#"><u>640-554</u></a>	<a href="#"><u>220-801</u></a>	<a href="#"><u>LX0-101</u></a>	<a href="#"><u>1Z0-051</u></a>	<a href="#"><u>VCAD510</u></a>	<a href="#"><u>C2170-011</u></a>
<a href="#"><u>200-120</u></a>	<a href="#"><u>640-802</u></a>	<a href="#"><u>220-802</u></a>	<a href="#"><u>N10-005</u></a>	<a href="#"><u>1Z0-052</u></a>	<a href="#"><u>VCP510</u></a>	<a href="#"><u>C2180-319</u></a>
<a href="#"><u>300-206</u></a>	<a href="#"><u>640-816</u></a>	<a href="#"><u>BR0-002</u></a>	<a href="#"><u>SG0-001</u></a>	<a href="#"><u>1Z0-053</u></a>	<a href="#"><u>VCP550</u></a>	<a href="#"><u>C4030-670</u></a>
<a href="#"><u>300-207</u></a>	<a href="#"><u>640-822</u></a>	<a href="#"><u>CAS-001</u></a>	<a href="#"><u>SG1-001</u></a>	<a href="#"><u>1Z0-060</u></a>	<a href="#"><u>VCAC510</u></a>	<a href="#"><u>C4040-221</u></a>
<a href="#"><u>300-208</u></a>	<a href="#"><u>640-864</u></a>	<a href="#"><u>CLO-001</u></a>	<a href="#"><u>SK0-002</u></a>	<a href="#"><u>1Z0-474</u></a>	<a href="#"><u>VCP5-DCV</u></a>	<a href="#"><u>RedHat</u></a>
<a href="#"><u>350-018</u></a>	<a href="#"><u>642-467</u></a>	<a href="#"><u>ISS-001</u></a>	<a href="#"><u>SK0-003</u></a>	<a href="#"><u>1Z0-482</u></a>	<a href="#"><u>VCP510PSE</u></a>	<a href="#"><u>EX200</u></a>
<a href="#"><u>352-001</u></a>	<a href="#"><u>642-813</u></a>	<a href="#"><u>JK0-010</u></a>	<a href="#"><u>SY0-101</u></a>	<a href="#"><u>1Z0-485</u></a>		<a href="#"><u>EX300</u></a>
<a href="#"><u>400-101</u></a>	<a href="#"><u>642-902</u></a>	<a href="#"><u>JK0-801</u></a>	<a href="#"><u>SY0-301</u></a>	<a href="#"><u>1Z0-580</u></a>		
<a href="#"><u>640-461</u></a>	<a href="#"><u>700-302</u></a>			<a href="#"><u>1Z0-820</u></a>		

