



Vendor: IBM

Exam Code: C2090-312

Exam Name: IBM DB2 11 DBA for z/OS

Version: Demo

QUESTION 1

Which statement is true?

- A. Unicode and EBCDIC have a different collating sequence.
- B. The collating sequence for ASCII and EBCDIC is identical.
- C. The collating sequence for Unicode and EBCDIC is identical.
- D. If you use BETWEEN in your SQL statement, the collating sequence does not matter for the predicate evaluation.

Correct Answer: A

Explanation:

[http://www-](http://www-01.ibm.com/support/knowledgecenter/SS4LQ8_3.1.0/com.ibm.datatools.aqt3.doc/gui/concepts/c_idaa_inconsistencies.html)

[01.ibm.com/support/knowledgecenter/SS4LQ8_3.1.0/com.ibm.datatools.aqt3.doc/gui/concepts/c_idaa_inconsistencies.html](http://www-01.ibm.com/support/knowledgecenter/SS4LQ8_3.1.0/com.ibm.datatools.aqt3.doc/gui/concepts/c_idaa_inconsistencies.html) (first bulleted point on the page)

QUESTION 2

Which two options can be specified in order to access a system-period temporal table for a specific point in time guaranteeing accurate results?

- A. A period-specification placed in the FROM clause of a subselect.
- B. A period-specification placed in the WHERE clause of a subselect
- C. A SELECT statement predicate against the transaction start ID of the base table.
- D. A predicate against the start and end columns of the base table placed in the WHERE clause of a subselect.
- E. A SET of the CURRENT TEMPORAL SYSTEM_TIME special register to a non-null value prior to a SELECT against the temporal table.

Correct Answer: CE

QUESTION 3

Which is NOT a valid privilege/authority for executing CREATE TYPE (array)?

- A. SYSADM
- B. SYSOPR
- C. SYSCTRL
- D. CREATEIN on the schema

Correct Answer: A

QUESTION 4

Which DB2 Client command can be used to identify the Client's version?

- A. db2fm
- B. db2look
- C. db2level
- D. db2ldcfg

Correct Answer: C

QUESTION 5

The degree of parallelism can vary for the REBUILD INDEX utility. What action should be taken to limit the use of real memory using the REBUILD INDEX utility?

- A. Increase the value of the PARALLEL option.
- B. Decrease the value of the PARALLEL option.
- C. Increase the value in the CURRENT DEGREE special register.
- D. Decrease the value in the CURRENT DEGREE special register.

Correct Answer: A

QUESTION 6

Which statement about an array data type is true?

- A. User-defined data types are allowed in an array.
- B. An array is a built-in data type and can only be numeric.
- C. Arrays can be used as direct input to a select-statement predicate.
- D. Associative arrays can only use INTEGER and VARCHAR data types as indexes.

Correct Answer: D

QUESTION 7

Index versions are created when certain schema changes are committed. Which schema change results in a new index version being created?

- A. Issue the ALTER INDEX REGENERATE statement.
- B. Use the ALTER INDEX statement to add a column to an index that was built with DEFINE NO.
- C. Add a new column to both a table and an index in the same commit operation when the table is in a partition-by-growth table space and the index is built with DEFINE YES.
- D. When you extend the length of a varying-length character (VARCHAR data type) or varying-length graphic (VARGRAPHIC data type) column that is contained in one or more indexes that are defined with the NOT PADDED option.

Correct Answer: B

QUESTION 8

A table space is successfully recovered by using RECOVER TABLESPACE db.ts TOLASTFULLCOPY. This table space is referenced by an index. Which statement is true?

- A. The index has now a status of REFP.
- B. The index has now a status of RECP.
- C. The index has now a status of CHKP.
- D. The index has now a status of RBDP.

Correct Answer: C

QUESTION 9

Which is NOT a valid value for the KEYWORDS column in the DSN_PROFILES_ATTRIBUTES table?

- A. MONITOR THREAD
- B. MONITOR IDLE THREADS
- C. MONITOR CONNECTIONS
- D. MONITOR ACTIVE THREADS

Correct Answer: B

QUESTION 10

Which component is NOT shared between DB2 data sharing members?

- A. SCA
- B. IRLM
- C. DB2 catalog
- D. DB2 directory

Correct Answer: C

QUESTION 11

You want to create a table space without actually creating the underlying data sets until rows are inserted into the corresponding table. Which CREATE TABLESPACE statement option and value should you use?

- A. PRIQTYO
- B. PRIQTY-1
- C. DEFINE NO
- D. DEFER YES

Correct Answer: C

QUESTION 12

DB2 AUDIT policies are defined by inserting rows into what DB2 Catalog table?

- A. SYSIBM.SYSDBAUTH
- B. SYSIBM.SYSAUTOALERTS
- C. SYSIBM.SYSAUDITPOLICIES
- D. SYSIBM.SYSTABLESPROFILES

Correct Answer: C

Explanation:

[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSEPEK_11.0.0/com.ibm.db2z11.doc.seca/src/tpc/d)

[01.ibm.com/support/knowledgecenter/SSEPEK_11.0.0/com.ibm.db2z11.doc.seca/src/tpc/d](http://www-01.ibm.com/support/knowledgecenter/SSEPEK_11.0.0/com.ibm.db2z11.doc.seca/src/tpc/d)
b2z_secadmauthority.dita (9th bullet)