



**Exam Code:** e20-520

**Exam Name:** calriion solutions specialist exam

**Vendor:** EMC

**Version:** DEMO

## Part: A

1: Which Navisphere Event Monitor model uses an SP agent to monitor only the storage system on which the SP agent resides?

- A.Individual
- B.Enterprise
- C.Distributed
- D.Centralized

**Correct Answers: C**

2: THB Corporation has a database consisting of one log LUN and four data LUNs. The company plans to mirror the database to two remote locations with MirrorView/S. How should it plan to maintain the consistency of the database?

- A.Create a MirrorView/S consistency group, and ensure that all five mirrors are members of the consistency group
- B.Consistency cannot be maintained with MirrorView/S. They should consider MirrorView/A with consistency groups
- C.Consistency cannot be maintained because MirrorView/S does not support consistency groups with two secondary images
- D.Consistency cannot be maintained because MirrorView/S does not support consistency groups where log LUNs are members

**Correct Answers: C**

3: What is a valid Navisphere CLI command?

- A.navicli getlun -h 192.168.2.125
- B.navicli -d 192.168.2.125 getlun -rg
- C.navicli -h 192.168.2.125 getlun -rg
- D.java.jar navicli -address 192.168.2.16 metalun -list

**Correct Answers: C**

4: The CFM Corporation believes its data is going through the wrong switch in the fabric. They put a protocol analyzer online to capture the output. Where should they look to see if the data is being routed incorrectly?

- A.The fourth byte of the destination WWPN
- B.The eighth byte of the destination WWPN
- C.The first byte of the destination Fibre Channel address
- D.The second byte of the destination Fibre Channel address

**Correct Answers: C**

5: Which option is selectable in the Create RAID Group dialogue box?

- A.RAID Type
- B.RAID Group ID
- C.Enable Write Cache
- D.Manual Destroy after LUN is unbound

**Correct Answers: B**

6: What is one way a Snapshot provides a "point-in-time" view of a source LUN?

- A.By writing the new data to the Reserved LUN pool each time it changes
- B.By writing the new data to the Reserved LUN pool the first time it changes
- C.By copying the original data to the Reserved LUN pool the first time it changes
- D.By limiting the number of Snapshots to eight that can be assigned to a LUN at the same time

**Correct Answers: C**

7: What is an attribute of a Clone Private LUN?

- A.Contains Fracture Logs
- B.Contains Write Intent Logs
- C.Must be the same RAID type as the source LUN
- D.Shared by both storage processors simultaneously

**Correct Answers: A**

8: The VisualSRM agent installation can be performed locally on each host. What other method can be used for installation?

- A.pkgadd utility
- B.Pull installation
- C.Push installation
- D.At system reboot

**Correct Answers: C**

9: What is a characteristic of Event Monitor?

- A.Integrated with Navisphere Manager
- B.Loaded as a separately purchased NDU
- C.Monitors for hardware-related events only
- D.Monitors only for Navisphere defined events

**Correct Answers: A**

10: Which function is disabled when PowerPath is installed without a license key?

- A.Failover
- B.Multipathing
- C.LUNZ functionality
- D.Access to peer SP paths

**Correct Answers: B**

11: Which feature does the PowerPath GUI provide to users?

- A.Change the failover policy of a LUN
- B.Change the CLARiiON SP from active to standby
- C.Provide the CLARiiON with active-active failover policy
- D.PowerPath is required for a host to connect to a storage group

**Correct Answers: A**

12: Which feature best describes the PSM LUN on the CX series?

- A. Each SP accesses its own copy
- B. Default size is 2GB on a CX array
- C. Not viewable in Navisphere Manager
- D. Created after array initialization by the user

**Correct Answers: C**

13: In an Emulex HBA Solaris host Installation, which file is edited to force the host to perform a Fabric login to a switch?

- A. sd.conf
- B. lpfc.conf
- C. lputil.conf
- D. /etc/system

**Correct Answers: B**

14: What is a feature of Access Logix?

- A. LUN Masking
- B. Controls access to data through file locking
- C. Masks host WWNs via Access Control lists
- D. Restricts one host at a time to accessing one LUN at a time

**Correct Answers: A**

15: How does a SAN Copy session failover upon SP failure?

- A. Automatically, via PowerPath
- B. Manually, via user intervention
- C. Conditionally, via host intervention
- D. Automatically, via storage system redundancy

**Correct Answers: B**