



**Exam Code:** HP0-768

**Exam Name:** NonStop Transaction Management Facility  
(TMF)

**Vendor:** HP

**Version:** DEMO

## Part: A

1: Which parameter can only be configured when adding an audit trail?

- A.audit trail file size
- B.active volumes
- C.files per volume
- D.audit trail prefix

**Correct Answers: A**

2: Under what circumstance is it possible to have audited data on the same volume as audit trail files which have not yet been dumped?

- A.when the volume is defined as an overflow volume
- B.when the volume is defined as a restore volume
- C.when index files or alternate key files are the only audited data files on this volume
- D.when the data is being replicated by the remote data facility (RDF)

**Correct Answers: A**

3: Which action does TMF perform during TMF overflow processing?

- A.Audit trails are copied from the active volume to the overflow volume.
- B.New audit trails are created on the overflow volume until the oldest file is unpinned.
- C.Overflow threshold is temporarily increased to the begintransdisable threshold.
- D.Audit trail files are renamed.

**Correct Answers: A**

4: Which TMFCOM command requires that TMF is stopped? Select TWO.

- A.ALTER CATALOG
- B.DELETE AUDITDUMP
- C.ALTER BEGINTRANS
- D.DELETE CATALOG
- E.ALTER TMF, CONFIGVOL

**Correct Answers: A E**

5: What can reduce the amount of disk contention and excessive seeks during audit dump processing?

- A.mirroring disk drives
- B.configuring more than one active audit volume for an audit trail
- C.configuring more than one tape device for the audit dump process
- D.configuring more files per active audit volume

**Correct Answers: B**

6: Performing a TMFCOM ALTER DATAVOLS to change RECOVERYMODE from ARCHIVE to ONLINE \_\_\_\_\_.

- A.causes audit trails which may be needed for volume recovery to be restored to disk
- B.releases audit trails that were pinned on disk because they would be needed for volume recovery

C.causes subsequent audit trails to be retained on disk for as long as they may be needed for volume recovery

D.forces a volume recovery operation on that data volume

**Correct Answers: C**

7: When is it possible for multiple TMF configurations to be active at the same time?

A.Only one TMF configuration is allowed to be active at one time.

B.after the TMFCOM ALTER TMF, CONFVOL command has been used

C.when there are multiple RDF configurations in use

D.when both master and auxiliary audit trails have been configured

**Correct Answers: A**

8: What is the purpose of data volumes in the TMF configuration?

A.to contain the data to be protected

B.to contain the data generated by TMF for protection

C.to contain the TMF configuration information

D.to contain the TMF catalog

**Correct Answers: A**

9: Which TMFCOM command MUST be used prior to configuring TMF with a new audit trail?

A.DELETE TMF

B.INITIALIZE TMF

C.RECONFIGURE TMF

D.SHUTDOWN TMF, ABRUPT

**Correct Answers: A**

10: What can you do to increase audit trail capacity on a running system? Select TWO.

A.Increase the size of the audit trail files.

B.Add an auxiliary audit trail.

C.Add an active audit volume.

D.Increase the number of audit trail files per active audit volume.

E.Free disk space on existing active audit volumes.

**Correct Answers: C D**