

Exam Code: HP0-787

**Exam Name:** NonStop Advanced Application

Development

Vendor: HP

Version: DEMO

## Part: A

1: What do you use to list procedure names in a TNS object file?
A.NLD
B.NOFT
C.AR
D.BIND
Correct Answers: D
2: A JVM must be started with to enable jdb debugging support.
AXdebug
Bjdb
-
CInspect
DDebug
Correct Answers: A
3: Where can breakpoints be set in jdb? Select TWO.
A.at the first instruction of a method
B.at a verb
C.at a data object
D.at a line number
E.at a statement
Correct Answers: A D
4: The compiler option SYNTAX or WSYNTAX
A.creates an executable object file
B.suppresses errors
C.inserts the source in the object
D.checks the source for errors
Correct Answers: D
Correct Miswers. B
5: What is a valid INSPECT command for debugging SCREEN COBOL?
A.BREAK
B.STEP IN
C.STOP
D.SAVE
Correct Answers: A
6: To RESTORE a partitioned SQL table to a different destination, which option is required?
A.PHYSVOL
B.REBUILD
C.MAP NAMES
D.VOL
Correct Anguages C

7: What are two advantages specific to a DLL (Dynamic Link Library)? Select TWO.

A.It contains Position Independent Code (PIC).

B.It is loaded during cold load.

C.It is composed of shared code.

D.It can have private data.

E.It can be unloaded from a process.

**Correct Answers: A E** 

8: What can user libraries be used for? Select TWO.

A.to provide source code for compilation

B.to share common compiled procedures

C.to override an operating system procedure

D.to provide an alternate main procedure/program

E.to switch from native to non-native mode

**Correct Answers: B C** 

9: The file EXTDECS, CEXTDECS, or COBOLEXT contains the procedure declarations for which routines?

A.user library routines

B.system library routines

C.third-party library routines

D.SQL routines

**Correct Answers: B** 

10: The purpose of the CTOEDIT utility is to \_\_\_\_\_.

A.convert unstructured files to structured files

B.convert C application code written on the PC to a Guardian edit file

C.convert OSS text files to Guardian text files

D.generate OSS code to be used in Guardian

Correct Answers: C