



Exam Code: HP0-919

Exam Name: HP Data Protector Software Application

Integration-UNIX

Vendor: HP

Version: DEMO

Part: A

1: What must be considered when migrating the Cell Manager from a PA-RISC to an Integrity system?

- A.Reinstall the media agents.
- B.The new Cell Server should have the same name.
- C.Import the Internal Database (IDB) from tape media.
- D.The new Cell Server should have the same IP address.

Correct Answers: D

2: What must be done to integrate Data Guard on UNIX systems?

- A.Install the Data Guard Integration Agent.
- B.Start the HP Data Protector Software Inet service as Oracle user.
- C.Start RMAN from the HP Data Protector Software admin account.
- D.Add the Oracle user to the HP Data Protector Software admin group.

Correct Answers: D

3: What must be done to migrate the Internal Database (IDB) from a PA-RISC to an Itanium system?

- A.omnidbutil
- B.omniupdate.pl
- C.omnidbcheck
- D.omnimigrate.pl

Correct Answers: D

4: Which operation is unsupported for an Oracle standby database?

- A.physical backup
- B.backup using the recovery catalog
- C.conversion to a standalone database
- D.configuration with a primary database

Correct Answers: C

5: You want to integrate HP Data Protector Software with Oracle-based SAP R/3 on UNIX. Which backup modes can you use? (Select two.)

- A.RMAN
- B.backint
- C.SAPback
- D.BRTOOLS
- E.BRBACKUP

Correct Answers: A B

6: Where must you specify the login credentials with util_oracle8.pl to configure a new Oracle standby database?

- A.Oracle database server

- B.on each Oracle standby instance
- C.HP Data Protector Software Cell Manager
- D.database server and the standby systems

Correct Answers: B

7: For which Oracle database type is the exclusion of single objects from a full backup unsupported?

- A.standby database
- B.standalone database
- C.recovery catalog database
- D.multiple-instances database

Correct Answers: A

8: You are integrating an SAP R/3 backup running on UNIX in HP Data Protector Software. What must be done before using the Oracle online backup functionality?

- A.Link HP Data Protector Software library to Oracle.
- B.Add sysdba user account to HP Data Protector Software userlist.
- C.Replace omnidb command with Oracle version of this command.
- D.Add ORACLE_SID variable in HP Data Protector Software global file.

Correct Answers: A

9: What is the purpose of online migration in ASM (Automated Storage Management)?

- A.data movement from disk to disk
- B.online replication to a standby database
- C.online database backup to tape devices
- D.data sharing between different database servers

Correct Answers: A

10: What is the recommended method to configure HP Data Protector Software version 6.0 Cell Manager after migration from HP-UX 11.x to HP-UX V.11.23?

- A.Create a local user account on the Cell Manager, log in to it, and use the Command Line Interface.
- B.Create a remote user account on the Cell Manager, connect to it from a remote system and use telnet.
- C.Log in to the Cell Manager locally using the root account, and use the HP Data Protector Software graphical user interface.
- D.Create a remote user account on the Cell Manager, connect to it from a remote system and use the HP Data Protector Software graphical user interface.

Correct Answers: D

11: Which HP Data Protector Software command is used to set, retrieve, list or delete SAP R/3 configuration file parameters?

- A.util_sap
- B.util_cmd

- C.sap_conf
- D.sapbd_util

Correct Answers: B

12: You want to integrate an SAP R/3 instance into HP Data Protector Software. Which command lists all configured SAP R/3 instances on the integrated client?

- A.omnisap -APP
- B.omnisap -LIST
- C.util_sap.exe -LIST
- D.util_sap.exe -APP

Correct Answers: D

13: When using util_sap.exe -CONFIG to configure the SAP R/3 integration in HP-UX, what happens with backint?

- A.It is linked to the BR_TOOLS directory.
- B.It is copied to the BR_TOOLS directory.
- C.It is added into the PATH variable of root.
- D.It is patched to the latest supported version.

Correct Answers: A

14: What is the reason for the Backup Session Manager (BSM) delay after all General Media Agents have finished data transfer during an SAP/R3 backup session?

- A.completion of the SAP/R3 database check
- B.default time-out value of five minutes for backint processes
- C.completion of the log synchronization on the SAP/R3 system
- D.Integration Agent synchronization with the Internal Database (IDB)

Correct Answers: B

15: Which HP Data Protector Software command provides the information required to configure an SAP R/3 integration?

- A.sap_init
- B.util_sap
- C.sap_conf
- D.util_sapdb

Correct Answers: B